

MATERIAL SAFETY DATA SHEET

40012PEN SCARLET 20

Version Number 1.0 Revision Date 06/12/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	40012PEN SCARLET 20
Product code	:	FO00001211
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Chlorinated paraffins: C12, 60% chlorine	108171-26-2	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

40012PEN SCARLET 20

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

40012PEN SCARLET 20

ion Number 1.0 sion Date 06/12/2002				Print	Page 3 Date 11/5/2
	P		ds, ducts,	combustible or toxic resi and other surfaces to m	
Storage		eep containers dry ar nd contamination. St		closed to avoid moisture ool dry place.	e absorption
	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	nder normal handling	, conditio	ns a respirator may not	be required.
			-		be required.
Eye/Face Protection		afety glasses with sid	e-shieias.		
Hand protection	: P:	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				-	
Components	Value	Exposure tim	e	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted A (TWA):		Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:		Respirable dust.	OSHA Z
	15 mg/m3	PEL:		Total dust.	OSHA ZI
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES	
Form Appearance		id ous, Liquid	Specifi	c Gravity : Not	t established t determined
Appearance Color	: Visco : RED	id ous, Liquid	Specifi Bulk de	c Gravity : Not ensity : Not	t determined t applicable.
Appearance	: Visco : RED : Very	id ous, Liquid faint	Specifi Bulk de	c Gravity : Not ensity : Not pressure : Not	determined
Appearance Color Odor Melting point/range Boiling Point:	: Visco : RED : Very : Not a : Not a	id ous, Liquid faint applicable applicable	Specifi Bulk de Vapor	c Gravity : Not ensity : Not pressure : Not density : Not	t determined t applicable. t determined
Appearance Color Odor Melting point/range	: Visco : RED : Very : Not a	id ous, Liquid faint applicable applicable	Specific Bulk de Vapor J Vapor de	c Gravity : Not ensity : Not pressure : Not density : Not	t determined applicable. determined determined
Appearance Color Odor Melting point/range Boiling Point:	: Visco : RED : Very : Not a : Not a : Immi	id ous, Liquid faint applicable applicable	Specifi Bulk de Vapor j Vapor o pH	c Gravity : Not ensity : Not pressure : Not density : Not : Not	t determined applicable. determined determined
Appearance Color Odor Melting point/range Boiling Point:	: Visco : RED : Very : Not a : Not a : Immi	id ous, Liquid faint applicable applicable iscible	Specifi Bulk de Vapor j Vapor o pH	c Gravity : Not ensity : Not pressure : Not density : Not : Not	t determined applicable. determined determined



MATERIAL SAFETY DATA SHEET

40012PEN SCARLET 20

Version Number 1.0 Revision Date 06/12/2002		Page 4 of 6 Print Date 11/5/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
108171-26-2	Chlorinated paraffins: C12,	no	2B	2
	60% chlorine			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.



MATERIAL SAFETY DATA SHEET

40012PEN SCARLET 20

ision Date 06/12/2002				Print Date 11/5/2		
Bioaccumulation Potential	: No	data available.				
Additional advice	: No	: No data available.				
	13. DI	SPOSAL CONSIDE	ERATIONS			
Product	gen clas	erator of waste mater sification, transporta	g is preferred to dispo ial has the responsibil tion and disposal in ac provincial and local re	cordance with		
Contaminated packaging	has and	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TI	RANSPORT INFOR	RMATION			
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not	regulated for transpo	ortation.			
ICAO/IATA	: Not	: Not regulated for transportation.				
IMO / IMDG	: Not regulated for transportation.					
	15. RE	GULATORY INFO	RMATION			
US Regulations:						
OSHA Status	: Cla	: Classified as hazardous based on components.				
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.					
US. EPA CERCLA Hazard	ous Substanc	es (40 CFR 302)				
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product		
1,2-Benzenedicarb oxylic acid, butyl phenylmethylester	85-68-7	0.06	100lbs	151,057 LB		
California Propositio 65		RNING! This prodution of the second state if the second state of t		l known in the State of		

MATERIAL SAFETY DATA SHEET

40012PEN SCARLET 20

Version Number 1.0 Revision Date 06/12/2002

> Not applicable Canadian Regulations:

> > WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
7631-86-9
108-05-4
85-68-7
75-01-4

DSL

: Listed.

National Inventories:

Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 6 of 6 Print Date 11/5/2011