

MATERIAL SAFETY DATA SHEET

STAN-TONE 50PC05 GREEN

Version Number 1.0 Revision Date 10/14/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE 50PC05 GREEN
Product code	:	FO00001529
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Di(2-ethylhexyl)phthalate	117-81-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				



MATERIAL SAFETY DATA SHEET

STAN-TONE 50PC05 GREEN

Version Number 1.0 Revision Date 10/14/2002 Page 2 of 6 Print Date 11/6/2011

	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.		
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: No data available.		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.		



MATERIAL SAFETY DATA SHEET

STAN-TONE 50PC05 GREEN

Storage	: K	Leep containers dry a	nd tightly	closed to avoid moist	ure absorption
C		nd contamination. S			
8. E	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	Inder normal handlin	g conditio	ns a respirator may n	ot be required.
Eye/Face Protection	: S	afety glasses with sic	le-shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				industrial hygiene an t the end of workday.	
Engineering measures		leat only in areas wit ppropriate exhaust ve		ate exhaust ventilationat machinery.	n. Provide
Exposure limit(s)					
Components	Value	Exposure tin	1e	Exposure type	List:
Di(2-ethylhexyl)phthal ate	5 mg/m3	Time Weighted A (TWA):		Vapor.	ACGIH
Di(2-ethylhexyl)phthal ate	5 mg/m3	PEL:		Vapor.	OSHA Z1
	9. PHYSI	CAL AND CHEMI	CAL PRO	PERTIES	
Form	: Liqu	id	Evapor	ration rate : N	Vot established
Appearance	: Liqu	id, Viscous liquid			Not determined
Color	: GRE	ersion EN	Bulk d	ensity · N	Not applicable.
Odor		faint			Not determined
Melting point/range	: Not	applicable			Ieavier than air.
Boiling Point:		applicable	pН	: N	Not determined
Water solubility	: Imm	iscible			
	10. 8	STABILITY AND R	EACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	1 : V	Vill not occur.			
					o avoid thermal



MATERIAL SAFETY DATA SHEET

STAN-TONE 50PC05 GREEN

Version Number 1.0 Revision Date 10/14/2002 Page 4 of 6 Print Date 11/6/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
117-81-7	Di(2-ethylhexyl)phthalate	Systemic effects	Eyes, Respiratory system, Liver, central nervous system, Skin, digestive system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
117-81-7	Di(2-ethylhexyl)phthalate	Oral LD50	30 gm/kg	rat
		Dermal LD50	25 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
117-81-7	Di(2-ethylhexyl)phthalate	no	no	2

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Di(2-ethylhexyl)phthalate 117-81-7 There is sufficient evidence for the carcinogenicity of di (2-ethylhexyl) phthalate in experimental animals. Administered in the feed this chemical caused an increase incidence of liver cancer in male and female rats and mice. The relevance of this finding to humans is uncertain.

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET

STAN-TONE 50PC05 GREEN

ision Date 10/14/2002				Print Date 11/6/2		
Persistence and degradabilit	y : Not read	lily biodegradab	e.			
Environmental Toxicity	: Environ whole.	: Environmental toxicity has not been established for this mixture as a whole.				
Bioaccumulation Potential	: No data	available.				
Additional advice	: No data	available.				
	13. DISPO	SAL CONSIDE	CRATIONS			
Product	generato classific	or of waste mater ation, transporta	g is preferred to dispo ial has the responsibil ion and disposal in ac provincial and local re	cordance with		
Contaminated packaging	ontaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	14. TRAN	SPORT INFOR	RMATION			
U.S. DOT Classification	: Refer to	specific regulati	on.			
ICAO/IATA	: Refer to	specific regulati	on.			
IMO / IMDG	: Refer to	specific regulati	on.			
	15. REGUI	LATORY INFO	RMATION			
US Regulations:						
OSHA Status	: Classifie	ed as hazardous l	based on components.			
TSCA Status	: All com exempt.		roduct are listed on the	e TSCA inventory or ar		
US. EPA CERCLA Hazardo	ous Substances (4	0 CFR 302)				
Chemical Name	CAS-No. % in Product RQ for component RQ for Mixture/Product					
Di(2-ethylhexyl)ph thalate	117-81-7	65.0000	100 lbs	154 LB		
California Propositic	n : WARNI	ING! This produ	ct contains a chemica	l known in the State of		



MATERIAL SAFETY DATA SHEET

STAN-TONE 50PC05 GREEN

Version Number 1.0 Revision Date 10/14/2002 Page 6 of 6 Print Date 11/6/2011

65		California to cause	e cancer.	
SARA Title III Section 313 To	oxic (Chemicals:		
Chemical Name	<u>د</u>		CAS-No.	Weight %
		L)PHTHALATE	117-81-7	65.00
(DEHP)			11, 01,	05.00
Canadian Regulations:				
WHMIS Classification	:	D2A		
WHMIS Ingredient Dis	closu	ire List		
CAS-No. 117-81-7				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Listed.		
Japan ENCS	:	Listed.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INF	ORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.