

MATERIAL SAFETY DATA SHEET

62118SPC ROYAL BLUE/07

Version Number 1.1 Revision Date 08/01/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	62118SPC ROYAL BLUE/07
Product code	:	FO00001719
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

62118SPC ROYAL BLUE/07

Version Number 1.1 Revision Date 08/01/2002 Page 2 of 6 Print Date 11/5/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If en irritation persists, seek medical attention.	ye
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	эk
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. 	
	. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	νt
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize	



MATERIAL SAFETY DATA SHEET

62118SPC ROYAL BLUE/07

				Print Date 11/5/2		
	ac	ccumulation of these mater	ials.			
Storage		eep containers dry and tight ad contamination. Store in		oisture absorption		
8. E	XPOSURE	CONTROLS / PERSON A	AL PROTECTION			
Respiratory protection	: U	nder normal handling cond	litions a respirator ma	y not be required.		
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.				
Engineering measures		eat only in areas with appropropriate exhaust ventilati		ation. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure typ	pe List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	e Total dust.	ACGIH		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1		
Thumum dioxide						
Thainain dioxide	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES			
				Not established		
Form	: Liqui	id Eva	aporation rate	Not established		
	: Liqui	id Eva bus, Liquid Spe	aporation rate	Not determined		
Form Appearance Color	: Liqui : Visco : BLU	id Eva ous, Liquid Spe E Bul	aporation rate scific Gravity k density	Not determined Not applicable.		
Form Appearance Color Odor	: Liqui : Visco : BLU : Very	id Eva ous, Liquid Spe E Bul faint Vaj	poration rate ecific Gravity k density por pressure	Not determinedNot applicable.Not determined		
Form Appearance Color Odor Melting point/range	: Liqui : Visco : BLU : Very : Not a	id Eva ous, Liquid Spe E Bul faint Vaj upplicable Vaj	aporation rate ecific Gravity k density por pressure por density	Not determinedNot applicable.Not determinedNot determined		
Form Appearance Color Odor	: Liqui : Visco : BLU : Very : Not a	id Eva ous, Liquid Spe E Bul faint Vaj upplicable Vaj upplicable pH	aporation rate ecific Gravity k density por pressure por density	Not determinedNot applicable.Not determined		
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqui : Visco : BLU : Very : Not a : Not a : Imm	id Eva ous, Liquid Spe E Bul faint Vaj upplicable Vaj upplicable pH	poration rate ecific Gravity k density por pressure por density	Not determinedNot applicable.Not determinedNot determined		
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqui : Visco : BLU : Very : Not a : Not a : Immi 10. S	id Eva ous, Liquid Spe E Bul faint Vaj upplicable Vaj upplicable pH iscible	poration rate ecific Gravity k density por pressure por density	Not determinedNot applicable.Not determinedNot determined		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Liqui : Visco : BLU : Very : Not a : Not a : Imm 10. S : Si	id Eva ous, Liquid Spe E Bul faint Vaj applicable Vaj applicable pH iscible	poration rate ecific Gravity k density por pressure por density	Not determinedNot applicable.Not determinedNot determined		



MATERIAL SAFETY DATA SHEET

62118SPC ROYAL BLUE/07

sion Number 1.1 rision Date 08/01/2002			Page 4 o Print Date 11/5/20
Incompatible Materials			xidizing agents. Avoid contact copolymers during processing.
Hazardous decomposition products	(NOx), hydro smoke are al degradation. after one hou	ogen chloride (HCl), oth ll possible. Prolonged he As a general rule of thu	oxide (CO), oxides of nitrogen er hazardous materials, and eating may result in product umb, degradation begins to occur er 10 minutes at 204 °C (400 °F), °F).
	11. TOXICOLO	GICAL INFORMATIC	DN
health data for the individ	lual components which c	comprise the mixture.	re effects listed are based on exis
CAS-No.	Chemical Name	Effect	Target Organ
	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATION	
Persistence and degradab	ility : Not readily b	biodegradable.	
Environmental Toxicity	: Environment whole.	tal toxicity has not been	established for this mixture as a
Environmental Toxicity Bioaccumulation Potentia	whole.	·	established for this mixture as a
	whole.	ilable.	established for this mixture as a
Bioaccumulation Potentia	whole. al : No data avai : No data avai	ilable.	established for this mixture as a
Bioaccumulation Potentia	whole. al : No data avai : No data avai 13. DISPOSAI : Where possil generator of classificatior	ilable. ilable. <u>CONSIDERATIONS</u> ble, recycling is preferre	d to disposal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Potentia Additional advice	whole. al : No data avai : No data avai 13. DISPOSAL : Where possil generator of classificatior applicable fe : Recycling is has the respo	ilable. L CONSIDERATIONS ble, recycling is preferre waste material has the re n, transportation and disp ederal, state/provincial ar preferred when possible onsibility for proper wast in accordance with appl	d to disposal or incineration. The esponsibility for proper waste posal in accordance with

U.S. DOT / CA TDG : Not regulated for transportation. Classification



MATERIAL SAFETY DATA SHEET

62118SPC ROYAL BLUE/07

ion Number 1.1 sion Date 08/01/2002		Page 5 Print Date 11/5/2
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

62118SPC ROYAL BLUE/07

Version Number 1.1 Revision Date 08/01/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.