

MATERIAL SAFETY DATA SHEET

66111SB RENAISSANCE BLUE

Version Number 1.1 Revision Date 08/01/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	66111SB RENAISSANCE BLUE
Product code	:	FO00001803
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	1 - 5
phenylmethylester		
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

66111SB RENAISSANCE BLUE

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit	No data available.No data available.
Autoignition temperature Suitable extinguishing media	Not applicable.Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET

66111SB RENAISSANCE BLUE

sion Number 1.1 ision Date 08/01/2002					Print	Page 3 Date 11/5/2
	Р	ime condensates may co eriodically clean hoods, ccumulation of these ma	ducts, a			
Storage		eep containers dry and t nd contamination. Store				e absorption
8. 1	EXPOSURE	CONTROLS / PERSC	DNAL P	ROTECTI	ON	
Respiratory protection	: U	Inder normal handling co	ondition	s a respirato	or may not	be required.
Eye/Face Protection	: S	afety glasses with side-s	shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance wit Vash hands before break				safety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				Provide	
Exposure limit(s)						
Components	Value	Exposure time		Exposur	e type	List:
Calcium carbonate	10 mg/m3	Time Weighted Aver (TWA):	rage	Total		ACGIH
Calcium carbonate	5 mg/m3	PEL:		Respirab	le dust.	OSHA Z1
	15 mg/m3	PEL:		Total	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PROF	ERTIES		
Form	: Liqu	id	Evapora	tion rate	· Not	t established
Appearance			Specific			t determined
Color	: BLU		Bulk der			t applicable.
Odor			Vapor p			t determined
Melting point/range			Vapor de			t determined
Boiling Point:			pН	-		t applicable.
Water solubility	: Imm	iscible	•			
	10. 5	STABILITY AND REA	ACTIVI	ГҮ		
Stability	: S	table.				
Stubility						



MATERIAL SAFETY DATA SHEET

66111SB RENAISSANCE BLUE

Version Number 1.1 Revision Date 08/01/2002		Page 4 of 6 Print Date 11/5/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. '	TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS



MATERIAL SAFETY DATA SHEET

66111SB RENAISSANCE BLUE

sion Date 08/01/2002				Page 5 Print Date 11/5/2
Product	genera classif	tor of waste mater ication, transporta	g is preferred to dispo ial has the responsibil tion and disposal in ac provincial and local re	cordance with
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRA	NSPORT INFOR	RMATION	
U.S. DOT / CA TDG Classification	: Not re	gulated for transpo	ortation.	
ICAO/IATA	: Not re	gulated for transpo	ortation.	
IMO / IMDG	: Not re	gulated for transpo	ortation.	
	15. REGU	JLATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classi	fied as hazardous t	based on components.	
TSCA Status	: All cor		roduct are listed on the	e TSCA inventory or ar
15CA Status	exemp	t.		
US. EPA CERCLA Hazard	_			
	_		RQ for component	RQ for Mixture/Product
US. EPA CERCLA Hazard	ous Substances	(40 CFR 302)	RQ for component 100 lbs	-
US. EPA CERCLA Hazard Chemical Name 1,2-Benzenedicarb oxylic acid, butyl	ous Substances CAS-No. 85-68-7 on : WARM	(40 CFR 302) % in Product 1.46	100 lbs	Mixture/Product 6,815 LB
US. EPA CERCLA Hazard Chemical Name 1,2-Benzenedicarb oxylic acid, butyl phenylmethylester California Propositi	ous Substances CAS-No. 85-68-7 on : WARI Califor	(40 CFR 302) % in Product 1.46 NING! This produ rnia to cause cance	100 lbs	Mixture/Product 6,815 LB
US. EPA CERCLA Hazard Chemical Name 1,2-Benzenedicarb oxylic acid, butyl phenylmethylester California Propositi 65 SARA Title III Section 302	ous Substances CAS-No. 85-68-7 on : WARI Califor	(40 CFR 302) % in Product 1.46 NING! This produ rnia to cause cance	100 lbs	Mixture/Product



MATERIAL SAFETY DATA SHEET

66111SB RENAISSANCE BLUE

Version Number 1.1 Revision Date 08/01/2002 Page 6 of 6 Print Date 11/5/2011

WHMIS Ingre	edient Disclosi	ire List
CAS- 85-68		
DSL	:	Listed.
National Inventories:		
Australia AIC	CS :	Listed.
China IECS	:	Not determined.
Europe EINE	CS :	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines Pl	ICCS :	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.