

MATERIAL SAFETY DATA SHEET

67874SB SOFFE NAVY

Version Number 1.1 Revision Date 08/02/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	67874SB SOFFE NAVY
Product code	:	FO00001860
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	1 - 5
phenylmethylester		
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

67874SB SOFFE NAVY

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits	
Upper explosion limit	: No data available.
Lower explosion limit	: No data available.
Autoignition temperature Suitable extinguishing media	Not applicable.Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde
Hazards	fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as
r ersonar precautions	impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET

67874SB SOFFE NAVY

sion Date 08/02/2002				Print	Page 3 Date 11/5/2
	P		ods, ducts, a	ombustible or toxic resi and other surfaces to m	
Storage		eep containers dry nd contamination.		closed to avoid moisture ol dry place.	e absorption
8. F	XPOSURE	CONTROLS / PE	RSONAL F	PROTECTION	
Respiratory protection	: U	nder normal handli	ng conditior	as a respirator may not	be required.
Eye/Face Protection	: S	afety glasses with s	ide-shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothin	ıg.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures Exposure limit(s)		leat only in areas w ppropriate exhaust		ate exhaust ventilation. t machinery.	Provide
					1
Components	Value	Exposure ti		Exposure type	List:
Calcium carbonate	10 mg/m3	-		Total dust.	ACGIH
		(1 WA)			
Calcium carbonate	5 mg/m3	PEL:		Respirable dust.	OSHA Z1
Calcium carbonate	5 mg/m3 15 mg/m3			Respirable dust. Total dust.	
Calcium carbonate	15 mg/m3	PEL:		Total dust.	
Calcium carbonate Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Liqui : Visco : BLU : Very : Not a	PEL: PEL: CAL AND CHEM id ous, Liquid E faint applicable applicable	ICAL PRO	Total dust. PERTIES ation rate : Not c Gravity : Not nsity : Not pressure : Not lensity : Not	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Liqui : Visco : BLU : Very : Not a : Not a : Imm	PEL: PEL: CAL AND CHEM id ous, Liquid E faint applicable applicable	ICAL PRO Evapora Specific Bulk de Vapor p Vapor c pH	Total dust. PERTIES ation rate : Not c Gravity : Not nsity : Not ressure : Not iensity : Not	OSHA Z1 established determined applicable. determined determined
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Liqui : Visco : BLU : Very : Not a : Not a : Immi 10. S	PEL: PEL: CAL AND CHEM id ous, Liquid E faint applicable applicable iscible	ICAL PRO Evapora Specific Bulk de Vapor p Vapor c pH	Total dust. PERTIES ation rate : Not c Gravity : Not nsity : Not ressure : Not iensity : Not	OSHA Z1 established determined applicable. determined determined



MATERIAL SAFETY DATA SHEET

67874SB SOFFE NAVY

Version Number 1.1 Revision Date 08/02/2002		Page 4 of 6 Print Date 11/5/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11.	TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit
	phenylmethylester			

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.				
Bioaccumulation Potential	: No data available.				
Additional advice	: No data available.				
	13. DISPOSAL CONSIDERATIONS				



MATERIAL SAFETY DATA SHEET

67874SB SOFFE NAVY

sion Number 1.1 ision Date 08/02/2002				Page 5 Print Date 11/5/2
Product	generat classifi	or of waste mater cation, transporta	g is preferred to dispo ial has the responsibil tion and disposal in ac provincial and local re	cordance with
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRA	NSPORT INFOR	RMATION	
U.S. DOT / CA TDG Classification	: Not reg	gulated for transpo	ortation.	
ICAO/IATA	: Not reg	gulated for transpo	ortation.	
IMO / IMDG	: Not reg	gulated for transpo	ortation.	
	15. REGU	LATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classif	ied as hazardous l	based on components.	
TSCA Status	: All con exempt		roduct are listed on the	TSCA inventory or ar
US. EPA CERCLA Hazard	ous Substances (40 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
1,2-Benzenedicarb oxylic acid, butyl phenylmethylester	85-68-7	1.58	100 lbs	6,326 LB
California Propositi 65		IING! This produnia to cause cance		l known in the State of
SARA Title III Section 302 Not applicable	Extremely Haza	rdous Substance		
Canadian Regulations:				
5				



MATERIAL SAFETY DATA SHEET

67874SB SOFFE NAVY

Version Number 1.1 Revision Date 08/02/2002 Page 6 of 6 Print Date 11/5/2011

WHMIS Ingredient Di CAS-No. 85-68-7	osure List	
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Not determined.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Not determined.	
	16. OTHER INFORM	ATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.