

MATERIAL SAFETY DATA SHEET

70184GNS BRIGHT LIME GREEN

Version Number 1.1 Revision Date 08/02/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	70184GNS BRIGHT LIME GREEN
Product code	:	FO00001916
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	1 - 5
phenylmethylester		
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

70184GNS BRIGHT LIME GREEN

Version Number 1.1 Revision Date 08/02/2002 Page 2 of 6 Print Date 11/5/2011

Aggravated by Exposure:		
	4	I. FIRST AID MEASURES
Inhalation	OV	ove to fresh air in case of accidental inhalation of fumes from verheating or combustion. When symptoms persist, or in all cases of pubt, seek medical advice.
Ingestion		o not induce vomiting without medical advice. When symptoms ersist, or in all cases of doubt, seek medical advice.
Eyes		inse immediately with plenty of water for at least 15 minutes. If eye itation persists, seek medical attention.
Skin		ash off with soap and plenty of water. If skin irritation persists seek edical attention.
	5. F	FIRE-FIGHTING MEASURES
Flash point	: No	o data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: No : No	o data available. o data available. ot applicable. arbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fu pr co	allface self-contained breathing apparatus (SCBA) used in positive essure mode should be worn to prevent inhalation of airborne ontaminants.
Unusual Fire/Explosion Hazards		ay emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under re conditions.
	ACC	IDENTAL RELEASE MEASURES
Personal precautions		ear appropriate personal protection during cleanup, such as appropriate point and coveralls.
Environmental precautions		hould not be released into the environment. The product should not allowed to enter drains, water courses or the soil.
Methods for cleaning up	un co	bak up with inert absorbent material (e.g. sand, silica gel, acid binder, niversal binder, sawdust). Package all material in appropriate ontainer for disposal. Refer to Section 13 of this MSDS for proper sposal methods.
	7.]	HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

70184GNS BRIGHT LIME GREEN

ion Number 1.1 sion Date 08/02/2002			I	Page 3 2/2/Print Date 11
Handling	fu P	ime condensates may co	ppropriate exhaust ventila ntain combustible or toxi ducts, and other surfaces terials.	ic residue.
Storage		eep containers dry and t nd contamination. Store	ightly closed to avoid mo in a cool dry place.	bisture absorption
8. H	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	
Respiratory protection	: U	Inder normal handling co	onditions a respirator may	y not be required.
Eye/Face Protection	: S	afety glasses with side-s	hields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			h good industrial hygiene s and at the end of workd	
Engineering measures		leat only in areas with appropriate exhaust ventil	ppropriate exhaust ventila lation at machinery.	tion. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure typ	e List:
Calcium carbonate	10 mg/m3	Time Weighted Aver (TWA):		ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable dus	st. OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
		CAL AND CHEMICAI	PROPERTIES	
	9. PH 151	CALAND CHEMICA		
Form				Not established
Form Appearance	: Liqui	id I	Evaporation rate :	Not established Not determined
Appearance	: Liqui : Visco	id l ous, Liquid S	Evaporation rate : Specific Gravity :	Not determined
	: Liqui : Visco : GRE	id l ous, Liquid S EN l	Evaporation rate :	

Color Odor Melting point/range Boiling Point: Water solubility

3/6

10. STABILITY AND REACTIVITY

pН

: Not applicable.

: Immiscible

: Not applicable



MATERIAL SAFETY DATA SHEET

70184GNS BRIGHT LIME GREEN

Version Number 1.1 Revision Date 08/02/2002 Page 4 of 6 Print Date 11/5/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic	Irritant	Eyes, Skin.
	acid, butyl		
	phenylmethylester		
		Systemic effects	Liver, reproductive system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.



MATERIAL SAFETY DATA SHEET

70184GNS BRIGHT LIME GREEN

sion Date 08/02/2002				Print Date 11/5/
Bioaccumulation Potential	: No dat	a available.		
Additional advice	: No dat	a available.		
	13. DISP	OSAL CONSIDE	ERATIONS	
Product	genera classifi	tor of waste mater cation, transportat	g is preferred to dispo- ial has the responsibi tion and disposal in a provincial and local re-	ccordance with
Contaminated packaging	has the and dis	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRA	NSPORT INFOR	RMATION	
U.S. DOT / CA TDG	. Not m	gulated for transpo	ortation	
Classification	. Not leg	guiated for transpo	ntation.	
ICAO/IATA	: Not reg	gulated for transpo	ortation.	
IMO / IMDG	: Not reg	gulated for transpo	ortation.	
	15. REGU	LATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classif	ied as hazardous t	based on components	
TSCA Status	: All cor exemp		roduct are listed on th	e TSCA inventory or a
US. EPA CERCLA Hazard	ous Substances ((40 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
1,2-Benzenedicarb oxylic acid, butyl phenylmethylester	85-68-7	3.39	100 lbs	2,949 LB
California Propositi 65	Califor chemic	nia to cause cance	er., WARNING! This tate of California to c	

MATERIAL SAFETY DATA SHEET

70184GNS BRIGHT LIME GREEN

Version Number 1.1 Revision Date 08/02/2002 Page 6 of 6 Print Date 11/5/2011

Canadian Regula	tions:				
WHMIS Classification : D2A					
WHMIS I	ngredient Discl	osu	re List		
0 8	CAS-No. 35-68-7				
DSL		:	Listed.		
National Inventor	ries:				
Australia	AICS	:	Listed.		

Australia AICS	•	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

vOne.