MATERIAL SAFETY DATA SHEET 80100OSN LIGHT GOLD

Version Number 1.3 Revision Date 08/08/2007 Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	80100OSN LIGHT GOLD
Product code	:	FO00002141
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 80100OSN LIGHT GOLD

Version Number 1.3 Revision Date 08/08/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing

POLYONE CORPORATION

PolvOne

MATERIAL SAFETY DATA SHEET 80100OSN LIGHT GOLD

Version Number 1.3 Revision Date 08/08/2007 Page 3 of 6 Print Date 11/30/2011

fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odour
- : liquid: Viscous, liquid: YELLOW: Very faint

Evaporation rate Specific Gravity Bulk density Vapour pressure Not establishedNot determinedNot applicableNot determined

4/6

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET 80100OSN LIGHT GOLD

Version Number 1.3 Revision Date 08/08/2007

Boilir	ig Point:	: N	ot applicable ot applicable nmiscible	Vapour density pH	:	Not determined Not applicable
		1). STABILITY AND RE	ACTIVITY		
Stabil	ity	:	Stable.			
Hazar	dous Polymerization	:	Will not occur.			
Condi	tions to avoid	:	Keep away from oxidizi decomposition, do not o		ne.	To avoid thermal
Incom	npatible Materials	:	Incompatible with strong with acetal homopolyme		-	
Hazar produ	dous decomposition cts	:	Carbon dioxide (CO2), o (NOx), hydrogen chlorid smoke are all possible. degradation. As a gener after one hour at 177 °C and within 5 minutes at	de (HCl), other hazardo Prolonged heating may ral rule of thumb, degra (350 °F), after 10 minu	us r res dati	naterials, and ult in product on begins to occur
					_	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

Page 4 of 6

Print Date 11/30/2011

PolyOne.

MATERIAL SAFETY DATA SHEET **80100OSN LIGHT GOLD**

Version Number 1.3 Revision Date 08/08/2007 Page 5 of 6 Print Date 11/30/2011

2 - The component is reasonably anticipated to be a human carcinogen.

Environmental Toxicity : Environwental Toxicity : Environwental Toxicity : Environwental Toxicity : No da Bioaccumulation Potential : No da Additional advice : No da 13. DISP Product : Where general classifical applic Contaminated packaging : Recyce has the and di and lo	adily biodegradable. onmental toxicity has not been established for this mixture as a ta available ta available OSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste ication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial
whole Bioaccumulation Potential : No da Additional advice : No da <u>13. DISP</u> Product : Where genera classif applic Contaminated packaging : Recyc has the and di and lo	ta available ta available OSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation
Additional advice : No da 13. DISP Product : Where genera classif applic Contaminated packaging : Recyc has the and di and lo	ta available OSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste ication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation
13. DISP Product : Where genera classif applic Contaminated packaging : Recyc has the and di and lo	OSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste ication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation
Product : Where genera classif applic Contaminated packaging : Recyc has the and di and lo	e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste ication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation
genera classif applic Contaminated packaging : Recyc has the and di and lo	tor of waste material has the responsibility for proper waste ication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation
has the and di and lo	e responsibility for proper waste classification, transportation
14. TRA	cal regulations.
	NSPORT INFORMATION
U.S. DOT Classification : Refer	to specific regulation.
ICAO/IATA (air) : Refer	to specific regulation.
IMO / IMDG (maritime) : Refer	to specific regulation.
15. REG	JLATORY INFORMATION
US Regulations:	
OSHA Status : Classi	fied as hazardous based on components.
TSCA Status : All co Invent	omponents of this product are listed on or exempt from the TSC ory.
US. EPA CERCLA Hazardous Substances	(40 CFR 302)
Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET 80100OSN LIGHT GOLD

ion Number 1.2					Dee	
sion Number 1.3 sion Date 08/08/2007				Pri	Pag int Date 11/3	
131011 Date 00/00/2007						50
California Proposition	n :			ains a chemical kno		e
65		California to cau	use birth defects	or other reproductiv	ve harm.	
SARA Title III Section 302 E	extrem	ely Hazardous Su	bstance			
Unless specific shemicals are	idanti	find under this as	ation this needy	at is Not Applicable	, un dan thia na	~
Unless specific chemicals are	identi	ined under this se	ction, this produc	ct is Not Applicable	e under this re	gu
CADA Title III Continue 212 T		71				
SARA Title III Section 313 T	OXIC C	_nemicals:				
Unless specific chemicals are	identi	fied under this se	ction, this produ	ct is Not Applicable	e under this re	gu
						0
Canadian Regulations:						
National Pollutant Rel	ease Ii	nventory (NPRI)				
	ease n	(INFINI)				
Chemical Name		• • •	CAS-No.	Weight %	NPRI ID#	1
Chemical Name 1-Methyl-2-pyrrolidone		• ` ` `	CAS-No. 872-50-4	Weight % 0.10 - 1.00	NPRI ID# 164	
		• • • •				
1-Methyl-2-pyrrolidone			872-50-4	0.10 - 1.00	164	
1-Methyl-2-pyrrolidone			872-50-4	0.10 - 1.00	164	
1-Methyl-2-pyrrolidone Acrylic acid	n :		872-50-4	0.10 - 1.00	164	
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification	n :		872-50-4	0.10 - 1.00	164	
1-Methyl-2-pyrrolidone Acrylic acid	n : :	D2A DSL status has	872-50-4 79-10-7 not been determ	0.10 - 1.00	164 6	l I I I I I I I I I I I I I I I I I I I
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification	n : :	D2A	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	ıy ł
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification	n :	D2A DSL status has	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	1 1 1 1 1 1 1
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories:	n : :	D2A DSL status has restricted by reg	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	1 1 1 1 1 1
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL	n : :	D2A DSL status has	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	 1y
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories:	n : : :	D2A DSL status has restricted by reg	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	ıy ł
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories: Australia AICS China IECS	n : : :	D2A DSL status has restricted by reg Not determined Not determined	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	ıy t
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories: Australia AICS	n : : : :	D2A DSL status has restricted by reg Not determined	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	1 1 1 1 1 1
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories: Australia AICS China IECS	n : : : :	D2A DSL status has restricted by reg Not determined Not determined	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	1 1 1 1 1 1
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	n : : : : :	D2A DSL status has restricted by reg Not determined Not determined Listed Not determined	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	1 1 1 1 1 1
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	n : : : : :	D2A DSL status has restricted by reg Not determined Not determined Listed	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	l Iy t
1-Methyl-2-pyrrolidone Acrylic acid WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	n : : : : : :	D2A DSL status has restricted by reg Not determined Not determined Listed Not determined	872-50-4 79-10-7 not been determ	0.10 - 1.00 0.10 - 1.00	164 6	ıy t

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.