MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014 Page 1 of 8 Print Date 3/13/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	8370139D CRYSTAL CLEAR
Product code	:	FO0002309
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,2-Benzenedicarboxylic acid, butyl	85-68-7	30 - 60
phenylmethylester		
Miscellaneous Cadmium Compounds	0-04-4	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014 Page 2 of 8 Print Date 3/13/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exirct irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014		Page 3 of 8 Print Date <i>3/13/2014</i>
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXI	POSUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014 Page 4 of 8 Print Date 3/13/2014

Components	Value	Exposure time	Exposure type	List:
Miscellaneous	0.01	Time Weighted Average	Inhalable fraction. as	ACGIH
Cadmium Compounds	mg/m3	(TWA):	Cd	
	0.002	Time Weighted Average	Respirable fraction. as	ACGIH
	mg/m3	(TWA):	Cd	
	0.005	Time Weighted Average	Total dust.	OSHA
	mg/m3	(TWA):		
	0.002	Time Weighted Average	Respirable fraction. as	ACGIH
	mg/m3	(TWA):	Cd	
	0.01	Time Weighted Average	as Cd	ACGIH
	mg/m3	(TWA):		
	0.2 mg/m3	Time Weighted Average		OSHA Z2
		(TWA):		
	0.1 mg/m3	Time Weighted Average		OSHA Z2
		(TWA):		
	0.6 mg/m3	Ceiling Limit Value:		OSHA Z2
	0.3 mg/m3	Ceiling Limit Value:		OSHA Z2
	0.005	Time Weighted Average		OSHA
	mg/m3	(TWA):		
	0.0025	OSHA Action level:		OSHA
	mg/m3			

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- liquid
 viscous, liquid
 TRANSPARENT
 very faint
 not applicable
 not applicable
 immiscible
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH
- Not established
 Not determined
 Not applicable
 Not determined
 Not determined
- : Not applicable

10. STABILITY AND REACTIVITY

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014

Page 5 of 8 Print Date 3/13/2014

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.
0-04-4	Miscellaneous Cadmium Compounds	Systemic effects	Respiratory system, blood and blood forming system, reproductive system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic	Oral LD50	2,330 mg/kg	rat
	acid, butyl	Dermal LD50	> 10 gm/kg	rabbit
	phenylmethylester	Dermal LD50	6,700 mg/kg	rat
		Dermal LD50	6,700 mg/kg	mouse

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
0-04-4	Miscellaneous Cadmium	yes	1	no
	Compounds			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Miscellaneous Cadmium Compounds 0-04-4 Can produce rapid and sometimes fatal pulmonary edema. Chronic absorption leads to liver and kidney damage.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014 Page 6 of 8 Print Date 3/13/2014

Persistence and degradability		dily biodegradable.	
Environmental Toxicity	: Enviror whole.	nmental toxicity has not	t been established for this mixture as a
Bioaccumulation Potential	: no data	available	
Additional advice	: no data	available	
	13. DISPO	DSAL CONSIDERAT	IONS
Product	generat classifi	or of waste material has cation, transportation ar	eferred to disposal or incineration. The s the responsibility for proper waste nd disposal in accordance with actual and local regulations.
Contaminated packaging	materia transpo	l has the responsibility	ossible. The generator of waste for proper waste classification, accordance with applicable federal, lations.
	14. TRAN	NSPORT INFORMAT	TION
U.S. DOT Classification	: Refer to	specific regulation.	
ICAO/IATA	: Refer to	specific regulation.	
IMO/IMDG (maritime)	: Refer to	o specific regulation.	
	15. REGU	LATORY INFORMA	TION
US Regulations:			
OSHA Status	: Classifi	ed as hazardous based o	on components.
TSCA Status		nponents of this produc Inventory.	et are listed on or exempt from the
US. EPA CERCLA Hazardous	Substances (4	40 CFR 302)	
Chemical Name C.	AS-No.	RQ for component	RQ for Mixture/Product
1,2- Benzenedicarboxyl ic acid, butyl phenylmethylester	5-68-7	100 lbs	306 LB

PolyOne.

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CI FAR

ion Number 1.2 sion Date 03/11/2014			Page ? Print Date 3/13/
65 California to	cause cancer., W own to the State o	ntains a chemical kn ARNING! This pro f California to cause	duct contains a
SARA Title III Section 302 Extremely Hazardous	Substance		
Unless specific chemicals are identified under this	section, this proc	luct is Not Applicab	le under this regul
SARA Title III Section 313 Toxic Chemicals:		1 . · · · · · · · · · ·	
Unless specific chemicals are identified under this Chemical Name			the under this regul
CADMIUM COMPOUNDSCADMIUM	0-04		- 1.00
Nutional Data data Data data data (NDD	I)		
National Pollutant Release Inventory (NPR Chemical Name	I) CAS-No.	Weight	NPRI ID#
Chemical Name	CAS-No.	percent	NPRI ID#
Chemical Name Xylenes (o-, m-, p- isomers)	CAS-No. 1330-20-7	percent 0.10 - 1.00	
Chemical Name Xylenes (o-, m-, p- isomers) Miscellaneous Cadmium Compounds	CAS-No. 1330-20-7 0-04-4	percent 0.10 - 1.00 0.10 - 1.00	NPRI ID#
Chemical Name Xylenes (o-, m-, p- isomers)	CAS-No. 1330-20-7	percent 0.10 - 1.00	233 241
Chemical Name Xylenes (o-, m-, p- isomers) Miscellaneous Cadmium Compounds Miscellaneous Zinc Compounds 1,2-Benzenedicarboxylic acid, butyl phenylmethylester WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 0-04-4 85-68-7	CAS-No. 1330-20-7 0-04-4 0-05-5 85-68-7	percent 0.10 - 1.00 0.10 - 1.00 0.10 - 1.00	233 241

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined

PolvOne.

MATERIAL SAFETY DATA SHEET 8370139D CRYSTAL CLEAR

Version Number 1.2 Revision Date 03/11/2014 Page 8 of 8 Print Date 3/13/2014

Japan ENCS	:	Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.