

MATERIAL SAFETY DATA SHEET

# 83701590 RED HOT DIP

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 6 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	83701590 RED HOT DIP
Product code	:	FO00002379
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# 83701590 RED HOT DIP

Version Number 1.0 Revision Date 09/03/2002 Page 2 of 6 Print Date 11/6/2011

	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalati overheating or combustion. When symptoms doubt, seek medical advice.	
Ingestion	Do not induce vomiting without medical advic persist, or in all cases of doubt, seek medical a	
Eyes	Rinse immediately with plenty of water for at irritation persists, seek medical attention.	east 15 minutes. If eye
Skin	Wash off with soap and plenty of water. If ski medical attention.	n irritation persists seek
	. FIRE-FIGHTING MEASURES	
Flash point	No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Wa Fullface self-contained breathing apparatus (So pressure mode should be worn to prevent inhal contaminants. May emit Hydrogen Chloride (HCl) or Carbon fire conditions.	CBA) used in positive ation of airborne
	CIDENTAL RELEASE MEASURES	
Personal precautions	Wear appropriate personal protection during climpervious gloves, boots and coveralls.	eanup, such as
Environmental precautions	Should not be released into the environment. ' be allowed to enter drains, water courses or the	
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand universal binder, sawdust). Package all materi container for disposal. Refer to Section 13 of disposal methods.	al in appropriate
	7. HANDLING AND STORAGE	
Handling	Heat only in areas with appropriate exhaust ve fume condensates may contain combustible or Periodically clean hoods, ducts, and other surfa	toxic residue.



## MATERIAL SAFETY DATA SHEET

# 83701590 RED HOT DIP

sion Date 09/03/2002				nt Date 11/6/2
	a	ccumulation of these material	s.	
Storage		Ceep containers dry and tightly nd contamination. Store in a		are absorption
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: U	Inder normal handling conditi	ons a respirator may no	t be required.
Eye/Face Protection	: S	afety glasses with side-shield	s.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		l safety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			n. Provide
Exposure limit(s)				
	Value	Exposure time	Exposure type	List:
Exposure limit(s) Components Silica, amorphous, fumed, crystal-free	Value 20 mppcf	Exposure time PEL:	Exposure type Total dust.	List: Z3
Components Silica, amorphous,	20 mppcf		Total dust.	
Silica, amorphous,	20 mppcf 9. PHYSIC : Liqu : Visco : RED : Very : Not a	PEL: CAL AND CHEMICAL PR id Evapo ous, Liquid Speci b Bulk faint Vapo applicable Vapo applicable pH	Total dust.   OPERTIES   Dration rate : No   fic Gravity : No   density : No   r pressure : No   r density : No   r density : No   r density : No	
Components Silica, amorphous, fumed, crystal-free Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC : Liqu : Visc. : RED : Very : Not a : Imm	PEL: CAL AND CHEMICAL PR id Evapo ous, Liquid Speci b Bulk faint Vapo applicable Vapo applicable pH	Total dust.   OPERTIES   oration rate : No   fic Gravity : No   density : No   r pressure : No   : No : No	Z3 ot established ot determined ot applicable. ot determined ot determined
Components Silica, amorphous, fumed, crystal-free Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC : Liqu : Visc : RED : Very : Not a : Imm 10. §	PEL: CAL AND CHEMICAL PR id Evapo ous, Liquid Speci b Bulk of faint Vapor applicable Vapor applicable pH iscible	Total dust.   OPERTIES   oration rate : No   fic Gravity : No   density : No   r pressure : No   : No : No	Z3 ot established ot determined ot applicable. ot determined ot determined
Components Silica, amorphous, fumed, crystal-free Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	20 mppcf 9. PHYSIC : Liqu : Visco : RED : Very : Not a : Not a : Imm 10. S : S	PEL: CAL AND CHEMICAL PRO id Evapor ous, Liquid Speci b Bulk faint Vapor applicable Vapor applicable pH iscible STABILITY AND REACTI	Total dust.   OPERTIES   oration rate : No   fic Gravity : No   density : No   r pressure : No   : No : No	Z3 ot established ot determined ot applicable. ot determined ot determined



#### MATERIAL SAFETY DATA SHEET

# 83701590 RED HOT DIP

Version Number 1.0 Revision Date 09/03/2002		Page 4 of 6 Print Date 11/6/2011
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11 /	TOVICOLOGICAL INFORMATION

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

rget Organ
ratory system.
1

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Chemical Name Route		Species	
112945-52-5	Silica, amorphous, fumed, crystal-free	Oral LD50	3,160 mg/kg	rat	

## **12. ECOLOGICAL INFORMATION**

:	Not readily biodegradable.
:	Environmental toxicity has not been established for this mixture as a whole.
:	No data available.
:	No data available.
1.	3. DISPOSAL CONSIDERATIONS
:	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation
-	: :



MATERIAL SAFETY DATA SHEET

# 83701590 RED HOT DIP

sion Date 09/03/2002		Page 5 Print Date 11/6/2
		and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
1	•	

# 83701590 RED HOT DIP

Version Number 1.0 Revision Date 09/03/2002

**Philippines PICCS** 

: Not determined.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 6 of 6 Print Date 11/6/2011

MATERIAL SAFETY DATA SHEET