

#### MATERIAL SAFETY DATA SHEET

# 83701596 BLACK TRANSLUCENT

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 5 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	83701596 BLACK TRANSLUCENT
Product code	:	FO00002385
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# 83701596 BLACK TRANSLUCENT

Version Number 1.0 Revision Date 09/03/2002 Page 2 of 5 Print Date 11/6/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



## MATERIAL SAFETY DATA SHEET

# 83701596 BLACK TRANSLUCENT

sion Date 09/03/2002		Page Print Date 11/	
	accumulation of	these materials.	
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.	
8. EXF	OSURE CONTROLS	PERSONAL PROTECTION	
Respiratory protection	: Under normal ha	indling conditions a respirator may not be required	
Eye/Face Protection	: Safety glasses wi	ith side-shields.	
Hand protection	: Protective gloves	S.	
Skin and body protection	: Long sleeved clo	othing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		lance with good industrial hygiene and safety pract ore breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s) There are no known hazardou	us components above reg	ulatory thresholds in this product.	
9	PHYSICAL AND CH	EMICAL PROPERTIES	
Form Appearance Color	<ul> <li>Liquid</li> <li>Viscous, Liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Evaporation rate:Not establisheSpecific Gravity:Not determineBulk density:Not applicableVapor pressure:Not determineVapor density:Not determine	
Odor Melting point/range Boiling Point: Water solubility	: Not applicable : Not applicable : Immiscible	pH : Not applicable	
Melting point/range Boiling Point:	: Not applicable : Immiscible	1 2	
Melting point/range Boiling Point:	: Not applicable : Immiscible	pH : Not applicable	
Melting point/range Boiling Point: Water solubility	<ul> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY A</b>	pH : Not applicable	
Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Not applicable</li> <li>Immiscible</li> <li>10. STABILITY A</li> <li>Stable.</li> <li>Will not occur.</li> </ul>	pH : Not applicable ND REACTIVITY oxidizing agents and open flame. To avoid therm	
Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Not applicable</li> <li>Immiscible</li> <li>10. STABILITY A</li> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from decomposition, c</li> <li>Incompatible with</li> </ul>	pH : Not applicable ND REACTIVITY oxidizing agents and open flame. To avoid therm	

Version Number 1.0 Revision Date 09/03/2002



Page 4 of 5 Print Date 11/6/2011

MATERIAL SAFETY DATA SHEET

# 83701596 BLACK TRANSLUCENT

products	(NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occu after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.



#### MATERIAL SAFETY DATA SHEET

# 83701596 BLACK TRANSLUCENT

Version Number 1.0 Revision Date 09/03/2002		Page 5 of 5 Print Date 11/6/2011				
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.				
Canadian Regulations:						
WHMIS Classification	:	Not controlled.				
DSL	:	Listed.				
National Inventories:						
Australia AICS	:	Not determined.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Not determined.				
Korea KECI	:	Not determined.				
Philippines PICCS	:	Not determined.				
	16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.