

MATERIAL SAFETY DATA SHEET

8370407D CLEAR ROTOCAST

Version Number 1.0 Revision Date 06/12/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	: Product Stewardship, (314) 771-1800				
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	8370407D CLEAR ROTOCAST			
Product code	:	FO00002432			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				



MATERIAL SAFETY DATA SHEET

8370407D CLEAR ROTOCAST

Version Number 1.0 Revision Date 06/12/2002 Page 2 of 6 Print Date 11/5/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all case doubt, seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.	eye
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	eek
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) uncompositive pressure mode should be worn to prevent inhalation of airborne contaminants. 	
Hazards	fire conditions.	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prope disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize	5



MATERIAL SAFETY DATA SHEET

8370407D CLEAR ROTOCAST

	94	ccumulation of these material	c			
	a	commutation of these material	5.			
Storage		eep containers dry and tightly nd contamination. Store in a		re absorption		
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: U	nder normal handling conditi	ons a respirator may not	t be required.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with goo /ash hands before breaks and		safety practice		
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Silica, amorphous, fumed, crystal-free	20 mppcf	PEL:	Total dust.	Z3		
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES			
	: Liqu			at actablished		
Form		Id Evano	ration rate · No			
Form Appearance	-			ot established of determined		
Appearance Color	: Visco : YEL	bus, Liquid Speci LOW Bulk	fic Gravity : No density : No	ot determined ot applicable.		
Appearance Color Odor	: Visco : YEL : Very	bus, Liquid Speci LOW Bulk faint Vapor	fic Gravity : No density : No r pressure : No	ot determined ot applicable. ot determined		
Appearance Color Odor Melting point/range	: Visco : YEL : Very : Not a	Dus, LiquidSpeciLOWBulkfaintVaporupplicableVapor	fic Gravity : No density : No r pressure : No r density : No	ot determined ot applicable. ot determined ot determined		
Appearance Color Odor	: Visco : YEL : Very : Not a	Dus, LiquidSpeciLOWBulkfaintVaporupplicableVaporupplicablepH	fic Gravity : No density : No r pressure : No r density : No	ot determined ot applicable. ot determined		
Appearance Color Odor Melting point/range Boiling Point:	: Visc : YEL : Very : Not a : Not a : Imm	Dus, LiquidSpeciLOWBulkfaintVaporupplicableVaporupplicablepH	fic Gravity : No density : No r pressure : No r density : No : No	ot determined ot applicable. ot determined ot determined		
Appearance Color Odor Melting point/range Boiling Point:	: Visco : YEL : Very : Not a : Not a : Imm 10. S	Dus, Liquid Speci LOW Bulk faint Vapor applicable Vapor applicable pH iscible	fic Gravity : No density : No r pressure : No r density : No : No	ot determined ot applicable. ot determined ot determined		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Visc. : YEL : Very : Not a : Not a : Imm 10. S : S	Dus, Liquid Speci LOW Bulk faint Vapo applicable Vapo applicable pH iscible	fic Gravity : No density : No r pressure : No r density : No : No	ot determined ot applicable. ot determined ot determined		



MATERIAL SAFETY DATA SHEET

8370407D CLEAR ROTOCAST

ision Date 06/12/20	02				Page 4 Print Date 11/5/2	
Incompatible Materia		Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.				
products (Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).				
	11. T(XICOLOGI	CAL INFORMA	TION		
This mixture has not health data for the inc <u>Toxicity Overview</u> This product contains	dividual compone	ents which con	prise the mixture			
CAS-No.		al Name	Effect		urget Organ	
	~ .	al Nama	D i	Value	Species	
CAS-No. 112945-52-5	Chemic Silica, amorp crystal-free		RouteOral LD50	3,160 mg/kg	rat	
	Silica, amorp crystal-free	hous, fumed,	Oral LD50	3,160 mg/kg	rat	
112945-52-5 Carcinogenicity: This product contains	Silica, amorp crystal-free s the following co	hous, fumed,	Oral LD50	3,160 mg/kg	rat	
112945-52-5 Carcinogenicity: This product contains data:	Silica, amorp crystal-free s the following co Chem assifications: carcinogenic to is probably carci is possibly carci ssifications: known to be a h	hous, fumed, omponents whi ical Name humans. nogenic to hum ogenic to hum uman carcinog	Oral LD50 Ich in their pure fo OSHA nans. aans.	3,160 mg/kg	rat	
112945-52-5 Carcinogenicity: This product contains data: CAS-No. IARC Carcinogen Classical 1 - The component is 2A - The component 2B - The component NTP Carcinogen Classical 1 - The component is	Silica, amorp crystal-free s the following co Chem assifications: carcinogenic to is probably carci is possibly carci ssifications: known to be a h reasonably antic	hous, fumed, omponents whi ical Name humans. nogenic to hum ogenic to hum uman carcinog ipated to be a l	Oral LD50 Ich in their pure fo OSHA nans. aans.	3,160 mg/kg form have the follo	rat	
112945-52-5 Carcinogenicity: This product contains data: CAS-No. IARC Carcinogen Classical 1 - The component is 2A - The component 2B - The component NTP Carcinogen Classical 1 - The component is	Silica, amorp crystal-free s the following co Chem assifications: carcinogenic to is probably carci is possibly carci ssifications: known to be a h reasonably antic	hous, fumed, omponents whi ical Name humans. nogenic to hum ogenic to hum uman carcinog ipated to be a l	Oral LD50 Ich in their pure fo OSHA nans. ans. en. human carcinoger	3,160 mg/kg form have the follo	rat	
112945-52-5 Carcinogenicity: This product contains data: CAS-No. IARC Carcinogen Cla 1 - The component is 2A - The component 2B - The component NTP Carcinogen Clas 1 - The component is 2 - The component is	Silica, amorp crystal-free s the following co Chem assifications: carcinogenic to is probably carci is possibly carci ssifications: known to be a h reasonably antic 12.] adability : N	hous, fumed, omponents whi ical Name humans. nogenic to hur ogenic to hur uman carcinog ipated to be a ECOLOGICA	Oral LD50 Ich in their pure fo OSHA nans. aans. en. human carcinoger	3,160 mg/kg form have the follo IARC	rat	



MATERIAL SAFETY DATA SHEET

8370407D CLEAR ROTOCAST

Version Number 1.0 Revision Date 06/12/2002 Page 5 of 6 Print Date 11/5/2011

Additional advice	: No data available.						
13. DISPOSAL CONSIDERATIONS							
Product	: Where possible, recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.						
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.						
	14. TRANS	SPORT INFOR	MATION				
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regul	lated for transpo	rtation.				
ICAO/IATA	: Not regul	lated for transpo	rtation.				
IMO / IMDG	: Not regul	lated for transpo	rtation.				
	15. REGUL	ATORY INFO	RMATION				
US Regulations:							
OSHA Status : Classified as hazardous based on components.							
TSCA Status : All components of this product are listed on the TSCA inventory or are exempt.							
US. EPA CERCLA Hazard	lous Substances (40) CFR 302)					
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product			
Sodium hydroxide (Na(OH))	1310-73-2	0.51	1,000lbs	192,790 LB			
California Propositi 65 Canadian Regulations:		NG! This produ a to cause cance		known in the State of			



MATERIAL SAFETY DATA SHEET

8370407D CLEAR ROTOCAST

Version Number 1.0 Revision Date 06/12/2002 Page 6 of 6 Print Date 11/5/2011

WHMIS Classification : Not controlled. WHMIS Ingredient Disclosure List CAS-No. 1310-73-2 75-01-4 DSL : Listed. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** : Not determined. Japan ENCS Not determined. : Korea KECI Not determined. ٠ **Philippines PICCS** : Listed. **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.