

MATERIAL SAFETY DATA SHEET

## 8370497E VIOLET HOT MELT

Version Number 1.0 Revision Date 06/12/2002 Page 1 of 5 Print Date 11/5/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	8370497E VIOLET HOT MELT	
Product code	:	FO00002439	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# 8370497E VIOLET HOT MELT

Version Number 1.0 Revision Date 06/12/2002 Page 2 of 5 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	ļ	5. FIRE-FIGHTING MEASURES
Flash point	:	No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



### MATERIAL SAFETY DATA SHEET

# 8370497E VIOLET HOT MELT

		Page Print Date 11/	
	accumulation of the	ese materials.	
Storage		y and tightly closed to avoid moisture absorption Store in a cool dry place.	on
8. EXP	POSURE CONTROLS / P	ERSONAL PROTECTION	
Respiratory protection	: Under normal hand	ling conditions a respirator may not be required	d.
Eye/Face Protection	: Safety glasses with	side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	ng.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ce with good industrial hygiene and safety pract breaks and at the end of workday.	tice
Engineering measures		with appropriate exhaust ventilation. Provide ventilation at machinery.	
		ttory thresholds in this product.	
9.	PHYSICAL AND CHEN	IICAL PROPERTIES	d
9. Form	. PHYSICAL AND CHEM : Liquid	IICAL PROPERTIES Evaporation rate : Not establishe	
9. Form Appearance	PHYSICAL AND CHEM : Liquid : Viscous, Liquid	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine	ed
9. Form Appearance Color	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>: Liquid</li> <li>: Viscous, Liquid</li> <li>: PURPLE</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable	ed e.
9. Form Appearance Color Odor	<ul> <li><b>PHYSICAL AND CHEN</b></li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine	ed e. ed
9. Form Appearance Color Odor Melting point/range	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> <li>Not applicable</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine         Vapor density       : Not determine	ed e. ed ed
9. Form Appearance Color Odor	<ul> <li><b>PHYSICAL AND CHEN</b></li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine	ed e. ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine         Vapor density       : Not determine         pH       : Not applicable	ed e. ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine         Vapor density       : Not determine         pH       : Not applicable	ed e. ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY ANI	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine         Vapor density       : Not determine         pH       : Not applicable	ed e. ed ed
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>: Liquid</li> <li>: Viscous, Liquid</li> <li>: PURPLE</li> <li>: Very faint</li> <li>: Not applicable</li> <li>: Inmiscible</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>: Stable.</li> <li>: Will not occur.</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine         Vapor density       : Not determine         pH       : Not applicable         OREACTIVITY       : Not applicable         Stidizing agents and open flame. To avoid therm	ed e. ed ed e.
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEM</li> <li>Liquid</li> <li>Viscous, Liquid</li> <li>PURPLE</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> <li>10. STABILITY ANI</li> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from ox decomposition, do</li> <li>Incompatible with statements</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not establishe         Specific Gravity       : Not determine         Bulk density       : Not applicable         Vapor pressure       : Not determine         Vapor density       : Not determine         pH       : Not applicable         OREACTIVITY       : Not applicable         Stidizing agents and open flame. To avoid therm	ed e. ed e. nal



MATERIAL SAFETY DATA SHEET

# 8370497E VIOLET HOT MELT

products	(NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).		
	11. TOXICOLOGICAL INFORMATION		
There are no known hazardous	components above regulatory thresholds in this product.		
	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.		
Bioaccumulation Potential	: No data available.		
Additional advice	: No data available.		
	13. DISPOSAL CONSIDERATIONS		
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.		
ICAO/IATA	: Not regulated for transportation.		
IMO / IMDG	: Not regulated for transportation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		



### MATERIAL SAFETY DATA SHEET

### 8370497E VIOLET HOT MELT

Version Number 1.0 Revision Date 06/12/2002	Page 5 of Print Date <i>11/5/201</i>
TSCA Status	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous S	ostances (40 CFR 302)
Not applicable	
California Proposition 65	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:	
WHMIS Classification	Not controlled.
DSL	Listed.
National Inventories:	
Australia AICS	Not determined.
China IECS	Listed.
Europe EINECS	Not determined.
Japan ENCS	Not determined.
Korea KECI	Not determined.
Philippines PICCS	Not determined.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.