MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004

Page 1 of 7 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	8370955A REV-J SELF AD LO VIS
Product code	:	F000002460
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Hexamine	100-97-0	1 - 5
Resorcinol	108-46-3	1 - 5
Calcium oxide	1305-78-8	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne

MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004 Page 2 of 7 Print Date 11/15/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

<u>PolyOne</u>.

MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004	Page 3 of 7 Print Date 11/15/2011
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXP	OSURE CONTROLS / PERSONAL PROTECTION
Respiratory protection	: No personal respiratory protective equipment normally required.
Eye/Face Protection	: Safety glasses with side-shields.
Hand protection	: Protective gloves.
Skin and body protection	: Long sleeved clothing.
Additional Protective Measures	: Safety shoes.
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Calcium oxide	2 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	5 mg/m3	PEL:	Dust.	OSHA Z1
Resorcinol	10 ppm 45	Time Weighted Average	Total dust.	ACGIH
	mg/m3	(TWA):		
	20 ppm 90	Short Term Exposure Limit	Total dust.	ACGIH
	mg/m3	(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: liquid
Viscous, liquid
NO PIGMENT
Very faint
Not applicable
Not applicable

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH Not established
Not determined
Not applicable
Not determined
Not determined
Not applicable

MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004 Page 4 of 7 Print Date 11/15/2011

Water solubility : Immiscible **10. STABILITY AND REACTIVITY** Stability : Stable. Hazardous Polymerization Will not occur. : Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal : decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition : (NOx), hydrogen chloride (HCl), other hazardous materials, and products smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
100-97-0	Hexamine	Irritant	Skin.
		sensitizer	Skin.
		Systemic effects	Kidney.
108-46-3	Resorcinol	Irritant	Eyes, Skin, Respiratory system.
		Systemic effects	blood and blood forming system, Liver, Kidney, heart or circulatory system.
		toxic	Refer to LC50 / LD50 Data on MSDS
1305-78-8	Calcium oxide	Irritant	Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
		Corrosive	Skin.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

100-97-0 Hexamine Oral LD50 569 mg/kg mouse	CAS-No.	Chemical Name	Route	Value	Species
	100-97-0	Hexamine	Oral LD50		mouse



MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004 Page 5 of 7 Print Date 11/15/2011

108-46-3 Resorcir		01	Oral LD50 Dermal LD50	200 mg/kg 3,360 mg/kg	mouse rabbit	
	6-3 May caus	e the format	tion of methemoglobin by be cyanosis purplish			
		12. ECOLO	GICAL INFORMATIO	ON		
Persistence and deg	radability	Not readil	y biodegradable.			
Environmental Tox	icity	Environm whole.	ental toxicity has not be	en established for	this mixture as a	
Bioaccumulation P	otential	No data av	No data available			
Additional advice	:	No data av	No data available			
		13. DISPOS	AL CONSIDERATIO	NS		
Product Contaminated pack	aging	generator classificat applicable Recycling has the res and dispos	ssible recycling is prefer of waste material has th ion, transportation and c federal, state/provincia is preferred when possi sponsibility for proper w sal in accordance with a	e responsibility for lisposal in accord l and local regular ble. The generator vaste classification	or proper waste ance with tions. or of waste material n, transportation	
			regulations. PORT INFORMATIO)N		
U.S. DOT Classific	ation	Refer to sp	pecific regulation.			
ICAO/IATA (air)	ATA (air) : Refer to specific regulation.					
IMO / IMDG (maritime) : Refer to specific regulation.						
	1	5. REGULA	TORY INFORMATI	ON		
US Regulations:						
OSHA Statu	OSHA Status : Classified as hazardous based on components.					
TSCA Status : All components of this product are listed on or exempt from the TSC Inventory.				npt from the TSCA		
US. EPA CERCLA		hatan asa (40	CED 202)			

PolyOne

MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004 Page 6 of 7 Print Date 11/15/2011

Not applicable					
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.				
SARA Title III Section 302 Extr	remely Hazardous Substance				
Not applicable					
SARA Title III Section 313 Tox	tic Chemicals:				
Not applicable Canadian Regulations:					
National Pollutant Release	se Inventory (NPRI)				
Not applicable					
WHMIS Classification	: D1B				
WHMIS Ingredient Disc	losure List				
CAS-No. 1305-78-8 100-97-0 108-46-3					
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS	: Not determined				
China IECS	: Not determined				
Europe EINECS	: Listed				
Japan ENCS	: Not determined				
Korea KECI	: Not determined				
Philippines PICCS	: Not determined				
	16. OTHER INFORMATION				

PolyOne

MATERIAL SAFETY DATA SHEET 8370955A REV-J SELF AD LO VIS

Version Number 1.2 Revision Date 09/10/2004 Page 7 of 7 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.