PolvOne

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

Version Number 1.5 Revision Date 06/01/2007 Page 1 of 7 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	 Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	: 9261-47 TEAL FURNITURE PLASTISOL
Product code	: FO00002706
Chemical Name	: Mixture
CAS-No.	: Mixture
Product Use	: Industrial Applications
Emergency telephone Product name Product code Chemical Name CAS-No.	 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposur or accident). 9261-47 TEAL FURNITURE PLASTISOL FO00002706 Mixture Mixture

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Bisphenol A - Epichlorohydrin polymer	25068-38-6	1 - 5
Titanium dioxide	13463-67-7	0.1 - 1
Miscellaneous Barium Compounds	Not Available	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

Version Number 1.5 Revision Date 06/01/2007 Page 2 of 7 Print Date 11/29/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

rsion Number 1.5 vision Date 06/01/2007	5				
Handling	ft P	Heat only in areas with appropriume condensates may contain of Periodically clean hoods, ducts, ccumulation of these materials	combustible or toxic resident and other surfaces to min	due.	
Storage		Keep containers dry and tightly nd contamination. Store in a c		absorption	
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protecti	ve equipment normally r	equired.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	Protective gloves			
Skin and body protection	: L	: Long sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		Handle in accordance with good Vash hands before breaks and a		afety practice.	
Engineering measures		Heat only in areas with appropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH	

Components	value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		
Miscellaneous Barium	0.5 mg/m3	Time Weighted Average	as Ba	ACGIH
Compounds		(TWA):		
	0.5 mg/m3	PEL:	as Ba	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range liquid
Viscous, liquid
BLUE
Very faint
Not applicable

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density Not established
Not determined
Not applicable
Not determined
Not determined

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

Version Number 1.5 Revision Date 06/01/2007 Page 4 of 7 Print Date 11/29/2011

Water solubility	
	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid therma decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contac with acetal homopolymers and acetal copolymers during processing
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occ after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °, and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25068-38-6	5068-38-6 Bisphenol A -		Skin.
	Epichlorohydrin polymer		
		sensitizer	Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
Not Available	Miscellaneous Barium Compounds	Irritant	Respiratory system, Eyes.
		Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
25068-38-6	Bisphenol A -	Oral LD50	11,400 mg/kg	rat
	Epichlorohydrin polymer	Dermal LD50	> 6,000 mg/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

Version Number 1.5

Revision Date 06/01/2007

Page 5 of 7 Print Date 11/29/2011

possibly card fications: nown to be a asonably ant <u>12</u> bility :	o humans. cinogenic to human cinogenic to human human carcinogen ticipated to be a hum		2B	no
rcinogenic to probably car possibly carc fications: nown to be a asonably ant 12 bility :	cinogenic to human cinogenic to human human carcinogen ticipated to be a hum c. ECOLOGICAL	man carcinogen.		
bility :		INFORMATION		
-	Not readily biodes			
•		gradable.		
	Environmental to whole.	xicity has not been e	established for this	s mixture as a
ial :	No data available			
:	No data available			
13	3. DISPOSAL CO	NSIDERATIONS		
:	generator of waste classification, tran applicable federal	e material has the re asportation and disp , state/provincial an	sponsibility for pr osal in accordance d local regulations	oper waste e with s.
g :	has the responsibi and disposal in ac	lity for proper waste cordance with appli	e classification, tra	ansportation
1	4. TRANSPORT	INFORMATION		
n :	Refer to specific r	regulation.		
:	Refer to specific r	regulation.		
) :	Refer to specific r	regulation.		
15	. REGULATORY	INFORMATION		
:	Classified as haza	rdous based on com	ponents.	
1	; g ; 1 ;) ;	13. DISPOSAL CO : Where possible regenerator of waste classification, trar applicable federal g : Recycling is prefethas the responsibie and disposal in action and local regulation 14. TRANSPORT I : Refer to specific regulation : Refer to specific regulation	13. DISPOSAL CONSIDERATIONS : Where possible recycling is preferred generator of waste material has the re classification, transportation and disp applicable federal, state/provincial an applicable federal, state/provincial and is the responsibility for proper waste and disposal in accordance with appliand local regulations. g : Recycling is preferred when possible. has the responsibility for proper waste and disposal in accordance with appliand local regulations. g : Refer to specific regulation. i: Refer to specific regulation. : Refer to specific regulation. i: Refer to specific regulation. : Refer to specific regulation. j: Refer to specific regulation. : Refer to specific regulation.	13. DISPOSAL CONSIDERATIONS : Where possible recycling is preferred to disposal or inc generator of waste material has the responsibility for proclassification, transportation and disposal in accordance applicable federal, state/provincial and local regulations g : Recycling is preferred when possible. The generator of has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state and local regulations. 14. TRANSPORT INFORMATION : Refer to specific regulation. : Refer to specific regulation.

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

Version Number 1.5 Revision Date 06/01/2007 Page 6 of 7 Print Date 11/29/2011

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
BARIUM COMPOUNDS	Not Available	1.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Miscellaneous Zinc Compounds	Not Available	0.10 - 1.00	241

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.		
Not Available		

:

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS

: Not determined

PolyOne.

MATERIAL SAFETY DATA SHEET 9261-47 TEAL FURNITURE PLASTISOL

Version Number 1.5 Revision Date 06/01/2007 Page 7 of 7 Print Date 11/29/2011

China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.