PolyOne

MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

Version Number 1.4 Revision Date 06/01/2007

Page 1 of 7 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|--|
| Product name | : | 9261-71 PURPLE FURNITURE PLASTISOL |
| Product code | : | FO00002709 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |
| | | |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|---------------------------------------|---------------|----------|
| Bisphenol A - Epichlorohydrin polymer | 25068-38-6 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 0.1 - 1 |
| Miscellaneous Barium Compounds | Not Available | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|----------------------------|--|
| Acute exposure | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : May cause eye/skin irritation. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |



MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

Version Number 1.4 Revision Date 06/01/2007 Page 2 of 7 Print Date 11/29/2011

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|---|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : No data available |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |



MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

| sion Number 1.4 ision Date 06/01/2007 | | Page 3 Print Date 11/29/2 | | | |
|--|-----------|---|---|-----------------|--|
| Handling | f P | Heat only in areas with appropr ume condensates may contain Periodically clean hoods, ducts, | combustible or toxic resi and other surfaces to mi | due. | |
| Storage | : K | ccumulation of these materials Keep containers dry and tightly nd contamination. Store in a c | closed to avoid moisture | e absorption | |
| 8.1 | EXPOSURE | CONTROLS / PERSONAL | PROTECTION | | |
| Respiratory protection | : 1 | No personal respiratory protecti | ve equipment normally 1 | required. | |
| Eye/Face Protection | : S | Safety glasses with side-shields | | | |
| Hand protection | : P | Protective gloves | | | |
| Skin and body protection | : I | Long sleeved clothing | | | |
| Additional Protective Measures | : S | afety shoes | | | |
| General Hygiene Considerations | | Handle in accordance with good Vash hands before breaks and a | | afety practice. | |
| Engineering measures | | Heat only in areas with appropr ppropriate exhaust ventilation | | Provide | |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure type | List: | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH | |

| Components | Value | Exposure time | Exposure type | List: |
|----------------------|-----------|---------------------------|---------------|---------|
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | as Ti | MX OEL |
| | | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | as Ti | MX OEL |
| | | (STEL): | | |
| Miscellaneous Barium | 0.5 mg/m3 | Time Weighted Average | as Ba | ACGIH |
| Compounds | | (TWA): | | |
| | 0.5 mg/m3 | PEL: | as Ba | OSHA Z1 |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range liquid
Viscous, liquid
PURPLE
Very faint
Not applicable

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density Not established
Not determined
Not applicable
Not determined
Not determined

MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

Version Number 1.4 Revision Date 06/01/2007 Page 4 of 7 Print Date 11/29/2011

| Water solubility | : Immiscible |
|----------------------------------|--|
| | 10. STABILITY AND REACTIVITY |
| Stability | : Stable. |
| Hazardous Polymerization | : Will not occur. |
| Conditions to avoid | : Keep away from oxidizing agents and open flame. To avoid therma decomposition, do not overheat. |
| Incompatible Materials | : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing |
| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occu after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °I and within 5 minutes at 232 °C (450 °F). |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|---------------|-----------------------------------|------------------|---------------------------|
| 25068-38-6 | Bisphenol A - | Irritant | Skin. |
| | Epichlorohydrin polymer | | |
| | | sensitizer | Skin. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| Not Available | Miscellaneous Barium Compounds | Irritant | Respiratory system, Eyes. |
| | Compounds | Systemic effects | Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|------------|-------------------------|-------------|---------------|---------|
| 25068-38-6 | Bisphenol A - | Oral LD50 | 11,400 mg/kg | rat |
| | Epichlorohydrin polymer | Dermal LD50 | > 6,000 mg/kg | rabbit |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne

MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

Version Number 1.4 Revision Date 06/01/2007 Page 5 of 7 Print Date 11/29/2011

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|--|--|--|---|--------------------|
| 13463-67-7 | Titanium dioxide | no | 2B | no |
| 2B - The component is p NTP Carcinogen Classifi 1 - The component is known | cinogenic to humans. robably carcinogenic to hum ossibly carcinogenic to hum | ans. en. | | |
| | 12. ECOLOGICA | L INFORMATION | | |
| Persistence and degradab | oility : Not readily bio | legradable. | | |
| Environmental Toxicity | : Environmental whole. | toxicity has not been | established for this | s mixture as a |
| Bioaccumulation Potenti | al : No data availab | le | | |
| Additional advice | : No data availab | le | | |
| | 13. DISPOSAL C | ONSIDERATIONS | | |
| Product | generator of wa classification, tr | recycling is preferred ste material has the re- ransportation and disp ral, state/provincial ar | esponsibility for pr posal in accordance | oper waste with |
| Contaminated packaging | has the responsi | eferred when possible ibility for proper wast accordance with appli- tions. | e classification, tra | ansportation |
| | 14. TRANSPOR | FINFORMATION | | |
| U.S. DOT Classification | : Refer to specifi | c regulation. | | |
| ICAO/IATA (air) | : Refer to specifi | c regulation. | | |
| IMO / IMDG (maritime) | : Refer to specifi | c regulation. | | |
| | 15. REGULATOR | RY INFORMATION | [| |
| US Regulations: | | | | |
| OSHA Status | : Classified as ha | zardous based on con | nponents. | |
| | | | | |

MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

Version Number 1.4 Revision Date 06/01/2007 Page 6 of 7 Print Date 11/29/2011

TSCA Status :

All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

| Chemical Name | CAS-No. | Weight % |
|------------------|---------------|-------------|
| BARIUM COMPOUNDS | Not Available | 1.00 - 5.00 |

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name | CAS-No. | Weight % | NPRI ID# |
|------------------------------|---------------|-------------|----------|
| Phthalocyanine blue | 147-14-8 | 0.10 - 1.00 | 71 |
| Miscellaneous Zinc Compounds | Not Available | 0.10 - 1.00 | 241 |

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

| CAS-No. |
|---------------|
| Not Available |

:

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS

: Not determined

PolyOne

MATERIAL SAFETY DATA SHEET 9261-71 PURPLE FURNITURE PLASTISOL

Version Number 1.4 Revision Date 06/01/2007 Page 7 of 7 Print Date 11/29/2011

| China IECS | : Not determined |
|-------------------|------------------|
| Europe EINECS | : Not determined |
| Japan ENCS | : Not determined |
| Korea KECI | : Not determined |
| Philippines PICCS | : Not determined |
| | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.