

MATERIAL SAFETY DATA SHEET

DX1937A CLEAR

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DX1937A CLEAR
Product code	:	FO00002816
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Diatomaceous earth	61790-53-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

DX1937A CLEAR

sion Date 06/11/2002	Print Date 11/5/
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exirct irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits	
Upper explosion limit	: No data available.
Lower explosion limit	: No data available.
Autoignition temperature	: Not applicable.
Suitable extinguishing media	: Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize

MATERIAL SAFETY DATA SHEET





DX1937A CLEAR Version Number 1.0 Page 3 of 6 Print Date 11/5/2011 Revision Date 06/11/2002 accumulation of these materials. : Keep containers dry and tightly closed to avoid moisture absorption Storage and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : Under normal handling conditions a respirator is not required. **Eye/Face Protection** Safety glasses with side-shields. : Protective gloves. Hand protection : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Value Components Exposure time Exposure type List: 10 mg/m3 Time Weighted Average Inhalable dust. Diatomaceous earth ACGIH (TWA): Time Weighted Average 3 mg/m3 Respirable dust. ACGIH (TWA): PEL: Total dust. Z3 Diatomaceous earth 20 mppcf 9. PHYSICAL AND CHEMICAL PROPERTIES Evaporation rate Not established Form : Liquid : : Viscous, Liquid Specific Gravity Not determined Appearance · : NO PIGMENT Color Bulk density Not applicable. : Odor : Very faint Vapor pressure Not determined : Melting point/range Not applicable Vapor density Not determined : : Boiling Point: : Not applicable Not applicable. pН : Water solubility : Immiscible **10. STABILITY AND REACTIVITY** Stability Stable. : Hazardous Polymerization Will not occur. ·



MATERIAL SAFETY DATA SHEET

DX1937A CLEAR

ion Number 1.0 sion Date 06/11/2002				Page 4 Print Date 11/5/2
Conditions to avoid	:		n oxidizing agents ar do not overheat.	nd open flame. To avoid thermal
Incompatible Materials	:			oxidizing agents. Avoid contact al copolymers during processing.
Hazardous decompositio products	on :	(NOx), hydroge smoke are all po degradation. As after one hour a	en chloride (HCl), oth ossible. Prolonged h s a general rule of the	oxide (CO), oxides of nitrogen her hazardous materials, and eating may result in product umb, degradation begins to occu ter 10 minutes at 204 °C (400 °F 0 °F).
	11. 7	TOXICOLOGIO	CAL INFORMATIO	ON
CAS-No.	-	nical Name	ch in their pure form Effect Irritant	have the following characteristi
61/90-53-2	Diatomaceo			
			Innant	Eyes, Respiratory system.
			L INFORMATION	
Persistence and degrada	12		L INFORMATION	
Persistence and degradal Environmental Toxicity	12	2. ECOLOGICA Not readily biod	L INFORMATION	
-	12 bility : :	2. ECOLOGICA Not readily biod Environmental (L INFORMATION degradable. toxicity has not been	N
Environmental Toxicity	12 bility : :	2. ECOLOGICA Not readily bioc Environmental t whole.	L INFORMATION legradable. toxicity has not been le.	N
Environmental Toxicity Bioaccumulation Potent	12 bility : : ial : :	2. ECOLOGICA Not readily biod Environmental t whole. No data availab No data availab	L INFORMATION legradable. toxicity has not been le.	established for this mixture as a
Environmental Toxicity Bioaccumulation Potent	12 bility : : ial : :	2. ECOLOGICA Not readily biod Environmental t whole. No data availab No data availab 3. DISPOSAL C Where possible, generator of wa classification, tr	L INFORMATION legradable. toxicity has not been le. le. ONSIDERATIONS , recycling is preferre ste material has the r	established for this mixture as a set to disposal or incineration. The responsibility for proper waste posal in accordance with
Environmental Toxicity Bioaccumulation Potent Additional advice	12 bility : : ial : : 13	2. ECOLOGICA Not readily biod Environmental t whole. No data availab No data availab 3. DISPOSAL C Where possible, generator of wa classification, tr applicable feder Recycling is pre- has the responsi	L INFORMATION legradable. toxicity has not been le. le. ONSIDERATIONS , recycling is preferre ste material has the r ransportation and dis ral, state/provincial a eferred when possible ibility for proper was accordance with app	established for this mixture as a set to disposal or incineration. The responsibility for proper waste posal in accordance with
Environmental Toxicity Bioaccumulation Potent Additional advice Product	12 bility : : ial : : 13 g :	2. ECOLOGICA Not readily biod Environmental t whole. No data availab No data availab 3. DISPOSAL C Where possible, generator of wa classification, tr applicable feder Recycling is pre has the responsi and disposal in and local regula	L INFORMATION legradable. toxicity has not been le. le. ONSIDERATIONS , recycling is preferre ste material has the r ransportation and dis ral, state/provincial a eferred when possible ibility for proper was accordance with app	established for this mixture as a established for this mixture as a ed to disposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materiate classification, transportation



Page 5 of 6

MATERIAL SAFETY DATA SHEET

DX1937A CLEAR Version Number 1.0 Revision Date 06/11/2002 Print Date 11/5/2011 Classification (Non-bulk ground) ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation. **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable WARNING! This product contains a chemical known in the State of California Proposition : California to cause cancer. 65 Not applicable Canadian Regulations: WHMIS Classification : Not controlled. WHMIS Ingredient Disclosure List CAS-No. 1305-78-8 108-05-4 75-01-4 DSL : Listed. National Inventories: Australia AICS : Listed. China IECS Not determined. : Europe EINECS Not determined. : Japan ENCS : Not determined.



MATERIAL SAFETY DATA SHEET

DX1937A CLEAR

Version Number 1.0 Revision Date 06/11/2002 Page 6 of 6 Print Date 11/5/2011

Korea KECI : Listed.

Philippines PICCS

: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.