Ine

Version Number 1.5 Revision Date 05/01/2015 Page 1 of 17 Print Date 05/05/2015

SAFETY DATA SHEET

AQUAMIX 234

Section 1. Identification		
GHS product identifier	:	AQUAMIX 234
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO00002905
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B
GHS label elements		
Signal word Hazard statements	:	Warning Causes eye irritation.



Version Number 1.5 Revision Date 05/01/2015

Page 2 of 17 Print Date 05/05/2015

Precautionary statements

General	:	Not applicable.
Prevention	:	Wear eye or face protection. Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO00002905

CAS number/other identifiers

Ingredient name	%	CAS number
Zinc oxide	30 - 60	1314-13-2
Zinc bis dibutyldithiocarbamate	1 - 5	136-23-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the



SAFETY DATA SHEET AQUAMIX 234

Version Number 1.5 Revision Date 05/01/2015	Page 3 of 17 Print Date 05/05/2015
Inhalation	 upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be
Skin contact	delayed. The exposed person may need to be kept under medical surveillance for 48 hours.Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash
Ingestion	 clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

I

Potential acute health effects		
Eye contact Inhalation	:	Causes eye irritation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact Ingestion	:	No known significant effects or critical hazards. May be irritating to mouth, throat and stomach.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: irritation watering



Version Number 1.5 Revision Date 05/01/2015 Page 4 of 17 Print Date 05/05/2015

	redness	
Inhalation	: No specific d	ata.
Skin contact	: No specific d	ata.
Ingestion	: No specific d	ata.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: In case of inhalation of decomposition products in a fire, may be delayed. The exposed person may need to be kep medical surveillance for 48 hours.	* 1
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or w suitable training. It may be dangerous to the person provigive mouth-to-mouth resuscitation.	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures



Version Number 1.5 Revision Date 05/01/2015 Page 5 of 17 Print Date 05/05/2015

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ai	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be



SAFETY DATA SHEET AQUAMIX 234

Version Number 1.5 Revision Date 05/01/2015	Page 6 of 17 Print Date 05/05/2015
Advice on general occupational hygiene	 hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Zinc oxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	Pollutant concentration that should not be exceeded during
	working hours and which workers are believed to be exposed
	during a period of 15 minutes maximum, without experiencing: a)
	irritation. b) chronic or irreversible tissue damage. c) dependent
	toxic effects of exposure rate. d) Narcosis of sufficient magnitude
	to increase susceptibility to accidents. e) The reduction of ability to
	get to safety by their own means. 10 mg/m3 Form: Fume
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes
	Pollutant concentration that should not be exceeded during
	working hours and which workers are believed to be exposed
	during a period of 15 minutes maximum, without experiencing: a)



Version Number 1.5	Page 7 of 17
Revision Date 05/01/2015	Print Date 05/05/2015

		irritation. b) chronic or irreversible tissue damage. c) dependent toxic effects of exposure rate. d) Narcosis of sufficient magnitude to increase susceptibility to accidents. e) The reduction of ability to get to safety by their own means. 10 mg/m3 Form: Fume Ceiling 15 mg/m3 Form: Dust ACGIH TLV (2003-01-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 2 mg/m3 Form: Respirable fraction TLV-STEL: Threshold Limit Value - Short Time Exposure Level 10 mg/m3 Form: Respirable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.



SAFETY DATA SHEET AQUAMIX 234

Version Number 1.5 Revision Date 05/01/2015	Page 8 of 17 Print Date 05/05/2015
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
The second		
(flammable) limits		Upper: Not available.
	:	Upper: Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	:	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.



Version Number 1.5 Revision Date 05/01/2015

Page 9 of 17 Print Date 05/05/2015

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Zinc bis dibutyldithiocarbama	te			
	LD50 Oral	Rat	5,000 mg/kg	-
Conclusion/Summary	• Mixtu	ire Not fully tested		

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc oxide	Eyes - Mild	Rabbit		24 hrs	-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
Zinc bis	Eyes - Mild	Rabbit			-
dibutyldithiocarbamate	irritant				
	Skin - Mild	Rabbit			-
	irritant				
Conclusion/Summary					
Skin	: Mixture.Not fully tested.				
Eyes	: Mixture.Not fully tested.				
Respiratory	: Mixture.Not fully tested.				

<u>PolyOne</u>.

Version Number 1.5 Revision Date 05/01/2015 Page 10 of 17 Print Date 05/05/2015

<u>Sensitization</u>		
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Carcinogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Teratogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	e exp	<u>osure)</u>
Specific target organ toxicity (repeation Not available.	nted o	exposure)
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Causes eye irritation.
Inhalation	:	Exposure to decomposition products may cause a health hazar Serious effects may be delayed following exposure.
Skin contact	:	No known significant effects or critical hazards.
Ingestion		May be irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics



Version Number 1.5	Page 11 of 17
Revision Date 05/01/2015	Print Date 05/05/2015

Eye contact	:	Adverse symptoms may include the following: irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and a Short term exposure Potential immediate effects Potential delayed effects	<u>also c</u>	chronic effects from short and long term exposure Not available. Not available.
i otentiai uelayeu enects	•	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		

Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	5,524.1 mg/kg

Section 12. Ecological information

Toxicity



SAFETY DATA SHEET AQUAMIX 234

Version Number 1.5 Revision Date 05/01/2015

Page 12 of 17 Print Date 05/05/2015

Product/ingredient name	Result	Species	Exposure
Zinc oxide			
	Acute LC50 2,246,000 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 1.1 mg/l Fresh water	Fish - Rainbow trout,donaldson trout	96 h
	Acute LC50 2.525 mg/l Fresh water	Fish - Zebra danio	96 h
	Acute LC50 3.969 mg/l Fresh water	Fish - Zebra danio	96 h
	Acute LC50 98 µg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 1 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 0.622 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 1.25 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 0.481 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute IC50 46 µg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute IC50 63 µg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute IC50 1.85 mg/l Marine water	Aquatic plants - Diatom	96 h
	Acute IC50 2.97 mg/l Marine water	Aquatic plants - Diatom	96 h
	Acute IC50 2.36 mg/l Marine water	Aquatic plants - Diatom	96 h

Conclusion/Summary

: Not available.

Persistence and degradability

Conclusion/Summary Not available. :

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Zinc oxide		60,960.00	high

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.



Version Number 1.5 Revision Date 05/01/2015

Page 13 of 17 Print Date 05/05/2015

Section 13. Disposal considerations

:

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed



SAFETY DATA SHEET AQUAMIX 234

Version Number 1.5	Page 14 of 17
Revision Date 05/01/2015	Print Date 05/05/2015

		United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide Zinc bis dibutyldithiocarbamate United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
US. EPA CERCLA Hazardous Subs	stanc	<u>es (40 CFR 302)</u>
not applicable SARA 311/312		
Classification	:	Immediate (acute) health hazard

Composition/information on ingredients

Name	%		Classification	
		14/17		



Version Number 1.5 Revision Date 05/01/2015

Page 15 of 17 Print Date 05/05/2015

Zinc oxide	30 - 60	F, AH
Zinc bis dibutyldithiocarbamate	1 - 5	АН

SARA 313

	Product name	CAS number	%	
Form R - Reporting requirements	Zinc oxide	1314-13-2	30 - 60	
	Zinc bis dibutyldithiocarbamate	136-23-2	1 - 5	
Supplier notification	Zinc oxide	1314-13-2	30 - 60	
	Zinc bis dibutyldithiocarbamate	136-23-2	1 - 5	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Zinc oxide Sulfur
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Zinc oxide Sulfur Zinc bis dibutyldithiocarbamate
Pennsylvania	:	The following components are listed: Zinc oxide
		Sulfur

Zinc bis dibutyldithiocarbamate

California Prop. 65

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.



SAFETY DATA SHEET AQUAMIX 234

Version Number 1.5 Revision Date 05/01/2015 Page 16 of 17 Print Date 05/05/2015

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.
Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals	::	Not listed Not listed

Section 16. Other information

History		
Date of printing	:	05/05/2015
Date of issue/Date of revision	:	05/01/2015
Date of previous issue	:	03/11/2014
Version	:	1.5
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
References	:	UN = United Nations Not available.
Notice to reader		



Version Number 1.5 Revision Date 05/01/2015 Page 17 of 17 Print Date 05/05/2015

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.