PolyOne

MATERIAL SAFETY DATA SHEET AQUAMIX 453#

Version Number 1.6 Revision Date 10/31/2013 Page 1 of 6 Print Date 10/31/2013

POLYONE CORPORATI 8155 Cobb Center Drive,		aw, GA 30152
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AQUAMIX 453#
Product code	:	FO00002911
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

Components	CAS-No.	Weight percent
Silica, amorphous, precipitated and gel	112926-00-8	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product is a water based mixture with an ammonia odor. The mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. The product is not combustible, but it will burn if involved in a fire, releasing hydrocarbon products of combustion. Inhalation of the ammonia from this product may cause respiratory irritation, coughing, sore throat, and labored breathing.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Skin contact, Inhalation, Ingestion		
Acute exposure			
Inhalation	: Symptoms of breathing ammonia vapor concentrated from this product may include laryngitis, tracheitis, pulmonary edema, dyspnea, bronchospasms, and chest pains or pneumonitis. Symptoms are typically reversible.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Liquid, aerosol, or vapors of this product are irritating and may cause tearing, reddening, and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.		
Skin	: Skin contact may cause redness, irritation, and burns.		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **AQUAMIX 453#**

Version Number 1.6 Revision Date 10/31/2013 Page 2 of 6 Print Date 10/31/2013

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Never give anythin by mouth to an unconscious person. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 no data available no data available no data available Carbon dioxide (CO2), Water, Foam, Dry chemical.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or wate courses.
Unusual Fire/Explosion Hazards	 Burning dry latex produces dense black smoke with the possibility of toxic vapors. Residual latex material contained in empty drums may decompose when burned producing toxic or irritating fumes. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or



MATERIAL SAFETY DATA SHEET **AQUAMIX 453#**

Prolonged heating may result in product degradation. Masettle during storage. Careful mixing without introduction be necessary before use. Storage : Containers which are opened must be carefully resealed upright to prevent leakage. Keep in a dry, cool place. In freezing and temperature extremes. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local or processing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors. Eye/Face Protection : Safety glasses with side-shields Wear goggles or face so operations that present a splash potential. Hand protection : Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection. Additional Protective : Safety shoes	Page 3 0ate 10/31/2
Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica a binder, universal binder, sawdust). Sweep up and show containers for disposal. 7. HANDLING AND STORAGE Handling : Use only in area provided with appropriate exhaust ven Prolonged heating may result in product degradation. A settle during storage. Careful mixing without introduct be necessary before use. Storage : Containers which are opened must be carefully resealed upright to prevent leakage. Keep in a dry, cool place. If freezing and temperature extremes. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local oprocessing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors. Eye/Face Protection : Safety glasses with side-shields Wear goggles or face s operations that present a splash potential. Hand protection : Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection.	
binder, universal binder, sawdust). Sweep up and show containers for disposal. 7. HANDLING AND STORAGE Handling : Use only in area provided with appropriate exhaust ven Prolonged heating may result in product degradation. A settle during storage. Careful mixing without introduct be necessary before use. Storage : Containers which are opened must be carefully resealed upright to prevent leakage. Keep in a dry, cool place. I freezing and temperature extremes. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local processing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors. Eye/Face Protection : Safety glasses with side-shields Wear goggles or face s operations that present a splash potential. Hand protection : Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron. eye/face protection. Additional Protective : Safety shoes	
Handling : Use only in area provided with appropriate exhaust ven Prolonged heating may result in product degradation. M settle during storage. Careful mixing without introduct be necessary before use. Storage : Containers which are opened must be carefully resealed upright to prevent leakage. Keep in a dry, cool place. I freezing and temperature extremes. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local o processing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors. Eye/Face Protection : Safety glasses with side-shields Wear goggles or face s operations that present a splash potential. Hand protection : Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection. Additional Protective : Safety shoes	
Prolonged heating may result in product degradation. Masettle during storage. Careful mixing without introduction be necessary before use. Storage : Containers which are opened must be carefully resealed upright to prevent leakage. Keep in a dry, cool place. In freezing and temperature extremes. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local or processing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors. Eye/Face Protection : Safety glasses with side-shields Wear goggles or face so operations that present a splash potential. Hand protection : Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection. Additional Protective : Safety shoes	
upright to prevent leakage. Keep in a dry, cool place. I freezing and temperature extremes.8. EXPOSURE CONTROLS/PERSONAL PROTECTIONRespiratory protection: A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local o processing equipment during routine operation. If using 	Iaterial may
Respiratory protection: A respirator is normally not required for routine handlir in areas of good general ventilation and adequate local of processing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors.Eye/Face Protection: Safety glasses with side-shields Wear goggles or face s operations that present a splash potential.Hand protection: Impervious gloves such as rubber or PVCSkin and body protection: Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection.Additional Protective Measures: Safety shoes	
in areas of good general ventilation and adequate local of processing equipment during routine operation. If using respirator, an ammonia cartridge is required to filter out excess ammonia vapors.Eye/Face Protection:Safety glasses with side-shields Wear goggles or face s operations that present a splash potential.Hand protection:Impervious gloves such as rubber or PVCSkin and body protection:Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection.Additional Protective Measures:Safety shoes:	
operations that present a splash potential.Hand protection: Impervious gloves such as rubber or PVCSkin and body protection: Long sleeved shirts and long pants are adequate for nor Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection.Additional Protective Measures: Safety shoes	exhaust at g a cartridge
Skin and body protection : Long sleeved shirts and long pants are adequate for nor. Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection. Additional Protective : Safety shoes Measures : Safety shoes	hield during
Where operations present a splash or spill potential, em should wear chemically resistant clothing, boots, apron, eye/face protection. Additional Protective Measures	
Measures	ployees
General Hygiene : Wash hands before breaks and immediately after handli	
Considerations product. Handle in accordance with good industrial hys safety practices.	
Engineering measures : Adequate ventilation and/or appropriate respiratory pro- also be necessary to minimize employee exposure to pr- vapors.	
Exposure limit(s)	

PolyOne.

MATERIAL SAFETY DATA SHEET AQUAMIX 453#

Version Number 1.6 Revision Date 10/31/2013

Page 4 of 6 Print Date 10/31/2013

Components	Value	Exposure ti		Exposure type	List:
Silica, amorphous, precipitated and gel	6 mg/m3	Time Weighted (TWA):	0		OSHA Z1A
	10 mg/m3	Time Weighted (TWA):	Average		MX OEL
	0.8 mg/m3	Time Weighted (TWA):	Average		Z3
	9. PHYSIC	CAL AND CHEM	CAL PROPI	ERTIES	
Form	: liqui		Evapoura		ower than Buty
I OIIII	. iiqui	u .	Diapoura		etate
Appearance	: liqui	d	Specific C	Gravity : No	ot determined
Colour	: NO I	PIGMENT	Bulk dens	sity : No	ot applicable
Odour	: Sligh	it ammonia	Vapour p	ressure : No	ot established
Melting point/range	: not a	pplicable	Vapour d	ensity : He	eavier than air.
Boiling Point:	: Not e	established	pH	: No	ot determined
Water solubility : completely miscible					
	10. 8	STABILITY AND	REACTIVIT	Y	
Stability	: T	he product is stable	if stored and	handled as prescribe	ed.
Hazardous Polymerizat	ion : W	Vill not occur.			
Conditions to avoid	: E	xtremes of tempera	ture and direc	t sunlight. Keep fro	m freezing.
Incompatible Materials	: A	cids, metal salts, ar	d solvents		
Hazardous decompositi products				noxide (CO), oxides and smoke are all po	
	11. TO	XICOLOGICAL	INFORMAT	ION	
This mixture has not be health data for the indiv <u>Toxicity Overview</u>	vidual compone	nts which comprise	the mixture.		
This product contains the		- 	-		-
CAS-No.	Chemica		Effect	Target	
112926-00-8	Silica, amorph	/	tant	Respiratory syst	tem, Eyes.
	precipitated an	nd gel			
	12. H	ECOLOGICAL IN	FORMATIO	N	
Persistence and degrada	ability : no	o data available			
Environmental Toxicity		o data available			





MATERIAL SAFETY DATA SHEET AQUAMIX 453#

Version Number 1.6 Revision Date 10/31/2013 Page 5 of 6 Print Date 10/31/2013

	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Propositior 65	: Not applicable



MATERIAL SAFETY DATA SHEET AQUAMIX 453#

Version Number 1.6	Page 6 of 6
Revision Date 10/31/2013	Print Date 10/31/2013
SARA Title III Section 313 Toxic Chemicals:	

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification : D2B

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

DSL

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.