### AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018

*vOne* 

Page 1 of 18 Print Date 05/18/2018

# SAFETY DATA SHEET

### AQUAMIX 534

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : : : : : : : : : : : : : : : :	AQUAMIX 534 Mixture Mixture FO00002916 liquid
	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2A

**GHS label elements** 

## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018 Page 2 of 18 Print Date 05/18/2018

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes serious eye irritation.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear eye or face protection. Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:FO00002916

CAS number/other identifiers

Ingredient name	%	CAS number
Zinc oxide	10 - 25	1314-13-2
Tetramethyl thiuram disulfide (Thiram)	1 - 3	137-26-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018



Page 3 of 18 Print Date 05/18/2018

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

### **Potential acute health effects**

Eye contact	:	Causes serious eye irritation.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### **Over-exposure signs/symptoms**

## AQUAMIX 534



Version Number 1.8 Revision Date 05/17/2018		Page 4 of 18 Print Date 05/18/2018
Eve contact	_	Adverse symptoms may include the following:

		pain or irritation
		watering
		redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
	attentio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## **Section 5. Firefighting measures**

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## **AQUAMIX 534**

Version Number 1.8 Revision Date 05/17/2018



Page 5 of 18 Print Date 05/18/2018

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note
		of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt aı	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved
		5/18

## AQUAMIX 534



Version Number 1.8 Revision Date 05/17/2018	Page 6 of 18 Print Date 05/18/2018
Advice on general occupational hygiene	<ul> <li>alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</li> </ul>
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Zinc oxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 10 mg/m3 Form: Fume
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 10 mg/m3 Form: Fume
	Ceiling-A concentration that should not be exceeded at any time
	during any part of the working day. 15 mg/m3 Form: Dust
	ACGIH TLV (2003-01-01)

## AQUAMIX 534

PolyOne

Version Number 1.8 Revision Date 05/17/2018

	TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 2 mg/m3 Form: Respirable fraction <b>TLV-STEL: Threshold Limit Value - Short Time Exposure Level</b> 10 mg/m3 Form: Respirable fraction <b>OSHA PEL (1993-06-30)</b> PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
Tetramethyl thiuram disulfide (Thiram)	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 5 mg/m3 ACGIH TLV (2008-01-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 Form: Inhalable fraction and vapor
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the
	7/18

## AQUAMIX 534



Version Number 1.8	Page 8 of 18
Revision Date 05/17/2018	Print Date 05/18/2018

	parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### **Appearance**

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		<b>Upper:</b> Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature		Not available.
	•	

## **AQUAMIX 534**

Version Number 1.8 Revision Date 05/17/2018

Page 9 of 18 Print Date 05/18/2018

'One

SADT	: Not available.
Viscosity	<b>: Dynamic:</b> Not available.
	Kinematic: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Tetramethyl thiuram disulfide	(Thiram)			
	LD50 Oral	Rat	560 mg/kg	-
	LC50 Inhalation	Rat	4.42 Mg/l	4 h
	LD50 Dermal	Rat	5,000 mg/kg	-
Zinc oxide			<u>.</u>	·
Remarks - Oral:	No applicable toxi	city data		
<b>Remarks - Inhalation:</b>	No applicable toxicity data			
Remarks - Dermal:	No applicable toxi	city data		
Conclusion/Summary	: Mixtu	re Not fully tested		

Conclusion/Summary

Mixture.Not fully tested.

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Tetramethyl thiuram	Eyes -	Rabbit		24 hrs	-
disulfide (Thiram)	Moderate				



## AQUAMIX 534

Version Number	er 1.8
Revision Date	05/17/2018

### Page 10 of 18 Print Date 05/18/2018

				T	<b>I</b>	
	irritant					
	Eyes - Mild	Rabbit			-	
	irritant					
	Skin - Mild	Rabbit			-	
	irritant					
Zinc oxide	Eyes - Mild	Rabbit		24 hrs	-	
	irritant					
	Skin - Mild	Rabbit		24 hrs	-	
	irritant					
Conclusion/Summary						
Skin	: N	/lixture.Not ful	ly tested.			
Eyes	: N	/lixture.Not ful	ly tested.			
Respiratory	: N	/lixture.Not ful	ly tested.			
<b>Sensitization</b>						
<b>Conclusion/Summary</b>						
Skin		/lixture.Not ful				
Respiratory	: N	/lixture.Not ful	ly tested.			
<b>Mutagenicity</b>						
~						
Conclusion/Summary	: N	/lixture.Not ful	ly tested.			
a						
<b>Carcinogenicity</b>						
Conclusion/Summony		livtura Not ful	ly tostad			
Conclusion/Summary Classification	: N	/lixture.Not ful	ly lested.			
Product/ingredient	OSHA	IARC	NTP			
name	USHA	IAKC	NIP			
Tetramethyl thiuram		3				
disulfide (Thiram)		5				
disultide (Thirani)						
Doproductive toxicity						
<b><u>Reproductive toxicity</u></b>						
Conclusion/Summary	: N	/lixture.Not ful	ly tested			
Conclusion/Summary	• 1		ly tested.			
<b>Teratogenicity</b>						
Teratogementy						
Conclusion/Summary	: N	/lixture.Not ful	ly tested			
Conclusion/Summary	• 1		ij tostou.			
Specific target organ toxic	rity (single expos	ire)				
Not available.						
Specific target organ toxic	rity (repeated exr	osure)				
Specific unget of guit toxic	ing (repeated the	(), (), (), (), (), (), (), (), (), (),				

## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018 <u>PolyOne</u>

Page 11 of 18 Print Date 05/18/2018

Not available.

Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Causes serious eye irritation.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following:
		pain or irritation
		watering
<b>T</b> 1 1 <i>//</i>		redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as w	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects		
		Not available.
Potential delayed effects	:	Not available. Not available.
Potential delayed effects Long term exposure		
Long term exposure	:	Not available.
Long term exposure Potential immediate effects	:	Not available.
Long term exposure	:	Not available.
Long term exposure Potential immediate effects	:	Not available.
Long term exposure Potential immediate effects Potential delayed effects	:	Not available.
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u>	:	Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards.
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u> Conclusion/Summary General Carcinogenicity	:	Not available. Not available. Not available. Mixture.Not fully tested.
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u> Conclusion/Summary General Carcinogenicity Mutagenicity	:	Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u> Conclusion/Summary General Carcinogenicity	:	Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards.



## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018 Page 12 of 18 Print Date 05/18/2018

**Fertility effects** 

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	23,605.9 mg/kg
Route	ATE value
Dermal	229,231.6 mg/kg
Route	ATE value
Inhalation (vapors)	202.6 mg/l

## Section 12. Ecological information

:

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Tetramethyl thiuram disulfide	(Thiram)		
	Acute LC50 0.007 Mg/l Fresh	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 0.02 Mg/l Marine	Aquatic invertebrates.	48 h
	water	Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:		-	-
	Acute LC50 0.00021 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			<u>.</u>
	Acute EC50 0.001 Mg/l Fresh	Aquatic plants - Algae	96 h
	water		
Remarks - Acute - Aquatic	Acute		
plants:		1	1
	Acute EC50 0.0055 Mg/l Fresh	Aquatic plants - Algae	72 h
	water		
Remarks - Acute - Aquatic	Acute		
plants:			
	Chronic NOEC 0.0011 Mg/l Fresh	Fish - Fish	210 d
	water		
Remarks - Chronic - Fish:	Chronic		
Remarks - Chronic -	No applicable toxicity data		



## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018 Page 13 of 18 Print Date 05/18/2018

Aquatic invertebrates.:			
Zinc oxide			
	Acute LC50 1.1 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
	Acute LC50 0.098 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute IC50 0.046 Mg/l Fresh water	Aquatic plants - Algae	72 h
Remarks - Acute - Aquatic	Acute		
plants:		Γ	
	Acute IC50 1.85 Mg/l Marine	Aquatic plants - Algae	96 h
	water		
Remarks - Acute - Aquatic	Acute		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
AQUAMIX 534			
Remarks - Acute - Aquatic	Dangerous for the environment: May	cause long term adverse et	ffects in the aquatic
invertebrates.:	environment.		
Conclusion/Summary	6	onment: May cause long ter	rm adverse effects
	in the aquatic environme	ent.	

#### Persistence and degradability

Conclusion/Summary	:	Not available.
Conclusion/Summary	:	Dangerous for the environment: May cause long term adverse effects in the aquatic environment.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Thioperoxydicarbonic diamide ([(H2N)C(S)]2S2), N,N,N',N'- tetramethyl-	1.8	3.39	low
Zinc oxide (ZnO)	-	60,960.00	high

### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

13/18

## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018

### Page 14 of 18 Print Date 05/18/2018

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### United States - RCRA Acute hazardous waste "P" List: Not listed

United States - KCKA Toxic haz	aruous waste U List. Listed		
Ingredient	CAS #	Status	Reference number
Tetramethyl thiuram disulfide (Thiram)	137-26-8	Listed	

### United States - RCRA Toxic hazardous waste "U" List: Listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not classified as dangerous goods under transport regulations.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide, Di-2-benzothiazolyl disulfide), 9, PGIII, Marine Pollutant
International Water IMO/IMDG	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide, Di-2-benzothiazolyl disulfide), 9, PGIII, Marine Pollutant

## Section 15. Regulatory information

:

- U.S. Federal regulations
- United States TSCA 12(b) Chemical export notification: None of the components are listed.

## AQUAMIX 534

Version I	Numb	er 1.8
Revision	Date	05/17/2018

# <u>PolyOne</u>

	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Zinc oxide
	-
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Toxic substances: Not listed
	United States - Department of commerce - Precursor chemical:
	Not listed
:	Not listed
	Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
	15/18	



## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018 Page 16 of 18 Print Date 05/18/2018

Tetramethyl thiuram disulfide (Thiram)	137-26-8	10 lb(s) 4.54 kg	
---	----------	---------------------	--

### SARA 311/312

Classification

: Immediate (acute) health hazard

### **Composition/information on ingredients**

Name	%	Classification
Tetramethyl thiuram disulfide (Thiram)	1 - 3	АН
Zinc oxide	10 - 25	АН

#### SARA 313

	Product name	CAS number	%	
Form R - Reporting	Zinc oxide	1314-13-2	10 - 25	
requirements				
	Tetramethyl thiuram disulfide (Thiram)	137-26-8	1 - 3	
Supplier notification	Zinc oxide	1314-13-2	10 - 25	
	Tetramethyl thiuram disulfide (Thiram)	137-26-8	1 - 3	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed:
		Tetramethyl thiuram disulfide (Thiram)
New Jersey	:	The following components are listed:
		Zinc oxide
		Sulfur
		Tetramethyl thiuram disulfide (Thiram)
Pennsylvania	:	The following components are listed:
		Zinc oxide
		Sulfur
		Tetramethyl thiuram disulfide (Thiram)
		16/18



## AQUAMIX 534

Version Number 1.8	Page 17 of 18
Revision Date 05/17/2018	Print Date 05/18/2018

#### California Prop. 65


This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.

Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

## AQUAMIX 534

Version Number 1.8 Revision Date 05/17/2018



Page 18 of 18 Print Date 05/18/2018

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	05/18/2018
Date of issue/Date of revision	:	05/17/2018
Date of previous issue	:	10/09/2013
Version	:	1.8
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.