MATERIAL SAFETY DATA SHEET **D1014AR RED**

Version Number 1.3 Revision Date 06/05/2008 Page 1 of 6 Print Date 1/4/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	D1014AR RED
Product code	:	FO00003131
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion	
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **D1014AR RED**

Version Number 1.3 Revision Date 06/05/2008 Page 2 of 6 Print Date 1/4/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET **D1014AR RED**

sion Date 06/05/2008			Print	Page Date 1/4/		
	Р	ume condensates may contain eriodically clean hoods, ducts, ccumulation of these materials	and other surfaces to min			
Storage		Leep containers dry and tightly nd contamination. Store in a c		absorption		
8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.		
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z		
	15 mg/m3	PEL:	Total dust.	OSHA Z		
				ODITIZ		
	10 mg/m3	Time Weighted Average (TWA):				
				MX OEI		
	10 mg/m3 20 mg/m3	(TWA): Short Term Exposure Limit	DPERTIES	MX OEI		
	10 mg/m3 20 mg/m3 9. PHYSIC	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO		MX OEI MX OEI		
Form	10 mg/m3 20 mg/m3 9. PHYSIC : liquid	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	ration rate : Not	MX OEI MX OEI established		
Appearance	10 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visco	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif	ration rate : Not ic Gravity : Not	MX OEI MX OEI established determined		
	10 mg/m3 20 mg/m3 9. PHYSIC : liqui- : Visc- : RED	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRC d Evapo ous, liquid Specif Bulk d	ration rate : Not ic Gravity : Not lensity : Not	MX OEI MX OEI established determined applicable		
Appearance Color	10 mg/m3 20 mg/m3 9. PHYSIC : liquid : Visc. : RED : Very	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif b Bulk d r faint Vapou	ration rate : Not ic Gravity : Not lensity : Not r pressure : Not	MX OEI MX OEI established determined		
Appearance Color Odour	10 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : RED : Very : Not a	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif b Bulk d r faint Vapou	ration rate : Not ic Gravity : Not lensity : Not r pressure : Not r density : Not	MX OEI MX OEI established determined applicable determined		
Appearance Color Odour Melting point/range	10 mg/m3 20 mg/m3 9. PHYSIC : liquin : Visc : RED : Very : Not a : Not a	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif b Bulk d faint Vapou applicable Vapou	ration rate : Not ic Gravity : Not lensity : Not r pressure : Not r density : Not	MX OEI MX OEI established determined applicable determined determined		
Appearance Color Odour Melting point/range Boiling Point:	10 mg/m3 20 mg/m3 9. PHYSIC : liquid : Visco : RED : Very : Not a : Not a : Imm	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif b Bulk d r faint Vapou applicable Vapou applicable pH	ration rate : Not ic Gravity : Not lensity : Not r pressure : Not r density : Not : Not	MX OEI MX OEI established determined applicable determined determined		
Appearance Color Odour Melting point/range Boiling Point:	10 mg/m3 20 mg/m3 9. PHYSIC : liquid : Visc : RED : Very : Not a : Imm 10. S	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif y faint Vapou applicable pH iscible State	ration rate : Not ic Gravity : Not lensity : Not r pressure : Not r density : Not : Not	MX OEI MX OEI established determined applicable determined determined		
Appearance Color Odour Melting point/range Boiling Point: Water solubility	10 mg/m3 20 mg/m3 9. PHYSIC : liquid : Visc : RED : Very : Not a : Imm 10. S	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif b Bulk d faint Vapou applicable pH iscible STABILITY AND REACTIV	ration rate : Not ic Gravity : Not lensity : Not r pressure : Not r density : Not : Not	MX OEI MX OEI established determined applicable determined determined		

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **D1014AR RED**

Version Number 1.3 Revision Date 06/05/2008 Page 4 of 6 Print Date 1/4/2012

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

12. ECOLOGICAL INFORMATION

Persistence a	and degradability :	Not readily biodegradable.	
Environmen	tal Toxicity :	Environmental toxicity has not been established for this mixture as a whole.	
Bioaccumula	ation Potential :	No data available	
Additional a	dvice :	No data available	
	1	3. DISPOSAL CONSIDERATIONS	-
Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminate			

transportation and disposal in accordance with applicable federal,

PolyOne.

MATERIAL SAFETY DATA SHEET **D1014AR RED**

sion Date 06/05/2008					Print Date 1/
		state/provincial	and local regulati	ions.	
]	4. TRANSPOR	Γ INFORMATIO	ON	
			1.4		
U.S. DOT Classification	:	Refer to specifi	c regulation.		
ICAO/IATA (air)	:	Refer to specifi	c regulation.		
IMO / IMDG (maritime)	:	Refer to specifi	c regulation.		
	1	5. REGULATOR	RY INFORMAT	ION	
US Regulations:					
OSHA Status	:	Classified as ha	zardous based on	components.	
TSCA Status	:	All component TSCA Inventor		are listed on or exe	empt from the
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR	302)		
Not applicable					
California Propositio 65	n :	Not applicable			
SARA Title III Section 302 I	Extrem	ely Hazardous Su	ıbstance		
Unless specific chemicals are	e ident	fied under this se	ction, this produc	t is Not Applicabl	e under this reg
SARA Title III Section 313	Foxic (Chemicals:			
Unless specific chemicals are	e ident	fied under this se	ection, this produc	t is Not Applicabl	e under this reg
Canadian Regulations:					
National Pollutant Re	lease I	nventory (NPRI)			
Chemical Name	<u> </u>		CAS-No.	Weight %	NPRI ID#
D1 1 1 1 1	3:1)		26523-78-4	0.10 - 1.00	
Phenol, nonyl-, phosphite Zinc stearate	(=-=)		557-05-1	0.10 - 1.00	



MATERIAL SAFETY DATA SHEET **D1014AR RED**

Version Number 1.3		Page 6 of 6
Revision Date 06/05/2008		Print Date 1/4/2012
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.