

MATERIAL SAFETY DATA SHEET **D3015** LIME GREEN

Version Number 1.0 Revision Date 08/21/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	D3015 LIME GREEN
Product code	:	FO00003339
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET **D3015 LIME GREEN**

Version Number 1.0 Revision Date 08/21/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET **D3015 LIME GREEN**

ision Date 08/21/2003			Р	rint Date	Page 3 11/12/2
	Pe	me condensates may con priodically clean hoods, d cumulation of these mate	lucts, and other surfaces		e
Storage		eep containers dry and tig d contamination. Store i		oisture absor	rption
8. E	XPOSURE (CONTROLS / PERSON	NAL PROTECTION		
Respiratory protection	: U1	nder normal handling con	nditions a respirator may	y not be requ	uired.
Eye/Face Protection	: Sa	fety glasses with side-sh	ields.		
Hand protection	: Pr	otective gloves.			
Skin and body protection	: Lo	ong sleeved clothing.			
Additional Protective Measures	: Sa	fety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	e l	List:
		*	Respirable fract		
Calcium carbonate	5 mg/m3	PEL:	Respirable fract		
Calcium carbonate	15 mg/m3	PEL: PEL:	Total dust.		
	15 mg/m3		Total dust.		HA ZI
	15 mg/m3 9. PHYSIC	PEL:	Total dust. PROPERTIES	OS	HA Z
Form	15 mg/m3 9. PHYSIC : Liquid	PEL: CAL AND CHEMICAL d E	Total dust.		HA Z
Form Appearance Color	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE	PEL: CAL AND CHEMICAL d E bus, Liquid S EN B	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density :	Not establ Not detern Not applid	HAZ
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE : Very	PEL: PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure :	Not establ Not detern Not applic Not detern	lished mined cable. mined
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE : Very : Not a	PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V pplicable V	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure : 'apor density :	Not establ Not detern Not applic Not detern Not detern	HAZ lished mined cable. mined mined
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE : Very : Not a : Not a	PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V pplicable V pplicable pl	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure : 'apor density :	Not establ Not detern Not applic Not detern	HA Z lished mined cable. mined mined
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE : Very : Not a	PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V pplicable V pplicable pl	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure : 'apor density :	Not establ Not detern Not applic Not detern Not detern	HAZ lished mined cable. mined mined
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE : Very : : Not a : Not a : Immis	PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V pplicable V pplicable pl	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure : 'apor density : H :	Not establ Not detern Not applic Not detern Not detern	HAZ lished mined cable. mined mined
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Liquid : Visco : GREE : Very : Not a : Not a : Immis 10. S'	PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V pplicable V pplicable pl scible	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure : 'apor density : H :	Not establ Not detern Not applic Not detern Not detern	HA Z lished mined cable. mined mined
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Liquid : Visco : GREF : Very : : Not aj : Not aj : Inmis 10. ST : Sta	PEL: AL AND CHEMICAL d E bus, Liquid S EN B faint V pplicable V pplicable pl scible TABILITY AND REAC	Total dust. PROPERTIES vaporation rate : pecific Gravity : ulk density : 'apor pressure : 'apor density : H :	Not establ Not detern Not applic Not detern Not detern	HA Z lished mined cable. mined mined



MATERIAL SAFETY DATA SHEET D3015 LIME GREEN

Version Number 1.0 Page 4 of 6 Revision Date 08/21/2003 Print Date 11/12/2011 decomposition, do not overheat. Incompatible with strong acids and oxidizing agents. Avoid contact Incompatible Materials : with acetal homopolymers and acetal copolymers during processing. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and products smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET **D3015 LIME GREEN**

sion Number 1.0 /ision Date 08/21/2003		Page 5 of 6 Print Date 11/12/2011
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA	:	Refer to specific regulation.
IMO / IMDG	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Themicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.



MATERIAL SAFETY DATA SHEET **D3015** LIME GREEN

Version Number 1.0 Revision Date 08/21/2003

Page 6 of 6 Print Date 11/12/2011

Japan ENCS	:	Not determined
------------	---	----------------

Korea KECI : Not determined.

Philippines PICCS : Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.