PolyOne

MATERIAL SAFETY DATA SHEET **D809 NEUTRAL**

Version Number 1.3 Revision Date 03/12/2014

Page 1 of 6 Print Date 3/17/2014

1.	PRODUCT	AND COMPANY IDENTIF	ICATION
POLYONE CORPORATI 8155 Cobb Center Drive,		GA 30152	
Telephone Emergency telephone number	: CI	440) 930-1000 or 1 (866) POL HEMTREC 1-800-424-9300 (2 accident).	YONE 24hrs for spill, leak, fire, exposure
Product name Product code Chemical Name CAS-No. Product Use	: FC : Mi : Mi	09 NEUTRAL 00003430 xture xture lustrial Applications	
2. CC	OMPOSITI	ON/INFORMATION ON INC	GREDIENTS
Component Petroleum distillates, hydro		CAS-No. t 64742-53-6	Weight percent

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

naphthenic

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **D809 NEUTRAL**

Version Number 1.3 Revision Date 03/12/2014 Page 2 of 6 Print Date 3/17/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET **D809 NEUTRAL**

sion Number 1.3 sion Date 03/12/2014			Print	Page 3 Date 3/17/2		
Handling	fi P	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.				
Storage		Keep containers dry and tight nd contamination. Store in a		e absorption		
8.]	EXPOSURE	E CONTROLS/PERSONA	L PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally re-				
Eye/Face Protection	: S	afety glasses with side-shiel	ds			
Hand protection	: P	Protective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		Iandle in accordance with go ractice. Wash hands before				
Engineering measures		Heat only in areas with appropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Petroleum distillates, hydrotreated light naphthenic	500 ppm 2,000 mg/m3	PEL:		OSHA Z1		
	400 ppm 1,600 mg/m3	Time Weighted Average (TWA):		OSHA Z1A		
	9. PHYSI	CAL AND CHEMICAL P	ROPERTIES			
	1					
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: NO : very : not a	Dus, liquidSpectrumPIGMENTBullfaintVapapplicableVapapplicablepH	cific Gravity : Not k density : Not our pressure : Not our density : Not	t established t determined t applicable t determined t determined t applicable		
	10. 5	STABILITY AND REACT	TIVITY			



MATERIAL SAFETY DATA SHEET D809 NEUTRAL

Version Number 1.3 Revision Date 03/12/2014 Page 4 of 6 Print Date 3/17/2014

Stability	: The p	roduct is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will r	ot occur.
Conditions to avoid	-	away from oxidizing agents and open flame. To avoid thermal aposition, do not overheat.
Incompatible Materials		patible with strong acids and oxidizing agents., Avoid contact cetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	(NOx) smoke degrae after o	n dioxide (CO2), carbon monoxide (CO), oxides of nitrogen o, hydrogen chloride (HCl), other hazardous materials, and e are all possible. Prolonged heating may result in product lation. As a general rule of thumb, degradation begins to occur one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 nd within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name		Effect	Target Organ	
64742-53-6		um distillates, eated light enic	Irritant	Eyes, Skin.	
		12. ECOLOGI	CAL INFORMATIO	DN	
Persistence and degrada	bility	: Not readily l	biodegradable.		
Environmental Toxicity		: Environmen whole.	tal toxicity has not be	en established for this mixture as a	
Bioaccumulation Potent	tial	: no data avai	lable		
Additional advice		: no data avai	lable		

13. DISPOSAL CONSIDERATIONS

Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste

material has the responsibility for proper waste classification,

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **D809 NEUTRAL**

sion Number 1.3 ision Date 03/12/2014				Page : Print Date 3/17/
		sportation and disposal in ac e/provincial and local regula		licable federal,
	14. TI	RANSPORT INFORMATI	ION	
U.S. DOT Classification	: Ref	er to specific regulation.		
ICAO/IATA	: Ref	er to specific regulation.		
IMO/IMDG (maritime)	: Ref	er to specific regulation.		
	15. RE	GULATORY INFORMAT	TION	
US Regulations:				
OSHA Status	: Cla	ssified as hazardous based or	n components.	
TSCA Status		components of this product CA Inventory.	are listed on or exe	empt from the
US. EPA CERCLA Hazardo	us Substanc	es (40 CFR 302)		
not applicable				
California Proposition 65		RNING! This product contained if the second		
SARA Title III Section 302 I	Extremely H	lazardous Substance		
Unless specific chemicals are	e identified u	under this section, this produ	ct is Not Applicab	le under this regul
SARA Title III Section 313	Foxic Chem	icals:		
Unless specific chemicals are	e identified u	under this section, this produ	ct is Not Applicab	le under this regul
Canadian Regulations:				
National Pollutant Re	lease Invent	ory (NPRI)		
Chemical Name		CAS-No.	Weight percent	NPRI ID#
	ounds	0-05-5	0.10 - 1.00	241
Miscellaneous Zinc Comp	ounus	0-05-5	0.10 1.00	271



MATERIAL SAFETY DATA SHEET **D809 NEUTRAL**

Version Number 1.3 Page 6 of 6 Print Date 3/17/2014 Revision Date 03/12/2014 WHMIS Classification : D2B DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Not determined China IECS Not determined : Europe EINECS Not determined : Japan ENCS Not determined : Korea KECI Not determined • **Philippines PICCS** Not determined : **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.