

MATERIAL SAFETY DATA SHEET

DB3339 BLACK - VO

Version Number 1.1 Revision Date 03/01/2004 Page 1 of 7 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103 NON-EMERGENCY : Product Stewardship (314) 771-1800 TELEPHONE **Emergency telephone** CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure : number or accident). : DB3339 BLACK - VO Product name : FO00003893 Product code Chemical Name : Mixture CAS-No. : Mixture Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET DB3339 BLACK - VO

Version Number 1.1 Revision Date 03/01/2004 Page 2 of 7 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET **DB3339 BLACK - VO**

sion Number 1.1 ision Date 03/01/2004				Print D	Page ate 11/14	
	P	ime condensates may co eriodically clean hoods, ccumulation of these ma	ducts, and other			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.					
8. F	EXPOSURE	CONTROLS / PERSO	NAL PROTEC	TION		
Respiratory protection	: U	nder normal handling co	onditions a respir	ator may not l	be required.	
Eye/Face Protection	: S	afety glasses with side-s	hields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks			afety practic	
Engineering measures		leat only in areas with ap			Provide	
Exposure limit(s)						
Components	Value	Exposure time	Expo	sure type	List:	
Antimony trioxide	0.5 mg/m3	PEL:		as Sb	OSHA Z	
	0.5 mg/m3	Time Weighted Aver (TWA):	age a	as Sb	ACGIH	
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES	5		
Form	: liquio	d	Evaporation rate	· Not	established	
Appearance			Specific Gravity:		determined	
Color	: BLA	· •	Bulk density		applicable	
Odor			Vapor pressure		determined	
Melting point/range			Vapour density		determined	
Boiling Point:	: Not applicable		оН		applicable	
Water solubility	: Imm				11	
	10. 8	STABILITY AND REA	CTIVITY			
Stability		TABILITY AND REA	<u>CTIVITY</u>			



MATERIAL SAFETY DATA SHEET DB3339 BLACK - VO

Version Number 1.1 Revision Date 03/01/2004 Page 4 of 7 Print Date *11/14/2011*

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET DB3339 BLACK - VO

Version Number 1.1 Revision Date 03/01/2004

Page 5 of 7 Print Date 11/14/2011

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

.						
Persistence and degradability	y : Not re	adily biodegradabl	le.			
Environmental Toxicity		: Environmental toxicity has not been established for this mixture as a whole.				
Bioaccumulation Potential	: No dat	a available				
Additional advice	: No dat	a available				
	13. DISP	OSAL CONSIDE	ERATIONS			
Product	genera classif	tor of waste mater ication, transporta	g is preferred to dispos ial has the responsibil tion and disposal in ac provincial and local re	cordance with		
Contaminated packaging	has the and dis	e responsibility for	hen possible. The gen proper waste classific ce with applicable fed			
	14. TRA	NSPORT INFOR	RMATION			
U.S. DOT Classification	: Refer	o specific regulati	on.			
ICAO/IATA (air)	: Refer	o specific regulati	on.			
IMO / IMDG (maritime)	: Refer	o specific regulati	on.			
	15. REGU	JLATORY INFO	RMATION			
US Regulations:						
OSHA Status	: Classif	ied as hazardous t	based on components.			
TSCA Status	: All co Invent		product are listed on or	exempt from the TSC		
US. EPA CERCLA Hazardo	us Substances	(40 CFR 302)				
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product		
Chemicai Ivaine				1011111111110/11104401		



MATERIAL SAFETY DATA SHEET DB3339 BLACK - VO

Version Number 1.1 Revision Date 03/01/2004 Page 6 of 7 Print Date 11/14/2011

California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
------------------------------	---	--

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	2.39

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	2.39	17

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined



MATERIAL SAFETY DATA SHEET **DB3339 BLACK - VO**

Version Number 1.1 Revision Date 03/01/2004 Page 7 of 7 Print Date 11/14/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.