MATERIAL SAFETY DATA SHEET DM150DLTGY LIGHT GRAY-S

Version Number 1.0 Revision Date 07/11/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DM150DLTGY LIGHT GRAY-S
Product code	:	FO00004094
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				



MATERIAL SAFETY DATA SHEET DM150DLTGY LIGHT GRAY-S

Version Number 1.0 Revision Date 07/11/2003 Page 2 of 6 Print Date 11/11/2011

	4. FIRST AID	MEASURES
Inhalation		r in case of accidental inhalation of fumes from ombustion. When symptoms persist or in all cases of cal advice.
Ingestion		omiting without medical advice. When symptoms cases of doubt seek medical advice.
Eyes		ely with plenty of water for at least 15 minutes. If eye s, seek medical attention.
Skin	Wash off with semiconductor with semiconductor with the semiconductor with the semiconductor with the semiconductor with the semiconductor sem	oap and plenty of water. If skin irritation persists seek n.
	5. FIRE-FIGHT	ING MEASURES
Flash point	No data availabl	e.
Flammable Limits		
Upper explosion limit	No data availabl	e.
Lower explosion limit	No data availabl	
Autoignition temperature	Not applicable.	
Suitable extinguishing media		blanket, dry powder, foam, water spray.
Special Fire Fighting Procedures		ntained breathing apparatus (SCBA) used in positive hould be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards		ogen Chloride (HCl) or Carbon Monoxide (CO) under
	CCIDENTAL RI	ELEASE MEASURES
Personal precautions		e personal protection during cleanup, such as es, boots and coveralls.
Environmental precautions		eleased into the environment. The product should not ter drains, water courses or the soil.
Methods for cleaning up	universal binder	ert absorbent material (e.g. sand, silica gel, acid binder, , sawdust). Package all material in appropriate posal. Refer to Section 13 of this MSDS for proper s.
	7. HANDLING	AND STORAGE
Handling	fume condensate	as with appropriate exhaust ventilation. Processing es may contain combustible or toxic residue. an hoods, ducts, and other surfaces to minimize

MATERIAL SAFETY DATA SHEET DM150DLTGY LIGHT GRAY-S

Version Number 1.0 Revision Date 07/11/2003 Page 3 of 6 Print Date 11/11/2011

accumulation of these materials. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION : Under normal handling conditions a respirator may not be required. Respiratory protection Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Wash hands before breaks and at the end of workday. Considerations Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) There are no known hazardous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Liquid Evaporation rate Not established : Appearance Viscous, Liquid Specific Gravity Not determined : : Color : GREY

Appearance. WColor: COdor: VMelting point/range: NBoiling Point:: NWater solubility: I

Diquid
Viscous, Liquid
GREY
Very faint
Not applicable
Not applicable
Immiscible

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH Not established
Not determined
Not applicable.
Not determined
Not determined
Not determined
Not applicable.

10. STABILITY AND REACTIVITY			
Stability	:	Stable.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET DM150DLTGY LIGHT GRAY-S

Version Number 1.0 Revision Date 07/11/2003 Page 4 of 6 Print Date 11/11/2011

Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F) and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION

OSHA Status : There are no known hazardous components above regulatory thresholds in this product.

'One

MATERIAL SAFETY DATA SHEET **DM150DLTGY LIGHT GRAY-S**

Version Number 1.0 Revision Date 07/11/2003 Page 5 of 6 Print Date 11/11/2011

TSCA Status

: All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
Vinyl chloride monomer	75-01-4	0.0008	001 lbs	125,000 LB

California Proposition	
65	

: WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		

Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET **DM150DLTGY LIGHT GRAY-S**

Version Number 1.0 Revision Date 07/11/2003 Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.