

#### MATERIAL SAFETY DATA SHEET

# DM518W WHITE

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 6 Print Date 11/5/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	: Product Stewardship, (314) 771-1800			
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	DM518W WHITE		
Product code	:	FO00004242		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

# POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



# MATERIAL SAFETY DATA SHEET

# DM518W WHITE

ion Number 1.0 sion Date 06/11/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize

#### MATERIAL SAFETY DATA SHEET



#### DM518W WHITE Version Number 1.0 Page 3 of 6 Print Date 11/5/2011 Revision Date 06/11/2002 accumulation of these materials. : Keep containers dry and tightly closed to avoid moisture absorption Storage and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : Under normal handling conditions a respirator is not required. Safety glasses with side-shields. **Eye/Face Protection** : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): Titanium dioxide 15 mg/m3 PEL: Total dust. OSHA Z1 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Liquid Evaporation rate : Not established : Viscous, Liquid Appearance Specific Gravity : Not determined Color : WHITE Bulk density : Not applicable. Odor : Very faint Vapor pressure : Not determined Melting point/range : Not applicable Vapor density : Not determined Boiling Point: : Not applicable : Not applicable. pН Water solubility : Immiscible **10. STABILITY AND REACTIVITY** Stability Stable. · Hazardous Polymerization Will not occur. : Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal • decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

# DM518W WHITE

rsion Number 1.0 vision Date 06/11/2002			Page 4 c Print Date 11/5/20
Incompatible Materials			xidizing agents. Avoid contact copolymers during processing.
Hazardous decomposition products	(NOx), hydroge smoke are all po degradation. As after one hour as	n chloride (HCl), othe ossible. Prolonged he s a general rule of thu	xide (CO), oxides of nitrogen er hazardous materials, and ating may result in product mb, degradation begins to occur er 10 minutes at 204 °C (400 °F), °F).
	11. TOXICOLOGIO	CAL INFORMATIO	N
health data for the individual <u>Toxicity Overview</u>	components which com	prise the mixture.	re effects listed are based on exist have the following characteristics
CAS-No.	Chemical Name	Effect	Target Organ

	Chemical Name		Effect	Target Organ		
13463-67-7	Titanium dioxide		Systemic effects	Respiratory system.		
		12. ECOLOGIC	AL INFORMATION	I		
Persistence and degrad	lability	: Not readily bio	odegradable.			
Environmental Toxicity		: Environmental toxicity has not been established for this mixture as a whole.				
Bioaccumulation Potential		: No data available.				
Additional advice		: No data available.				
		13. DISPOSAL (	CONSIDERATIONS	5		
Product		: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		classification,	transportation and dis	posal in accordance with		
Contaminated packagi	ng	<ul> <li>classification, applicable fede</li> <li>Recycling is put has the response</li> </ul>	transportation and dis eral, state/provincial a referred when possible sibility for proper was a accordance with app	posal in accordance with nd local regulations.		
Contaminated packagi	ng	<ul> <li>classification, applicable fede</li> <li>Recycling is print</li> <li>has the responsional disposal ir and disposal ir</li> </ul>	transportation and dis eral, state/provincial a referred when possible sibility for proper was a accordance with app	posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation		



# MATERIAL SAFETY DATA SHEET

# DM518W WHITE

sion Number 1.0 ⁄ision Date 06/11/2002		Page 5 of 6 Print Date 11/5/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous S	ubs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disclosu		re List
CAS-No.		
1305-78-8 75-01-4	_	
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.



MATERIAL SAFETY DATA SHEET

# DM518W WHITE

Version Number 1.0 Revision Date 06/11/2002 Page 6 of 6 Print Date 11/5/2011

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.