

MATERIAL SAFETY DATA SHEET

# F216C DK BLUE FOAM

Version Number 1.0 Revision Date 03/12/2003 Page 1 of 6 Print Date 11/10/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	F216C DK BLUE FOAM
Product code	:	FO00004445
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	10 - 30
phenylmethylester		

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

# F216C DK BLUE FOAM

sion Date 03/12/2003	Print Date 11/10/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



## MATERIAL SAFETY DATA SHEET

# F216C DK BLUE FOAM

sion Date 03/12/2003		P	Page 3 rint Date 11/10/2
	Per	e condensates may contain combustible or toxi odically clean hoods, ducts, and other surfaces imulation of these materials.	
Storage		p containers dry and tightly closed to avoid me contamination. Store in a cool dry place.	visture absorption
8. EXI	POSURE C	ONTROLS / PERSONAL PROTECTION	
Respiratory protection	: Une	er normal handling conditions a respirator may	not be required.
Eye/Face Protection	: Saf	ty glasses with side-shields.	
Hand protection	: Pro	ective gloves.	
Skin and body protection	: Lor	g sleeved clothing.	
Additional Protective Measures	: Saf	ty shoes.	
General Hygiene Considerations		dle in accordance with good industrial hygiene h hands before breaks and at the end of workd	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
	app	opriate exhaust ventriation at machinery.	
Exposure limit(s)	սթբ	opriate exhaust ventriation at machinery.	
•			
•		L AND CHEMICAL PROPERTIES	
•			Not established
9	. PHYSICA	L AND CHEMICAL PROPERTIES Evaporation rate :	Not established Not determined
9 Form	• PHYSICA : Liquid	L AND CHEMICAL PROPERTIES Evaporation rate : 5, Liquid Specific Gravity :	Not determined
9 Form Appearance	• <b>PHYSIC</b> : Liquid : Viscou	L AND CHEMICAL PROPERTIES Evaporation rate : s, Liquid Specific Gravity : Bulk density :	
9 Form Appearance Color Odor	• <b>PHYSIC</b> : Liquid : Viscou : BLUE : Very fa	L AND CHEMICAL PROPERTIES Evaporation rate : s, Liquid Specific Gravity : Bulk density : int Vapor pressure :	Not determined Not applicable.
9 Form Appearance Color Odor Melting point/range	• PHYSICA : Liquid : Viscou : BLUE : Very fa : Not ap	L AND CHEMICAL PROPERTIES         Evaporation rate         s, Liquid         Specific Gravity         Bulk density         int         Vapor pressure         blicable	Not determined Not applicable. Not determined Not determined
9 Form Appearance Color Odor	• <b>PHYSIC</b> : Liquid : Viscou : BLUE : Very fa	L AND CHEMICAL PROPERTIES         Evaporation rate         s, Liquid         Specific Gravity         Bulk density         int         Vapor pressure         blicable         PH	Not determined Not applicable. Not determined
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICA</li> <li>Liquid</li> <li>Viscou</li> <li>BLUE</li> <li>Very fa</li> <li>Not ap</li> <li>Not ap</li> <li>Immison</li> </ul>	L AND CHEMICAL PROPERTIES         Evaporation rate         s, Liquid         Specific Gravity         Bulk density         int         Vapor pressure         blicable         PH	Not determined Not applicable. Not determined Not determined
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICA</li> <li>Liquid</li> <li>Viscou</li> <li>BLUE</li> <li>Very fa</li> <li>Not ap</li> <li>Not ap</li> <li>Immison</li> </ul>	L AND CHEMICAL PROPERTIES         Evaporation rate         s, Liquid         Specific Gravity         Bulk density         int         Vapor pressure         blicable         pH         ible	Not determined Not applicable. Not determined Not determined
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICA</li> <li>Liquid</li> <li>Viscou</li> <li>BLUE</li> <li>Very fa</li> <li>Not ap</li> <li>Not ap</li> <li>Inmiso</li> <li>10. ST</li> <li>State</li> </ul>	L AND CHEMICAL PROPERTIES         Evaporation rate         s, Liquid         Specific Gravity         Bulk density         int         Vapor pressure         blicable         pH         ible	Not determined Not applicable. Not determined Not determined
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	• PHYSICA : Liquid : Viscou : BLUE : Very fa : Not ap : Not ap : Immiso 10. ST : Stal : Wil : Kee	L AND CHEMICAL PROPERTIES         Evaporation rate         s, Liquid       Specific Gravity         Bulk density       1         Bulk density       1         blicable       Vapor pressure         blicable       pH         blicable       pH         blicable       pH         blicable       blicable         blicable       blicable	Not determined Not applicable. Not determined Not determined Not applicable.



MATERIAL SAFETY DATA SHEET

# F216C DK BLUE FOAM

Version Number 1.0 Revision Date 03/12/2003 Page 4 of 6 Print Date 11/10/2011

Hazardous decomposition products

:

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	, ,
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
<b>Bioaccumulation Potential</b>	:	No data available.
Additional advice	:	No data available.
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation



MATERIAL SAFETY DATA SHEET

# F216C DK BLUE FOAM

Version Number 1.0 Revision Date 03/12/2003 Page 5 of 6 Print Date 11/10/2011

and disposal in accordance with applicable federal, state/provincial and local regulations.

## **14. TRANSPORT INFORMATION**

U.S. DOT Classification						
Proper Shipping Name:	Environmentally hazardous substances, liquid, n.o.s.					
Technical Name:						
Hazard Class / Division	9					
UN Number	UN3082					
Packing Group	III					
Label Required	9					
Hazardous Substance	Butyl benzyl phthalate					
Reportable quantity:	828 LB					
ICAO/IATA	Refer to specific regulation.					
IMO / IMDG	Refer to specific regulation.					
	15. REGULATORY INFORMATION					
US Regulations:						
OSHA Status	: Classified as hazardous based on components.					
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)					
Chemical Name	CAS-No % in Product RO for RO for					

Chemical Name	CAS-No.	% in Product	RQ for	RQ for
			component	Mixture/Prod
				uct
1,2-Benzenedicarboxylic	85-68-7	12.0782	100 lbs	828 LB
acid, butyl				
phenylmethylester				

California Proposition 65 : WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable



MATERIAL SAFETY DATA SHEET

# F216C DK BLUE FOAM

Version Number 1.0 Revision Date 03/12/2003 Page 6 of 6 Print Date 11/10/2011

SARA Title III Section 313 Toxic Chemicals: Canadian Regulations: WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 85-68-7 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Not determined. China IECS Listed. • **Europe EINECS** Not determined. · Japan ENCS Not determined. : Korea KECI Not determined. ٠ **Philippines PICCS** : Listed.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.