

### MATERIAL SAFETY DATA SHEET

### FB387 LAVENDER

Version Number 1.1 Revision Date 03/05/2004

Page 1 of 6 Print Date 11/14/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FB387 LAVENDER
Product code	:	FO00004505
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Azodicarbonamide	123-77-3	1 - 5
Bisphenol A - Epichlorohydrin polymer	25068-38-6	1 - 5
misc00031 - Misc Zinc Cpd's	Not Available	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET

# FB387 LAVENDER

Version Number 1.1 Revision Date 03/05/2004 Page 2 of 6 Print Date 11/14/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



### MATERIAL SAFETY DATA SHEET FB387 LAVENDER

sion Number 1.1 ision Date 03/05/2004		Page 3 Print Date 11/14/2
Handling	fume condensat Periodically cle	eas with appropriate exhaust ventilation. Processing es may contain combustible or toxic residue. an hoods, ducts, and other surfaces to minimize f these materials.
Storage		s dry and tightly closed to avoid moisture absorption ion. Store in a cool dry place.
8. EXP	OSURE CONTROLS	/ PERSONAL PROTECTION
Respiratory protection	: Under normal h	andling conditions a respirator may not be required.
Eye/Face Protection	: Safety glasses	vith side-shields.
Hand protection	: Protective glov	es.
Skin and body protection	: Long sleeved c	othing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		dance with good industrial hygiene and safety practice fore breaks and at the end of workday.
Engineering measures		eas with appropriate exhaust ventilation. Provide aust ventilation at machinery.
Exposure limit(s)		
9.	PHYSICAL AND CH	IEMICAL PROPERTIES
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>liquid</li> <li>Viscous, liquid</li> <li>PURPLE</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate: Not establishedSpecific Gravity:: Not determinedBulk density: Not applicableVapor pressure: Not determinedVapour density: Not determinedpH: Not applicable
	10. STABILITY	AND REACTIVITY
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	1 1	n oxidizing agents and open flame. To avoid thermal do not overheat.



### MATERIAL SAFETY DATA SHEET FB387 LAVENDER

Version Number 1.1 Revision Date 03/05/2004	Page 4 of 6 Print Date 11/14/2011
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
123-77-3	Azodicarbonamide	sensitizer	Respiratory system.
25068-38-6	Bisphenol A - Epichlorohydrin polymer	Irritant	Skin.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
123-77-3	Azodicarbonamide	LC50	200 mg/l	rat
		Oral LD50	> 6,400 mg/kg	rat
		Dermal LD50	> 2,000 mg/kg	rabbit
25068-38-6	Bisphenol A -	Oral LD50	11,400 mg/kg	rat
	Epichlorohydrin polymer	Dermal LD50	> 6,000 mg/kg	rabbit

### Additional Health Hazard Information:

Azodicarbonamide 123-77-3 Sensitizer to the respiratory system with repeated minimal inhalation. While no chronic health problems have been identified, individuals with respiratory problems should avoid inhalation exposure to this material.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available
Additional advice	:	No data available



### MATERIAL SAFETY DATA SHEET FB387 LAVENDER

Version Number 1.1 Revision Date 03/05/2004 Page 5 of 6 Print Date 11/14/2011

Product	. Where per	sible requeling is proformed to	disposed or incinaration Th
Product	generator o classificati	of waste material has the resp ion, transportation and dispos federal, state/provincial and	sal in accordance with
Contaminated packaging	has the res and dispos	is preferred when possible. To possibility for proper wasters at in accordance with applicate regulations.	
	14. TRANSI	PORT INFORMATION	
U.S. DOT Classification	: Refer to sp	pecific regulation.	
ICAO/IATA (air)	: Refer to sp	pecific regulation.	
IMO / IMDG (maritime)	: Refer to sp	pecific regulation.	
	15. REGULA	TORY INFORMATION	
US Regulations:			
OSHA Status	: Classified	as hazardous based on comp	onents.
TSCA Status	: All compo Inventory.		ed on or exempt from the TSC
US. EPA CERCLA Hazardo	s Substances (40 G	CFR 302)	
Not applicable			
California Proposition 65		G! This product contains a c to cause cancer.	hemical known to the State o
SARA Title III Section 302 H	Extremely Hazardo	ous Substance	
Not applicable			
SARA Title III Section 313 7	oxic Chemicals:		
Chemical Name		CAS-No.	Weight %
ZINC COMPOUND	5	Not Availabl	

PolyOne.

### MATERIAL SAFETY DATA SHEET FB387 LAVENDER

Version Number 1.1 Revision Date 03/05/2004

Page 6 of 6 Print Date 11/14/2011

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
misc00031 - Misc Zinc Cpc	1's		Not Available	2.02	241
WHMIS Classification	:	D2A			
DSL	:	All components of this Substances List (DSL)		he Canadian	Domestic
ional Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.