MATERIAL SAFETY DATA SHEET STAN-TONE HCC-21466 SILVER

Version Number 1.1 Revision Date 08/15/2003 Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-21466 SILVER
Product code	:	FO00004929
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-21466 SILVER

Version Number 1.1 Revision Date 08/15/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-21466 SILVER

Version Number 1.1 Revision Date 08/15/2003 Page 3 of 6 Print Date 11/12/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

heating may result in product degradation.

Respiratory protection	:	Under normal handling conditions a respirator may not be required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	5 mg/m3	Time Weighted Average	Welding fume. as Al	ACGIH
		(TWA):		
Aluminum	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

: Liquid
: Liquid, Viscous liquid dispersion
: NO PIGMENT
: Very faint
: Not applicable
: Not applicable
: Immiscible Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density

pН

Not establishedNot determinedNot applicable.Not determined

- : Heavier than air.
- : Not determined

10. STABILITY AND REACTIVITY

Stability

: Stable.

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-21466 SILVER**

Version Number 1.1 Revision Date 08/15/2003 Page 4 of 6 Print Date 11/12/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.

PolyOne.

alon Number 4.4	1466 SILVER		
sion Number 1.1 vision Date 08/15/2003			Page 5 Print Date 11/12/20
ICAO/IATA	: Refer to specif	fic regulation.	
IMO / IMDG	: Refer to specif	fic regulation.	
	15. REGULATO	RY INFORMATION	
US Regulations:			
OSHA Status	: Classified as h	azardous based on com	ponents.
TSCA Status	: All componen Inventory.	nts of this product are list	ed on or exempt from the TSCA
US. EPA CERCLA Hazard	lous Substances (40 CFF	R 302)	
Not applicable	9		
Q 1'C ' D '			
California Proposit 65 SARA Title III Section 302 Not applicable			nce listed by California Prop 65.
65 SARA Title III Section 302	2 Extremely Hazardous S		nce listed by California Prop 65.
65 SARA Title III Section 302 Not applicable SARA Title III Section 313 Chemical Name	2 Extremely Hazardous S 3 Toxic Chemicals:	Substance CAS-No.	Weight %
65 SARA Title III Section 302 Not applicable SARA Title III Section 312 Chemical Name ALUMINUM (FU	2 Extremely Hazardous S 3 Toxic Chemicals:	Substance	
65 SARA Title III Section 302 Not applicable SARA Title III Section 313 Chemical Name	2 Extremely Hazardous S 3 Toxic Chemicals:	Substance CAS-No.	Weight %
65 SARA Title III Section 302 Not applicable SARA Title III Section 313 Chemical Name ALUMINUM (FU) Canadian Regulations:	2 Extremely Hazardous S 3 Toxic Chemicals:	Substance CAS-No. 7429-90-5	Weight %



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-21466 SILVER

Version Number 1.1 Revision Date 08/15/2003 Page 6 of 6 Print Date *11/12/2011*

National Inventories:

Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.