

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21711 VIVID BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY TELEPHONE | : | Product Stewardship, (314) 771-1800 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | STAN-TONE HCC-21711 VIVID BLUE |
| Product code | : | FO00004933 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|---|--|
| Acute exposure | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : May cause eye/skin irritation. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21711 VIVID BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 2 of 6 Print Date 11/6/2011

| | 4. FIRST AID MEASURES |
|--|---|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. Seek medical attention if necessary. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : No data available. |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation. |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21711 VIVID BLUE

| C | 12 | | . 1 (. 1 (1 | 1 | • • | .1 |
|--|--|---|---|--|----------------------------------|---|
| Storage | | eep containers dry a nd contamination. S | | | noisture | absorption |
| 8. H | EXPOSURE | CONTROLS / PEI | RSONAL | PROTECTION | | |
| Respiratory protection | : U | nder normal handlin | ng conditio | ons a respirator m | ay not ł | be required. |
| Eye/Face Protection | : S | afety glasses with sig | de-shields | | | |
| Hand protection | : Protective gloves. | | | | | |
| Skin and body protection | : Long sleeved clothing. | | | | | |
| Additional Protective Measures | : S | afety shoes. | | | | |
| General Hygiene Considerations | | andle in accordance Vash hands before br | | | | afety practice |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | | | | |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure tir | ne | Exposure ty | pe | List: |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | Dust. | | ACGIH |
| | 15 mg/m3 | PEL: | | Total dust | | OSHA Z1 |
| Titanium dioxide | 15 mg/m5 | T DD. | | | | |
| Titanium dioxide | | CAL AND CHEMI | CAL PRO | PERTIES | | |
| Titanium dioxide | 9. PHYSIC | CAL AND CHEMI | | | : Not | established |
| | 9. PHYSI : Liqu | CAL AND CHEMI | Evapo | DPERTIES ration rate ic Gravity | | established determined |
| Form Appearance | 9. PHYSIC : Liqu : Liqu dispe | CAL AND CHEMI id id, Viscous liquid ersion | Evapo Specif | ration rate ic Gravity | : Not | determined |
| Form Appearance Color | 9. PHYSIC : Liqu : Liqu dispe : BLU | CAL AND CHEMIC id id, Viscous liquid ersion E | Evapo Specif Bulk d | ration rate ic Gravity ensity | : Not : Not | determined applicable. |
| Form Appearance Color Odor | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very | CAL AND CHEMIC id id, Viscous liquid ersion E faint | Evapo Specif Bulk d Vapor | ration rate ic Gravity ensity pressure | : Not : Not | determined applicable. determined |
| Form Appearance Color Odor Melting point/range | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very : Not a | CAL AND CHEMIC id id, Viscous liquid ersion E faint applicable | Evapo Specif Bulk d Vapor Vapor | ration rate ic Gravity ensity | : Not : Not : Not : Hea | determined applicable. determined vier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very : Not a : Not a | CAL AND CHEMI id id, Viscous liquid ersion E faint applicable applicable | Evapo Specif Bulk d Vapor | ration rate ic Gravity ensity pressure | : Not : Not : Not : Hea | determined applicable. determined |
| Form Appearance Color Odor Melting point/range | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very : Not a | CAL AND CHEMI id id, Viscous liquid ersion E faint applicable applicable | Evapo Specif Bulk d Vapor Vapor | ration rate ic Gravity ensity pressure | : Not : Not : Not : Hea | determined applicable. determined vier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very : Not a : Not a : Imm | CAL AND CHEMI id id, Viscous liquid ersion E faint applicable applicable | Evapo Specif Bulk d Vapor PH | ration rate ic Gravity ensity pressure density | : Not : Not : Not : Hea | determined applicable. determined vier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very : Not a : Not a : Imm 10. S | CAL AND CHEMIC id id, Viscous liquid ersion E faint applicable applicable iscible | Evapo Specif Bulk d Vapor PH | ration rate ic Gravity ensity pressure density | : Not : Not : Not : Hea | determined applicable. determined vier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | 9. PHYSIC : Liqu : Liqu dispe : BLU : Very : Not a : Not a : Imm 10. S | CAL AND CHEMIC id id, Viscous liquid ersion E faint applicable applicable iscible | Evapo Specif Bulk d Vapor PH | ration rate ic Gravity ensity pressure density | : Not : Not : Not : Hea | determined applicable. determined vier than air. |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21711 VIVID BLUE

| sion Number 1.0 sion Date 10/29/2002 | Page / Print Date 11/6/2 |
|---|---|
| Incompatible Materials | : Incompatible with strong acids and oxidizing agents. |
| Hazardous decomposition products | n : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 11. TOXICOLOGICAL INFORMATION |
| | n evaluated as a whole for health effects. Exposure effects listed are based on ex dual components which comprise the mixture. |
| | e following components which in their pure form have the following characteristi |
| CAS-No. | Chemical Name Effect Target Organ |
| 13463-67-7 | Titanium dioxide Systemic effects Respiratory system. |
| | 12. ECOLOGICAL INFORMATION |
| Persistence and degradal | bility : Not readily biodegradable. |
| Environmental Toxicity | : Environmental toxicity has not been established for this mixture as a whole. |
| Bioaccumulation Potent | al : No data available. |
| Additional advice | : No data available. |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Refer to specific regulation. |
| ICAO/IATA | : Refer to specific regulation. |
| IMO / IMDG | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| | |
| | 4/6 |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21711 VIVID BLUE

| Version Number 1.0 Revision Date 10/29/2002 | | Page 5 of 6 Print Date 11/6/2011 | | | | |
|--|--|--|--|--|--|--|
| US Regulations: | | | | | | |
| OSHA Status | : | Classified as hazardous based on components. | | | | |
| TSCA Status | : | All components of this product are listed on the TSCA inventory or are exempt. | | | | |
| US. EPA CERCLA Hazardous S | US. EPA CERCLA Hazardous Substances (40 CFR 302) | | | | | |
| Not applicable | | | | | | |
| | | | | | | |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65. | | | | |
| Canadian Regulations: | | | | | | |
| WHMIS Classification | : | D2B | | | | |
| DSL | : | Listed. | | | | |
| National Inventories: | | | | | | |
| Australia AICS | : | Listed. | | | | |
| China IECS | : | Listed. | | | | |
| Europe EINECS | : | Not determined. | | | | |
| Japan ENCS | : | Not determined. | | | | |
| Korea KECI | : | Listed. | | | | |
| Philippines PICCS | : | Listed. | | | | |
| | | 16. OTHER INFORMATION | | | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21711 VIVID BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 6 of 6 Print Date 11/6/2011