

#### MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-24392 DARK GRAY

Version Number 1.0 Revision Date 10/30/2002 Page 1 of 6 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-24392 DARK GRAY
Product code	:	FO00005041
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-24392 DARK GRAY

Version Number 1.0 Revision Date 10/30/2002 Page 2 of 6 Print Date 11/6/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-24392 DARK GRAY

	<b>T</b> ,	· · ·	1		• .	
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8. E	XPOSURE	CONTROLS / PEI	RSONAL	PROTECTION	N	
Respiratory protection	: U	nder normal handlin	g conditio	ns a respirator n	nay not l	be required.
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					Provide
Exposure limit(s)						
Components	Value	Exposure tir	ne	Exposure t	уре	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):		Dust.		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMI	CAL PRC	PERTIES		
	: Liqu	id	Evapor	ration rate	: Not	established
Form	. Liqu	14		c Gravity	: Not	determined
Form Appearance		id, Viscous liquid	Specifi	Coluvity		
Appearance	: Liqu dispe	id, Viscous liquid ersion	-	·		
Appearance Color	: Liqu dispe : GRE	id, Viscous liquid ersion Y	Bulk d	ensity		applicable.
Appearance Color Odor	: Liqu dispe : GRE : Very	id, Viscous liquid ersion Y faint	Bulk d Vapor	ensity pressure	: Not	determined
Appearance Color Odor Melting point/range	: Liqu dispe : GRE : Very : Not a	id, Viscous liquid ersion Y faint applicable	Bulk d Vapor Vapor	ensity	: Not : Hea	determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : GRE : Very : Not a	id, Viscous liquid ersion Y faint applicable applicable	Bulk d Vapor	ensity pressure	: Not : Hea	determined
Appearance Color	: Liqu dispe : GRE : Very : Not a : Not a	id, Viscous liquid ersion Y faint applicable applicable	Bulk d Vapor Vapor pH	ensity pressure density	: Not : Hea	determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : GRE : Very : Not a : Not a : Imm 10. S	id, Viscous liquid ersion Y faint applicable applicable iscible	Bulk d Vapor Vapor pH	ensity pressure density	: Not : Hea	determined vier than air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Liqu dispe : GRE : Very : Not a : Not a : Imm <b>10. S</b> : S	id, Viscous liquid ersion Y faint applicable applicable iscible	Bulk d Vapor Vapor pH	ensity pressure density	: Not : Hea	determined vier than air.



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-24392 DARK GRAY

Incompatible Materials	: Incompatib	ble with strong acids and	oxidizing agents.		
Hazardous decomposition products	on : Carbon dio	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
products	(110x); 011	er nazardous materiais, t	and smoke are an possible.		
	11. TOXICOLO	OGICAL INFORMATI	ON		
This mixture has not bee health data for the indivi <u>Toxicity Overview</u>			sure effects listed are based on exi		
	e following components	which in their pure form	n have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOG	ICAL INFORMATIO	N		
Persistence and degradal	oility : Not readily	biodegradable.			
Environmental Toxicity	: Environme whole.	Environmental toxicity has not been established for this mixture as a whole.			
Bioaccumulation Potenti	al : No data ava	No data available.			
Additional advice	: No data ava	No data available.			
	13. DISPOSA	L CONSIDERATION	8		
Product	generator o classificatio	of waste material has the	ed to disposal or incineration. Th responsibility for proper waste sposal in accordance with and local regulations.		
Contaminated packaging	has the resp and disposa	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSP	ORT INFORMATION	1		
U.S. DOT Classification	: Refer to spo	ecific regulation.			
ICAO/IATA	: Refer to spe	ecific regulation.			
IMO / IMDG	: Refer to spe	ecific regulation.			
	15. REGULA	TORY INFORMATIO	N		



#### MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-24392 DARK GRAY

Version Number 1.0 Revision Date 10/30/2002		Page 5 of 6 Print Date <i>11/6/2011</i>				
US Regulations:						
OSHA Status	:	Classified as hazardous based on components.				
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
Canadian Regulations:						
WHMIS Classification	:	D2B				
DSL	:	Listed.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Not determined.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-24392 DARK GRAY

Version Number 1.0 Revision Date 10/30/2002 Page 6 of 6 Print Date 11/6/2011