

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27006 SAIL CLOTH

Version Number 1.0 Revision Date 03/05/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27006 SAIL CLOTH
Product code	:	FO00005190
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27006 SAIL CLOTH

Version Number 1.0 Revision Date 03/05/2003 Page 2 of 6 Print Date 11/10/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exircitation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27006 SAIL CLOTH

Storage	· K	Leep containers dry a	nd tightly	closed to avoid m	oisture	absorption
Storage		nd contamination. S			oistuic	absorption
8. E	EXPOSURE	CONTROLS / PER	SONAL	PROTECTION		
Respiratory protection	: U	Inder normal handlin	g conditio	ns a respirator ma	y not b	e required.
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure tin	ne	Exposure typ	e	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):		Dust.		ACGIH
Titanium dioxide	15 mg/m3			Total dust.		OSHA Z1
	9. PHYSI	CAL AND CHEMI	CAL PRO	PERTIES		
Form Appearance	-	id id, Viscous liquid ersion		ration rate : c Gravity :		established determined
Color	: PUR	PLE	Bulk d			applicable.
Odor Malting point/range		^y faint applicable		pressure : density :		determined vier than air.
Melting point/range		applicable	v apor pH	density .		determined
Boiling Point:	: Indiapplicable pri . Not determined : Immiscible					
Boiling Point: Water solubility						
	10. 5	STABILITY AND F	REACTIV	ITY		
		STABILITY AND F table.	REACTIV	ΙΤΥ		
Water solubility	: S		REACTIV	ΙΤΥ		



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27006 SAIL CLOTH

Incompatible Materials	· Incompatibl	lo with strong acids and	ovidizing agonts		
Incompatible Materials	: Incompation	le with strong acids and	oxidizing agents.		
Hazardous decomposition products	on : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. TOXICOLO	GICAL INFORMATI	ON		
health data for the individ			sure effects listed are based on exi		
<u>Toxicity Overview</u> This product contains the	following components	which in their pure form	have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Fitanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOG	ICAL INFORMATION	N		
Persistence and degradab	ility : Not readily	biodegradable.			
Environmental Toxicity	: Environmer whole.	Environmental toxicity has not been established for this mixture as a whole.			
Bioaccumulation Potentia	al : No data ava	ailable.			
Additional advice	: No data ava	No data available.			
	13. DISPOSA	L CONSIDERATION	S		
Product	generator of classificatio	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	has the resp and disposa	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSP	ORT INFORMATION	[
U.S. DOT Classification	: Refer to spe	ecific regulation.			
ICAO/IATA	: Refer to spe	ecific regulation.			
IMO / IMDG	: Refer to spe	ecific regulation.			
	15. REGULAT	FORY INFORMATIO	N		



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27006 SAIL CLOTH

/ersion Number 1.0 Revision Date 03/05/2003		Page 5 of 6 Print Date 11/10/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
	N	ot applicable
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION
		5/6



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27006 SAIL CLOTH

Version Number 1.0 Revision Date 03/05/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.