MATERIAL SAFETY DATA SHEET M2614C FOREST GREEN

Version Number 1.2 Revision Date 01/29/2007

Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone mumber	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	M2614C FOREST GREEN
Product code	:	FO00005575
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET M2614C FOREST GREEN

Version Number 1.2 Revision Date 01/29/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **M2614C FOREST GREEN**

Version Number 1.2 Revision Date 01/29/2007

Storage

Page 3 of 6 Print Date 11/26/2011

fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	No personal respiratory protective equipme	nt normally required.
		in normany required.
Eye/Face Protection	Safety glasses with side-shields.	
Hand protection	Protective gloves.	
Skin and body protection	Long sleeved clothing.	
Additional Protective Measures	Safety shoes.	
General Hygiene Considerations	Handle in accordance with good industrial h Wash hands before breaks and at the end of	
Engineering measures	Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machiner	

Exposure limit(s)

_

_

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		

	9. PHYSICAL AND CHE	MICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 liquid Viscous, liquid GREEN Very faint Not applicable Not applicable Immiscible 	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not established Not determined Not applicable Not determined Not determined Not applicable
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		

PolvOne

MATERIAL SAFETY DATA SHEET **M2614C FOREST GREEN**

Version Number 1.2 Revision Date 01/29/2007 Page 4 of 6 Print Date *11/26/2011*

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.	
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.	
Bioaccumulation Potential	:	No data available	
Additional advice	:	No data available	
	1	3. DISPOSAL CONSIDERATIONS	-
Product	:	Where possible recycling is preferred to disposal or incineration. The	

	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
nated packaging		Proveling is preferred when possible. The generator of weste material	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **M2614C FOREST GREEN**

Version Number 1.2 Revision Date 01/29/2007 Page 5 of 6 Print Date 11/26/2011

]	4. TRANSPORT	INFORMATIO	UN	
U.S. DOT Classification		Refer to specific	regulation		
	•	-	-		
ICAO/IATA (air)	:	Refer to specific	regulation.		
IMO / IMDG (maritime)	:	Refer to specific	regulation.		
	15	S. REGULATOR	Y INFORMAT	ION	
US Regulations:					
OSHA Status	:	Classified as haz	ardous based on	components.	
TSCA Status	:	All components Inventory.	of this product a	are listed on or exer	npt from the TSCA
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 3	602)		
Not applicable					
California Proposition 65	:	Not applicable			
SARA Title III Section 302 Ex	ctrem	ely Hazardous Sul	ostance		
Unless specific chemicals are i	identi	fied under this sec	ction, this produc	et is Not Applicabl	e under this regula
					0
	. ,	11 · 1			
SARA Title III Section 313 To					
Unless specific chemicals are	identi	fied under this sec	tion, this produc	et is Not Applicabl	e under this regula
Canadian Regulations:					
-	ase I	ventory (NPRI)			
Canadian Regulations: National Pollutant Rele Chemical Name	ase I	ventory (NPRI)	CAS-No.	Weight %	NPRI ID#

PolyOne

MATERIAL SAFETY DATA SHEET M2614C FOREST GREEN

Version Number 1.2 Revision Date 01/29/2007 Page 6 of 6 Print Date 11/26/2011

DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Not determined	
China IECS	:	Not determined	
Europe EINECS	:	Not determined	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	
Philippines PICCS	:	Not determined	
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.