

MATERIAL SAFETY DATA SHEET

MB2070F LEE'S NEW BABY

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY TELEPHONE | : | Product Stewardship, (314) 771-1800 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | MB2070F LEE'S NEW BABY |
| Product code | : | FO00005801 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|---|--|
| Acute exposure | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : May cause eye/skin irritation. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

MB2070F LEE'S NEW BABY

Version Number 1.0 Revision Date 06/11/2002 Page 2 of 5 Print Date 11/4/2011

| | 4. FIRST AID MEASURES | |
|---|--|------|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all case doubt, seek medical advice. | s of |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice. | ; |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention. | eye |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists medical attention. | seek |
| | 5. FIRE-FIGHTING MEASURES | |
| Flash point | : No data available. | |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion | No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) ur | |
| Hazards | fire conditions. | |
| | ACCIDENTAL RELEASE MEASURES | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | |
| Environmental precautions | : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil. | not |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid bir universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prop disposal methods. | |
| | 7. HANDLING AND STORAGE | |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Processin fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize | g |



MATERIAL SAFETY DATA SHEET

MB2070F LEE'S NEW BABY

| | | | Page 3 Print Date 11/4/2 |
|--|--|--|---|
| | accumulat | tion of these materials. | |
| Storage | | ainers dry and tightly closed to avoi mination. Store in a cool dry place. | |
| 8. EXP | OSURE CONTR | ROLS / PERSONAL PROTECTIO | ON |
| Respiratory protection | : Under nor | mal handling conditions a respirato | r is not required. |
| Eye/Face Protection | : Safety gla | sses with side-shields. | |
| Hand protection | : Protective | gloves. | |
| Skin and body protection | : Long sleev | ved clothing. | |
| Additional Protective Measures | : Safety sho | Des. | |
| General Hygiene Considerations | | accordance with good industrial hyg ds before breaks and at the end of w | |
| Engineering measures | | in areas with appropriate exhaust verte exhaust vertilation at machinery. | entilation. Provide |
| Exposure limit(s) | is components abo | ave regulatory thresholds in this pro | duct |
| There are no known hazardou | - | ove regulatory thresholds in this pro | duct. |
| There are no known hazardou 9. | PHYSICAL AN | D CHEMICAL PROPERTIES | |
| There are no known hazardou 9. Form | PHYSICAL AN | D CHEMICAL PROPERTIES Evaporation rate | : Not established |
| There are no known hazardou 9. Form Appearance | PHYSICAL AN : Liquid : Viscous, Liqu | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity | : Not established : Not determined |
| There are no known hazardou 9. Form Appearance Color | PHYSICAL AN : Liquid : Viscous, Liqu : TAN | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity Bulk density | Not established Not determined Not applicable. |
| There are no known hazardou 9. Form Appearance Color Odor | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint | D CHEMICAL PROPERTIES Evaporation rate uid Specific Gravity Bulk density Vapor pressure | Not established Not determined Not applicable. Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint : Not applicabl | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity Bulk density Vapor pressure de Vapor density | Not established Not determined Not applicable. Not determined Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint : Not applicabl : Not applicabl | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity Bulk density Vapor pressure de Vapor density | Not established Not determined Not applicable. Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint : Not applicabl | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity Bulk density Vapor pressure de Vapor density | Not established Not determined Not applicable. Not determined Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AN Liquid Viscous, Liqu TAN Very faint Not applicabl Not applicabl Immiscible | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity Bulk density Vapor pressure de Vapor density | Not established Not determined Not applicable. Not determined Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AN Liquid Viscous, Liqu TAN Very faint Not applicabl Not applicabl Immiscible | D CHEMICAL PROPERTIES Evaporation rate aid Specific Gravity Bulk density Vapor pressure le Vapor density le pH | Not established Not determined Not applicable. Not determined Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint : Not applicabl : Not applicabl : Immiscible 10. STABIL | D CHEMICAL PROPERTIES Evaporation rate bid Specific Gravity Bulk density Vapor pressure Vapor density le pH ITY AND REACTIVITY | Not established Not determined Not applicable. Not determined Not determined |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint : Not applicabl : Not applicabl : Immiscible 10. STABILI : Stable. : Will not o : Keep away | D CHEMICAL PROPERTIES Evaporation rate bid Specific Gravity Bulk density Vapor pressure Vapor density le pH ITY AND REACTIVITY | Not established Not determined Not applicable. Not determined Not determined Not applicable. |
| There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | PHYSICAL AN : Liquid : Viscous, Liqu : TAN : Very faint : Not applicabl : Not applicabl : Immiscible 10. STABILI : Stable. : Will not o : Keep away decompos : Incompati | D CHEMICAL PROPERTIES Evaporation rate bid Specific Gravity Bulk density Vapor pressure Vapor density le pH EVAD REACTIVITY CCUR. y from oxidizing agents and open fl | Not established Not determined Not applicable. Not determined Not determined Not applicable. |



MATERIAL SAFETY DATA SHEET

MB2070F LEE'S NEW BABY

| products | (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occu after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F and within 5 minutes at 232 °C (450 °F). |
|--|---|
| | 11. TOXICOLOGICAL INFORMATION |
| There are no known hazardous | components above regulatory thresholds in this product. |
| | 12. ECOLOGICAL INFORMATION |
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Environmental toxicity has not been established for this mixture as a whole. |
| Bioaccumulation Potential | : No data available. |
| Additional advice | : No data available. |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground) | : Not regulated for transportation. |
| ICAO/IATA | : Not regulated for transportation. |
| IMO / IMDG | : Not regulated for transportation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |



MATERIAL SAFETY DATA SHEET

MB2070F LEE'S NEW BABY

| Version Number 1.0 Revision Date 06/11/2002 | | Page 5 of 5 Print Date 11/4/2011 | | | |
|--|---|---|--|--|--|
| TSCA Status | : | All components of this product are listed on the TSCA inventory or are exempt. | | | |
| US. EPA CERCLA Hazardous Substances (40 CFR 302) | | | | | |
| Not applicable | | | | | |
| California Proposition 65 | : | WARNING! This product contains a chemical known in the State of California to cause cancer. | | | |
| Canadian Regulations: | | | | | |
| WHMIS Classification | : | Not controlled. | | | |
| DSL | : | Listed. | | | |
| National Inventories: | | | | | |
| Australia AICS | : | Listed. | | | |
| China IECS | : | Listed. | | | |
| Europe EINECS | : | Not determined. | | | |
| Japan ENCS | : | Not determined. | | | |
| Korea KECI | : | Listed. | | | |
| Philippines PICCS | : | Not determined. | | | |
| | | 16. OTHER INFORMATION | | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.