

MATERIAL SAFETY DATA SHEET

MBX4010D LEE'S HISPANIC

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	: Product Stewardship, (314) 771-1800			
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	MBX4010D LEE'S HISPANIC		
Product code	:	FO00005903		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

MBX4010D LEE'S HISPANIC

Version Number 1.0 Revision Date 06/11/2002 Page 2 of 5 Print Date 11/4/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all case doubt, seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	3
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.	eye
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) ur 	
Hazards	fire conditions.	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bin universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prop disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Processin fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize	g



MATERIAL SAFETY DATA SHEET

MBX4010D LEE'S HISPANIC

		Print Date	Page 3 11/4/2	
	accumulation of the	e materials.		
Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.		
8. EX	POSURE CONTROLS / PI	CRSONAL PROTECTION		
Respiratory protection	: Under normal handl	ing conditions a respirator is not required.		
Eye/Face Protection	: Safety glasses with	side-shields.		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothin	ng.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations		e with good industrial hygiene and safety preaks and at the end of workday.	practice	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
There are no known hazardo	us components above regula	ory thresholds in this product.		
There are no known hazardo			mined cable. mined mined	
There are no known hazardo 9 Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Liquid Viscous, Liquid BROWN Very faint Not applicable Not applicable 	ICAL PROPERTIES Evaporation rate : Not estable Specific Gravity : Not detern Bulk density : Not applie Vapor pressure : Not detern Vapor density : Not applie pH : Not applie	mined cable. mined mined	
There are no known hazardo 9 Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Liquid Viscous, Liquid BROWN Very faint Not applicable Not applicable Immiscible 	ICAL PROPERTIES Evaporation rate : Not estable Specific Gravity : Not detern Bulk density : Not applie Vapor pressure : Not detern Vapor density : Not applie pH : Not applie	mined cable. mined mined	
There are no known hazardo 9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM Liquid Viscous, Liquid BROWN Very faint Not applicable Not applicable Immiscible 10. STABILITY AND	ICAL PROPERTIES Evaporation rate : Not estable Specific Gravity : Not detern Bulk density : Not applie Vapor pressure : Not detern Vapor density : Not applie pH : Not applie	mined cable. mined mined	
There are no known hazardo Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM Liquid Viscous, Liquid BROWN Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. 	ICAL PROPERTIES Evaporation rate : Not estable Specific Gravity : Not detern Bulk density : Not applie Vapor pressure : Not detern Vapor density : Not detern pH : Not applie REACTIVITY dizing agents and open flame. To avoid t	mined cable. mined mined cable.	
There are no known hazardo Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Liquid Viscous, Liquid BROWN Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. Keep away from oxidecomposition, do not set to the set of the	ICAL PROPERTIES Evaporation rate : Not estable Specific Gravity : Not detern Bulk density : Not applie Vapor pressure : Not detern Vapor density : Not detern pH : Not applie REACTIVITY dizing agents and open flame. To avoid t	mined cable. mined cable.	



MATERIAL SAFETY DATA SHEET

MBX4010D LEE'S HISPANIC

	Print Date 11/4/		
products	(NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).		
	11. TOXICOLOGICAL INFORMATION		
There are no known hazardous	components above regulatory thresholds in this product.		
	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.		
Bioaccumulation Potential	: No data available.		
Additional advice	: No data available.		
	13. DISPOSAL CONSIDERATIONS		
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.		
ICAO/IATA	: Not regulated for transportation.		
IMO / IMDG	: Not regulated for transportation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		



MATERIAL SAFETY DATA SHEET

MBX4010D LEE'S HISPANIC

Version Number 1.0 Revision Date 06/11/2002 Page 5 of 5 Print Date 11/4/2011

TSCA Status

: All components of this product are listed on the TSCA inventory or are exempt.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for
				Mixture/Product
Sodium hydroxide	1310-73-2	0.64	1,000lbs	155,304 LB
(Na(OH))				

California Proposition	:	WARNING! This product contains a chemical known in the State of
65		California to cause cancer.

Canadian Regulations:

WHMIS Classification	:	Not controlled.
DSL	:	Listed.

National Inventories:

Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.