## MATERIAL SAFETY DATA SHEET STAN-TONE PEP-10694 YELLOW

Version Number 1.2 Revision Date 10/04/2007 Page 1 of 5 Print Date 12/1/2011

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE PEP-10694 YELLOW
Product code	:	FO00006347
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE PEP-10694 YELLOW

ion Number 1.2 sion Date 10/04/2007	Page 2 Print Date 12/1/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE PEP-10694 YELLOW

Version Number 1.2 Revision Date 10/04/2007 Page 3 of 5 Print Date 12/1/2011

	OSURE CONTROLS / I	PERSONAL PROTECTION
Respiratory protection	: Under normal hand	dling conditions a respirator may not be required.
Eye/Face Protection	: Safety glasses with	n side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved cloth	ing
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		nce with good industrial hygiene and safety practice breaks and at the end of workday.
Engineering measures		with appropriate exhaust ventilation. Provide at ventilation at machinery.
Exposure limit(s)		
T1		stern dissected to the tradition of the
I here are no known hazardou	is components above regul	atory thresholds in this product.
0	PHYSICAL AND CHE	MICAL DRODEDTIES
),	THISICAL AND CHE	VIICAL I KOI EKTIES
_		
Form	: liquid	Evaporation rate : Not established
	<ul><li>liquid</li><li>liquid, Viscous liquid</li></ul>	
	: liquid, Viscous liquid dispersion	Specific Gravity : Not determined
Appearance Color	: liquid, Viscous liquid	Specific Gravity: Not determinedBulk density: Not applicable
Appearance Color	<ul><li>liquid, Viscous liquid dispersion</li><li>YELLOW</li><li>Very faint</li></ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined
Appearance Color Odour	<ul><li>: liquid, Viscous liquid dispersion</li><li>: YELLOW</li></ul>	Specific Gravity: Not determinedBulk density: Not applicable
Form Appearance Color Odour Melting point/range Boiling Point:	<ul><li>liquid, Viscous liquid dispersion</li><li>YELLOW</li><li>Very faint</li></ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.
Appearance Color Odour Melting point/range	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AN	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         D REACTIVITY       Xidizing agents and open flame. To avoid thermal
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         D REACTIVITY       Xidizing agents and open flame. To avoid thermal
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> <li>Incompatible with</li> <li>Carbon dioxide (C</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         D REACTIVITY          xidizing agents and open flame. To avoid thermal not overheat.

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET STAN-TONE PEP-10694 YELLOW

Version Number 1.2 Revision Date 10/04/2007 Page 4 of 5 Print Date 12/1/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
11	

# MATERIAL SAFETY DATA SHEET **STAN-TONE PEP-10694 YELLOW**

Version Number 1.2 Revision Date 10/04/2007 Page 5 of 5 Print Date 12/1/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.