

MATERIAL SAFETY DATA SHEET

# PPC405 BRIGHT GOLD PC

Version Number 1.0 Revision Date 01/28/2003 Page 1 of 5 Print Date 11/10/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PPC405 BRIGHT GOLD PC
Product code	:	FO00006407
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# PPC405 BRIGHT GOLD PC

Version Number 1.0 Revision Date 01/28/2003 Page 2 of 5 Print Date 11/10/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	:	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	4	5. FIRE-FIGHTING MEASURES
Flash point	:	No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



## MATERIAL SAFETY DATA SHEET

# PPC405 BRIGHT GOLD PC

Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.		
8. EXP	OSURE CONTROLS / PE	RSONAL PROTECTION	ON	
Respiratory protection	: Under normal handlin	ng conditions a respirato	r may not be required.	
Eye/Face Protection	: Safety glasses with si	ide-shields.		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Exposure limit(s)				
-	is components above regulate	ory thracholds in this pro	duct	
Exposure limit(s) There are no known hazardou	is components above regulate	ory thresholds in this pro	duct.	
There are no known hazardou	· · ·		duct.	
There are no known hazardou	is components above regulate		duct.	
There are no known hazardou 9. Form	PHYSICAL AND CHEMI : Liquid	CAL PROPERTIES	: Not established	
There are no known hazardou 9.	PHYSICAL AND CHEMI : Liquid : Liquid, Viscous liquid	CAL PROPERTIES		
There are no known hazardou 9. Form Appearance	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> </ul>	Evaporation rate Specific Gravity	: Not established : Not determined	
There are no known hazardou 9. Form Appearance Color	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> </ul>	CAL PROPERTIES Evaporation rate Specific Gravity Bulk density	<ol> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> </ol>	
There are no known hazardou 9. Form Appearance	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> </ul>	Evaporation rate Specific Gravity	: Not established : Not determined	
There are no known hazardou 9. Form Appearance Color Odor	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> </ul>	CAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	<ol> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> </ol>	
There are no known hazardou 9. Form Appearance Color Odor Melting point/range	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> </ul>	CAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
There are no known hazardou 9. Form Appearance Color Odor	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> </ul>	CAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	<ol> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> </ol>	
There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	CAL PROPERTIES         Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ol> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ol>	
There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	CAL PROPERTIES         Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ol> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ol>	
There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND 1	CAL PROPERTIES         Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ol> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ol>	
There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND I <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	CAL PROPERTIES         Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>	
There are no known hazardou 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND I <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	CAL PROPERTIES         Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>	



MATERIAL SAFETY DATA SHEET

# PPC405 BRIGHT GOLD PC

Version Number 1.0 Revision Date 01/28/2003 Page 4 of 5 Print Date 11/10/2011

# 11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

een established for this mixture as a	Persistence and degradability :	
een established for this mixture as a		
	Environmental Toxicity :	
	Bioaccumulation Potential :	
	Additional advice :	
NS	1	
erred to disposal or incineration. The ne responsibility for proper waste disposal in accordance with al and local regulations.	Product :	
ible. The generator of waste material waste classification, transportation applicable federal, state/provincial	Contaminated packaging :	
DN		
	U.S. DOT Classification :	
	ICAO/IATA :	
	IMO / IMDG :	
ON	1	
	US Regulations:	
omponents above regulatory	OSHA Status :	
re listed on or exempt from the TSCA	TSCA Status :	
US. EPA CERCLA Hazardous Substances (40 CFR 302)		
	Not applicable	
e	US. EPA CERCLA Hazardous Sub	

4/5



MATERIAL SAFETY DATA SHEET

# PPC405 BRIGHT GOLD PC

FFC403 BRIGHT GOLD FC				
Version Number 1.0 Revision Date 01/28/2003		Page 5 of 5 Print Date 11/10/2011		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	Not controlled.		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Not determined.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.