MATERIAL SAFETY DATA SHEET **PX-10288-A BLUE PLASTISOL**

Version Number 1.1 Revision Date 11/20/2003 Page 1 of 7 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PX-10288-A BLUE PLASTISOL
Product code	:	FO00006489
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	10 - 30
phenylmethylester		
Calcium oxide	1305-78-8	1 - 5
Misc00008- Misc. Barium Cpd's	Not Available	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	

PolyOne.

MATERIAL SAFETY DATA SHEET PX-10288-A BLUE PLASTISOL

Version Number 1.1 Revision Date 11/20/2003 Page 2 of 7 Print Date 11/12/2011

Chronic exposure	:	Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	:	None known.
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET PX-10288-A BLUE PLASTISOL

Version Number 1.1 Revision Date 11/20/2003 Page 3 of 7 Print Date 11/12/2011

	7.	HANDLING AND STORA	GE		
Handling	fı P	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: U	nder normal handling conditi	ons a respirator may not	be required.	
Eye/Face Protection	: S	afety glasses with side-shield	s.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Calcium oxide	2 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH	
	5 mg/m3	PEL:	Dust.	OSHA Z1	
Misc00008- Misc. Barium Cpd's	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	ACGIH	
	0.5 mg/m3	PEL:	as Ba	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
	: liqui	d Evapo	oration rate : No	t established	
Form		and limital Const	fic Gravity : No	t determined	
Appearance	: Visco				
Appearance Color	: BLU	E Bulk		t applicable	
Appearance Color Odor	: BLU : Very	E Bulk faint Vapo	r pressure : No	t applicable t determined	
Appearance Color	: BLU : Very : Not a	E Bulk faint Vapo	r pressure : No ur density : No	t applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET **PX-10288-A BLUE PLASTISOL**

Version Number 1.1 Revision Date 11/20/2003 Page 4 of 7 Print Date 11/12/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic	Irritant	Eyes, Skin.
	acid, butyl		
	phenylmethylester		
		Systemic effects	Liver, reproductive system.
1305-78-8	Calcium oxide	Irritant	Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
		Corrosive	Skin.
Not Available	Misc00008- Misc. Barium	Irritant	Respiratory system, Eyes.
	Cpd's		
		Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET PX-10288-A BLUE PLASTISOL

Version Number 1.1 Revision Date 11/20/2003 Page 5 of 7 Print Date 11/12/2011

Environmental Toxicity	· En	vironmental toxicity k	as not been establishe	d for this mixture as a
Environmental Toxicity		: Environmental toxicity has not been established for this mixture as a whole.		
Bioaccumulation Potential	: No	data available		
Additional advice	: No	data available		
	13. D	ISPOSAL CONSIDE	ERATIONS	
Product	ger cla	nerator of waste mater ssification, transporta	g is preferred to dispos rial has the responsibil tion and disposal in ac provincial and local re	cordance with
Contaminated packaging	Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. T	RANSPORT INFO	RMATION	
U.S. DOT Classification	: Re	fer to specific regulati	ion.	
ICAO/IATA (air) : Refer to specific regulation.				
IMO / IMDG (maritime) : Refer to specific regulation.				
	15. RF	EGULATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Cla	assified as hazardous l	based on components.	
TSCA Status	: Tł	ne TSCA status of this	s product is currently u	Inder review.
US. EPA CERCLA Hazardo				
Chemical Name	CAS-No.	· · · · · ·	DO for component	RQ for
		% in Product	RQ for component	Mixture/Product
1,2-Benzenedicarb oxylic acid, butyl phenylmethylester	85-68-7	14.3038	100 lbs	699 LB

MATERIAL SAFETY DATA SHEET PX-10288-A BLUE PLASTISOL

Version Number 1.1 Revision Date 11/20/2003

65

Page 6 of 7 Print Date 11/12/2011

California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
BARIUM COMPOUNDS	Not Available	1.25

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Misc00005- Misc Zinc Cpd's	Not Available	0.27	241
1,2-Benzenedicarboxylic acid, butyl	85-68-7	14.30	37
phenylmethylester			

restricted by regulations.

WHMIS Classification : D2B

DSL

: DSL status has not been determined. Quantity use in Canada may be

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.



MATERIAL SAFETY DATA SHEET PX-10288-A BLUE PLASTISOL

Version Number 1.1 Revision Date 11/20/2003 Page 7 of 7 Print Date 11/12/2011