

MATERIAL SAFETY DATA SHEET

# S208JGO JUTE GOLD/12

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 6 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	S208JGO JUTE GOLD/12
Product code	:	FO00006856
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Diatomaceous earth	61790-53-2	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# S208JGO JUTE GOLD/12

Version Number 1.0 Revision Date 06/11/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	į	5. FIRE-FIGHTING MEASURES
Flash point	:	No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: : : : : : : : : : : : : : : : : : : :	No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



# MATERIAL SAFETY DATA SHEET

# S208JGO JUTE GOLD/12

ion Number 1.0 sion Date 06/11/2002					Print I	Page: //4/Date 11
	ad	ccumulation of these ma	terials.			
Storage		eep containers dry and t and contamination. Store				e absorption
8. F	EXPOSURE	CONTROLS / PERSO	NAL P	ROTECTI	ON	
Respiratory protection	: U	Inder normal handling co	ondition	s a respirato	r is not req	uired.
Eye/Face Protection	: S	afety glasses with side-s	hields.			
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks				afety practic
Engineering measures		leat only in areas with ap ppropriate exhaust ventil			entilation.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposur	e type	List:
Diatomaceous earth	10 mg/m3	Time Weighted Avera (TWA):	age	Inhalabl		ACGIH
	3 mg/m3	Time Weighted Avera (TWA):	age	Respirab	le dust.	ACGIH
Diatomaceous earth	20 mppcf	PEL:		Total	dust.	Z3
	9. PHYSIC	CAL AND CHEMICAI	L PROI	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not a : Not a	ous, Liquid S LOW I faint V applicable P applicable I	Specific Bulk de	ressure	: Not : Not : Not : Not	established determined applicable. determined determined applicable.
Water solubility	: Imm	ISCIDIE				
	<b>10.</b> S	STABILITY AND REA	CTIVI	TY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				



# MATERIAL SAFETY DATA SHEET

# S208JGO JUTE GOLD/12

sion Number 1.0 ision Date 06/11/2002			Page 4 c Print Date 11/4/20	
Conditions to avoid		om oxidizing agents 1, do not overheat.	and open flame. To avoid thermal	
Incompatible Materials			d oxidizing agents. Avoid contact etal copolymers during processing.	
Hazardous decomposition products	(NOx), hydrog smoke are all j degradation. A after one hour	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).		
	11. TOXICOLOGI	CAL INFORMAT	TON	
CAS-No.	Chemical Name	Effect	Target Organ	
61790-53-2 Diat	tomaceous earth	Irritant	Eyes, Respiratory system.	
	12. ECOLOGIC	AL INFORMATIO	DN	
Persistence and degradability	y : Not readily bio	odegradable.		
Environmental Toxicity	: Environmental whole.	l toxicity has not bee	en established for this mixture as a	
Environmental Toxicity Bioaccumulation Potential			en established for this mixture as a	
	whole.	ble.	en established for this mixture as a	
Bioaccumulation Potential	whole. : No data availa : No data availa	ble.		
Bioaccumulation Potential	whole. No data availa No data availa <b>13. DISPOSAL</b> Where possibli generator of w classification,	ble. ble. CONSIDERATION e, recycling is prefer vaste material has the transportation and d		

# 14. TRANSPORT INFORMATION

U.S. D.O.T. / CA T.D.G.

: Not regulated for transportation.



Page 5 of 6

# MATERIAL SAFETY DATA SHEET S208JGO JUTE GOLD/12 Version Number 1.0 Revision Date 06/11/2002 Print Date 11/4/2011 Classification (Non-bulk ground) ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation. **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** : Classified as hazardous based on components. TSCA Status All components of this product are listed on the TSCA inventory or are : exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable WARNING! This product contains a chemical known in the State of California Proposition : California to cause cancer. 65 Not applicable Canadian Regulations: WHMIS Classification : Not controlled. WHMIS Ingredient Disclosure List CAS-No. 1333-86-4 101-02-0 108-05-4 75-01-4 DSL : Listed. National Inventories: Australia AICS : Listed. China IECS Not determined. : **Europe EINECS** Not determined. · Japan ENCS Not determined. :



### MATERIAL SAFETY DATA SHEET

# S208JGO JUTE GOLD/12

Version Number 1.0 Revision Date 06/11/2002 Page 6 of 6 Print Date 11/4/2011

: Listed.

Philippines PICCS

: Not determined.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.