

MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 7 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	S3650 COLUMBIA BLUE HS
Product code	:	FO00006965
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Diatomaceous earth	61790-53-2	1 - 5
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002 Page 2 of 7 Print Date 11/4/2011

	4. FIRST AID MEA	SURES
Inhalation		se of accidental inhalation of fumes from stion. When symptoms persist, or in all cases of lvice.
Ingestion		g without medical advice. When symptoms of doubt, seek medical advice.
Eyes	Rinse immediately wit irritation persists, seek	h plenty of water for at least 15 minutes. If eye medical attention.
Skin	Wash off with soap an medical attention.	d plenty of water. If skin irritation persists seek
	5. FIRE-FIGHTING N	IEASURES
Flash point	No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	Fullface self-contained pressure mode should contaminants.	et, dry powder, foam, Water spray. I breathing apparatus (SCBA) used in positive be worn to prevent inhalation of airborne hloride (HCl) or Carbon Monoxide (CO) under
	CCIDENTAL RELEA	SE MEASURES
Personal precautions	Wear appropriate perso impervious gloves, boo	onal protection during cleanup, such as ots and coveralls.
Environmental precautions		into the environment. The product should not tins, water courses or the soil.
Methods for cleaning up	universal binder, sawd	orbent material (e.g. sand, silica gel, acid binder, ust). Package all material in appropriate Refer to Section 13 of this MSDS for proper
	7. HANDLING AND	STORAGE



MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002		Page 3 of 7 Print Date 11/4/2011
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	Under normal handling conditions a respirator is not required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Diatomaceous earth	10 mg/m3	Time Weighted Average	Inhalable dust.	ACGIH
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	ACGIH
		(TWA):		
Diatomaceous earth	20 mppcf	PEL:	Total dust.	Z3
Quartz	0.05	Time Weighted Average	Respirable dust.	ACGIH
	mg/m3	(TWA):		
Quartz	0.1 mg/m3	PEL:	Respirable dust.	OSHA
	0.3 mg/m3	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES



MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002		Page 4 of 7 Print Date 11/4/2011
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Liquid Evaporation rate Viscous, Liquid Specific Gravity BLUE Bulk density Very faint Vapor pressure Not applicable Vapor density Not applicable pH Immiscible 	 Not established Not determined Not applicable. Not determined Not determined Not applicable.
	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open fa decomposition, do not overheat.	ame. To avoid thermal
Incompatible Materials	: Incompatible with strong acids and oxidizing with acetal homopolymers and acetal copoly	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (C (NOx), hydrogen chloride (HCl), other hazar smoke are all possible. Prolonged heating ma degradation. As a general rule of thumb, deg after one hour at 177 °C (350 °F), after 10 mi and within 5 minutes at 232 °C (450 °F).	dous materials, and ay result in product radation begins to occur

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
61790-53-2	Diatomaceous earth	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	1

IARC Carcinogen Classifications:



MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002 Page 5 of 7 Print Date 11/4/2011

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not	t readily biodegradable.
Environmental Toxicity	: Env who	vironmental toxicity has not been established for this mixture as a ble.
Bioaccumulation Potential	: No	data available.
Additional advice	: No	data available.
	13. DI	SPOSAL CONSIDERATIONS
Product	gen clas	ere possible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with licable federal, state/provincial and local regulations.
Contaminated packaging	has and	cycling is preferred when possible. The generator of waste material the responsibility for proper waste classification, transportation disposal in accordance with applicable federal, state/provincial local regulations.
	14. T	RANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not	t regulated for transportation.
ICAO/IATA	: Not	t regulated for transportation.
IMO / IMDG	: Not	t regulated for transportation.
	15. RE	GULATORY INFORMATION
US Regulations:		
OSHA Status	: Cla	ssified as hazardous based on components.
OSHA Status	: Cla	ssified as nazardous based on components.



MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002 Page 6 of 7 Print Date 11/4/2011

TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous S	ubstances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known in the State of California to cause cancer.
Not applicable Canadian Regulations:	
WHMIS Classification	: D2A
WHMIS Ingredient Disclo	sure List
CAS-No. 1344-28-1 1333-86-4 14808-60-7 7631-86-9 1314-13-2 1314-23-4 107-13-1 75-01-4	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION
	6/7



MATERIAL SAFETY DATA SHEET

S3650 COLUMBIA BLUE HS

Version Number 1.0 Revision Date 06/11/2002 Page 7 of 7 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.