

## MATERIAL SAFETY DATA SHEET

# S6060 PUFF NEUTRAL BASE

Version Number 1.0 Revision Date 01/10/2003 Page 1 of 6 Print Date 11/7/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	S6060 PUFF NEUTRAL BASE
Product code	:	FO00007111
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

# POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# S6060 PUFF NEUTRAL BASE

Version Number 1.0 Revision Date 01/10/2003 Page 2 of 6 Print Date 11/7/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit	<ul><li>No data available.</li><li>No data available.</li></ul>
Autoignition temperature Suitable extinguishing media	<ul><li>Not applicable.</li><li>Carbon dioxide blanket, dry powder, foam, Water spray.</li></ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



# MATERIAL SAFETY DATA SHEET

# S6060 PUFF NEUTRAL BASE

	ac	cumulation of these m	naterials.		
Storage				avoid moistu	ra absorption
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.			
8. E	XPOSURE	CONTROLS / PERS	ONAL PROTEC	TION	
Respiratory protection	: U:	nder normal handling	conditions a respir	rator may not	be required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Pr	otective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Expo	osure type	List:
Silica, amorphous	20 mppcf	PEL:	To	tal dust.	OSHA
Cilian amanularia	20 mppcf	PEL:	To	tal dust.	Z3
Silica, amorphous					
Sinca, amorphous	9. PHYSIC	CAL AND CHEMICA	AL PROPERTIE	S	
Form	: Liqui	d	AL PROPERTIE Evaporation rate		t established
	: Liqui : Visco	d ous, Liquid		: No : No	t determined
Form Appearance Color	: Liqui : Visco : NO P	d pus, Liquid PIGMENT	Evaporation rate Specific Gravity Bulk density	: No : No : No	ot determined of applicable.
Form Appearance Color Odor	: Liqui : Visco : NO P : Very	d ous, Liquid PIGMENT faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	: No : No : No : No	t determined t applicable. t determined
Form Appearance Color Odor Melting point/range	: Liqui : Visco : NO P : Very : Not a	d ous, Liquid PIGMENT faint pplicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	: No : No : No : No : No	t determined applicable. t determined t determined
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqui : Visco : NO P : Very : Not a : Not a	d ous, Liquid PIGMENT faint pplicable pplicable	Evaporation rate Specific Gravity Bulk density Vapor pressure	: No : No : No : No : No	t determined t applicable. t determined
Form Appearance Color Odor Melting point/range	: Liqui : Visco : NO P : Very : Not a	d ous, Liquid PIGMENT faint pplicable pplicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	: No : No : No : No : No	t determined applicable. t determined t determined
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqui : Visco : NO P : Very : Not a : Not a : Immi	d ous, Liquid PIGMENT faint pplicable pplicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: No : No : No : No : No	t determined applicable. t determined t determined
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqui : Visco : NO P : Very : Not a : Not a : Immi <b>10. S</b>	d pus, Liquid PIGMENT faint pplicable pplicable scible	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: No : No : No : No : No	t determined applicable. t determined t determined
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Liqui : Visco : NO P : Very : Not a : Not a : Immi <b>10. S</b> : St	d ous, Liquid PIGMENT faint pplicable pplicable scible TABILITY AND RE	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: No : No : No : No : No	t determined applicable. t determined t determined



# MATERIAL SAFETY DATA SHEET

# S6060 PUFF NEUTRAL BASE

ision Date 01/10/2003	}			Print Date 11/7/2			
Incompatible Materials :		Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.					
Hazardous decomposition : products		(NOx), hydrog smoke are all p degradation. <i>A</i> after one hour	en chloride (HCl), o possible. Prolonged As a general rule of th	noxide (CO), oxides of nitrogen ther hazardous materials, and heating may result in product humb, degradation begins to occur after 10 minutes at 204 °C (400 °F) 0 °F).			
	11. 7	ſOXICOLOGI	CAL INFORMAT	ION			
health data for the indiv Toxicity Overview	vidual compo	onents which co	mprise the mixture.	sure effects listed are based on exi n have the following characteristic			
CAS-No.		ical Name	Effect	Target Organ			
7631-86-9	Silica, amo		Irritant	Eyes, Respiratory system.			
			AL INFORMATIO				
Environmental Toxicity Bioaccumulation Poten		Environmental whole. No data availa	·	n established for this mixture as a			
Additional advice	:	No data available.					
	13	3. DISPOSAL (	CONSIDERATION	S			
Product :		Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	Contaminated packaging :			Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packagin	g :	has the response and disposal in	sibility for proper want accordance with ap	ste classification, transportation			
Contaminated packagin		has the response and disposal in and local regul	sibility for proper want accordance with ap	aste classification, transportation plicable federal, state/provincial			
Contaminated packagin	1	has the response and disposal in and local regul	sibility for proper wa a accordance with ap ations.	aste classification, transportation plicable federal, state/provincial			
	1	has the response and disposal in and local regul	sibility for proper wa accordance with ap lations. <b><u>RT INFORMATION</u></b> ic regulation.	aste classification, transportation plicable federal, state/provincial			



# MATERIAL SAFETY DATA SHEET

# S6060 PUFF NEUTRAL BASE

Version Number 1.0 Revision Date 01/10/2003 Page 5 of 6 Print Date 11/7/2011

IMO / IMDG	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr Not applicable	rem	ely Hazardous Substance
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION
		5/6



MATERIAL SAFETY DATA SHEET

# S6060 PUFF NEUTRAL BASE

Version Number 1.0 Revision Date 01/10/2003 Page 6 of 6 Print Date 11/7/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.