

MATERIAL SAFETY DATA SHEET

SB-276 BLACK

Version Number 1.0 Revision Date 07/14/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	SB-276 BLACK
Product code :	F000007153
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET SB-276 BLACK

Version Number 1.0 Revision Date 07/14/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET **SB-276 BLACK**

ion Number 1.0 sion Date 07/14/2004					Print Da	Page 3 ate 11/15/
	Р	ume condensates may co reiodically clean hoods, ccumulation of these ma	, ducts, ar			
Storage		Ceep containers dry and not contamination. Store			moisture	absorption
8. I	EXPOSURE	CONTROLS / PERSO	ONAL PI	ROTECTION	I	
Respiratory protection	: N	lo personal respiratory p	protective	equipment no	rmally re	quired.
Eye/Face Protection	: S	afety glasses with side-s	shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		Iandle in accordance wit Vash hands before break				fety practic
Engineering measures		leat only in areas with a ppropriate exhaust venti			ilation. F	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure ty	vpe	List:
Carbon black	3.5 mg/m3	Time Weighted Aver (TWA):	rage '	Total dust. as o black		ACGIH
	3.5 mg/m3	PEL:	,	Total dust. as o black	carbon	OSHA Z
	9. PHYSIC	CAL AND CHEMICA	L PROP	ERTIES		
Form	· liqui	L	Evenorat	tion noto	· Not a	established
Appearance	: liqui : Visc		Evaporat Specific			letermined
Color	: 0150 : BLA		Bulk den			pplicable
Odor		-	Vapor pr			letermined
Melting point/range		applicable	Vapour d			letermined
Boiling Point:			pН		: Not a	pplicable
Water solubility	: Imm	iscible				
	10. 8	STABILITY AND REA	ACTIVI	ГҮ		
Stability	: S	table.				



MATERIAL SAFETY DATA SHEET SB-276 BLACK

Version Number 1.0 Revision Date 07/14/2004		Print Date	Page 4 of 6 11/15/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid decomposition, do not overheat.	thermal
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid with acetal homopolymers and acetal copolymers during pro	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni (NOx), hydrogen chloride (HCl), other hazardous materials, smoke are all possible. Prolonged heating may result in prod degradation. As a general rule of thumb, degradation begins after one hour at 177 °C (350 °F), after 10 minutes at 204 °C and within 5 minutes at 232 °C (450 °F).	and luct to occur

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Environmental toxicity has not been established for this mixture as a



MATERIAL SAFETY DATA SHEET SB-276 BLACK

Version Number 1.0 Revision Date 07/14/2004 Page 5 of 6 Print Date 11/15/2011

	whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 6
SARA Title III Section 302 E	xtremely Hazardous Substance
Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET **SB-276 BLACK**

Version Number 1.0 Revision Date 07/14/2004

Page 6 of 6 Print Date 11/15/2011

e Inventory (NPRI) : D2A osure List : All components of this product are on the Canadian Domestic
: D2A osure List
osure List
osure List
]
· All components of this product are on the Canadian Domestic
· All components of this product are on the Canadian Domestic
Substances List (DSL) or are exempt.
: Not determined
: Not determined
: Listed
: Not determined
: Not determined
: Not determined

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.