

#### MATERIAL SAFETY DATA SHEET

## SX436 BLUE PALM

Version Number 1.0 Revision Date 03/12/2003 Page 1 of 7 Print Date *11/10/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SX436 BLUE PALM
Product code	:	FO00007257
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Magnesium carbonate	546-93-0	1 - 5
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5
Calcium carbonate	1317-65-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

# SX436 BLUE PALM

ision Date 03/12/2003	Print Date 11/10/2	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	<ul> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	



#### MATERIAL SAFETY DATA SHEET

## SX436 BLUE PALM

Version Number 1.0 Revision Date 03/12/2003	Page 3 of 7 Print Date 11/10/2011	
Handling :	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.	
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.	
8. EXPOSUI	RE CONTROLS / PERSONAL PROTECTION	
Respiratory protection :	Under normal handling conditions a respirator may not be required.	
Eye/Face Protection :	Safety glasses with side-shields.	
Hand protection :	Protective gloves.	
Skin and body protection :	Long sleeved clothing.	
Additional Protective : Measures	Safety shoes.	
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

## Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Magnesium carbonate	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
Magnesium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Quartz	0.05 mg/m3	Time Weighted Average (TWA):	Respirable dust.	ACGIH
Quartz	0.1 mg/m3	PEL:	Respirable dust.	OSHA
	0.3 mg/m3	PEL:	Total dust.	OSHA
Silica, amorphous, fumed, crystal-free	20 mppcf	PEL:	Total dust.	Z3

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Liquid

Evaporation rate

: Not established

#### MATERIAL SAFETY DATA SHEET

## SX436 BLUE PALM

<b>PolyOne</b>	M

rsion Number 1.0 vision Date 03/12/2003		Page 4 or Print Date 11/10/20
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BLUE Bu : Very faint Va	becific Gravity:Not determinedulk density:Not applicable.apor pressure:Not determinedapor density:Not determinedH:Not applicable.
	10. STABILITY AND REAC	TIVITY
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing decomposition, do not over	agents and open flame. To avoid thermal heat.
Incompatible Materials		cids and oxidizing agents. Avoid contact and acetal copolymers during processing.
Hazardous decomposition products	(NOx), hydrogen chloride ( smoke are all possible. Pro degradation. As a general r	bon monoxide (CO), oxides of nitrogen (HCl), other hazardous materials, and blonged heating may result in product rule of thumb, degradation begins to occur 50 °F), after 10 minutes at 204 °C (400 °F), $2 ^{\circ}$ C (450 °F).

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
546-93-0	Magnesium carbonate	Irritant	Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
112945-52-5	Silica, amorphous, fumed, crystal-free	Irritant	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
112945-52-5	Silica, amorphous, fumed, crystal-free	Oral LD50	3,160 mg/kg	rat



MATERIAL SAFETY DATA SHEET

## SX436 BLUE PALM

Version Number 1.0 Revision Date 03/12/2003 Page 5 of 7 Print Date 11/10/2011

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	1

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.



### MATERIAL SAFETY DATA SHEET

# SX436 BLUE PALM

	Print Date 11/10/2
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Spotion 200 East	remely Hazardous Substance
JANA THE III SECTOR 207 EXT	
SARA Title III Section 302 Extu Not applicable	
Not applicable	
Not applicable	
Not applicable	xic Chemicals:
Not applicable SARA Title III Section 313 Tox	kic Chemicals: Not applicable
Not applicable SARA Title III Section 313 Tox Canadian Regulations:	kic Chemicals: Not applicable
Not applicable SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification	<ul> <li>kic Chemicals:</li> <li>Not applicable</li> <li>D2A</li> <li>All components of this product are on the Canadian Domestic</li> </ul>
Not applicable SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL	<ul> <li>kic Chemicals:</li> <li>Not applicable</li> <li>D2A</li> <li>All components of this product are on the Canadian Domestic</li> </ul>
Not applicable SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL National Inventories:	<ul> <li>kic Chemicals:</li> <li>Not applicable</li> <li>D2A</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> </ul>
Not applicable SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL National Inventories: Australia AICS	<ul> <li>kic Chemicals:</li> <li>Not applicable</li> <li>D2A</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> <li>Listed.</li> </ul>
Not applicable SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL National Inventories: Australia AICS China IECS	<ul> <li>cic Chemicals:</li> <li>Not applicable</li> <li>D2A</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> <li>Listed.</li> <li>Listed.</li> </ul>



Page 7 of 7

Print Date 11/10/2011

MATERIAL SAFETY DATA SHEET

## SX436 BLUE PALM

Version Number 1.0 Revision Date 03/12/2003

Philippines PICCS : Listed.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

