

MATERIAL SAFETY DATA SHEET

V618 MASTERLOCK BLUE NR

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	V618 MASTERLOCK BLUE NR
Product code	:	FO00007715
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

V618 MASTERLOCK BLUE NR

Version Number 1.0 Revision Date 06/11/2002 Page 2 of 6 Print Date 11/5/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of



MATERIAL SAFETY DATA SHEET

V618 MASTERLOCK BLUE NR

dusty conditions occur wear appropriate respiratory protection. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Additional Protective : Safety shoes. Measures General Hygiene : Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type I. Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. AC Titanium dioxide 15 mg/m3 PEL: Total dust. OSI 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity :: Not detern Odor : ELUE Bulk density :: Not detern : Not applic	ion Date 06/11/2002			F	: Page /Print Date <u>11/5</u>
and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally require dusty conditions occur wear appropriate respiratory protection. Eye/Face Protection :: Safety glasses with side-shields. Hand protection :: Protective gloves. Skin and body protection :: Long sleeved clothing. Additional Protective :: Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety p Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) : Components Value Exposure time Exposure type I Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. AC (TWA): Total dust. OSI PHYSICAL AND CHEMICAL PROPERTIES Form :: Solid Evaporation rate : Not applic Appearance Appearance :: powder, granular Specific Gravity : Not determ Color Coro : BLUE Bulk density : Not determ Colo		tł	nese materials.		
Respiratory protection : No personal respiratory protective equipment normally require dusty conditions occur wear appropriate respiratory protection. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety p Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provic appropriate exhaust ventilation <u>Exposure limit(s)</u> : Malue Exposure time <u>Exposure limit(s)</u> : Total dust. AC (TWA): : Total dust. OSI <u>PHYSICAL AND CHEMICAL PROPERTIES</u> Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not determ Odor : Not applic Odor : BLUE Bulk density : Not determ Odor : Not applic Melting point/range : Not determined Vapor pressure : Not applic Boiling Point:	Storage				isture absorption
dusty conditions occur wear appropriate respiratory protection. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Additional Protective : General Hygiene : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) Exposure limit(s) Components Value Exposure limit(s) PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not detern Odor : BLUE Bulk density : Odor : Very faint Vapor pressure : Not applic Metting point/range : Not applicable pH : Not applic Water	8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety p Considerations : Handle in accordance with good industrial hygiene and safety p Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) : Exposure time Exposure type L Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): Total dust. AC Titanium dioxide 15 mg/m3 PEL: Total dust. OSI Owder, granular Specific Gravity : Not applic Appearance : powder, granular Specific Gravity : Not determ Odor : Very faint Vapor pressure : Not applic Boiling point: : Not determined Vapor density : Not applic Boiling point:	Respiratory protection		1 1 1	1 1	* 1
Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety p Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) : : Total dust. AC <u>Components Value Exposure time Exposure type L <u>Titanium dioxide</u> 10 mg/m3 Time Weighted Average Total dust. AC <u>(TWA):</u> Total dust. OSI 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not determ Color : BLUE Bulk density : Not applic Boiling Point: : Not applicable PH : Not applic Boiling Point: : Not applicable pH : Not applic Water solubility : Insoluble Insoluble Insoluble <</u>	Eye/Face Protection	: S	afety glasses with side-shields		
Additional Protective Measures : Safety shoes. General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety p Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) : Components Value Exposure time Exposure type Itanium dioxide 10 mg/m3 Titanium dioxide 15 mg/m3 PEL: Total dust. OSI 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Exposure : powder, granular Specific Gravity : Not applic Odor : BLUE Bulk density : Not determ Color : BLUE Bulk density : Not applic Boiling Point: : Not applicable pH : Not applic Water solubility : Insoluble : Not applic Harardous Polymerization : Stable. : : Hazardous Polymerization : Will not occur. : :	Hand protection	: P	rotective gloves.		
Measures General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety p Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) <u>Components</u> <u>Value</u> <u>Exposure time</u> <u>Exposure type</u> <u>L</u> <u>Titanium dioxide</u> <u>10 mg/m3</u> <u>Time Weighted Average</u> <u>Total dust.</u> <u>AC</u> <u>(TWA):</u> <u>Total dust.</u> <u>OSI</u> <u>PHYSICAL AND CHEMICAL PROPERTIES</u> Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not determ Odor : BLUE Bulk density : Not determ Odor : Very faint Vapor pressure : Not applic Melting point/range : Not determined Vapor density : Not applic Boiling Point: : Not applicable pH : Not applic Meter solubility : Insoluble Insoluble Hazardous Polymerization : Will not occur.	Skin and body protection	: L	ong sleeved clothing.		
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type I Titanium dioxide 10 mg/m3 Titanium dioxide 15 mg/m3 PHYSICAL AND CHEMICAL PROPERTIES Form Solid Exposure is powder, granular Specific Gravity Not determined Value Bulk density : Not applic Melting point/range : Not determined Vapor density : Not applic Boiling Point: : Not applicable pH : Not applic Boiling Point: : Not applicable pH : Not applic Boiling Point: : Not applicable pH : Not applic <		: S	afety shoes.		
appropriate exhaust ventilation at machinery. Exposure limit(s) Image: Components Value Exposure time Exposure type L Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. AC Titanium dioxide 15 mg/m3 PEL: Total dust. OSI 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not determ Odor : BLUE Bulk density : Not deplic Melting point/range : Not determined Vapor pressure : Not applic Boiling Point: : Not applicable pH : Not applic Water solubility : Insoluble Image: Stable. Hazardous Polymerization : Will not occur.					
Components Value Exposure time Exposure type L Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): Total dust. AC Titanium dioxide 15 mg/m3 PEL: Total dust. OSI PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not determ Color : BLUE Bulk density : Not determ Odor : Very faint Vapor pressure : Not applic Boiling Point: : Not applicable pH : Not applic Water solubility : Insoluble Insoluble Insoluble Insoluble	Engineering measures				tion. Provide
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): Total dust. AC Titanium dioxide 15 mg/m3 PEL: Total dust. OSI 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic Appearance : powder, granular Specific Gravity : Not determ Odor : BLUE Bulk density : Not determ Odor : Very faint Vapor pressure : Not applic Boiling Point: : Not applicable pH : Not applic Boiling Point: : Not applicable pH : Not applic Hazardous Polymerization : Will not occur. : Will not occur.	Exposure limit(s)				
Image: Constraint of the constraint	Components	Value	Exposure time	Exposure type	e List:
9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applic. Appearance : powder, granular Specific Gravity : Not detern Color : BLUE Bulk density : Not detern Odor : Very faint Vapor pressure : Not applic. Melting point/range : Not determined Vapor density : Not applic. Boiling Point: : Not applicable pH : Not applic. Water solubility : Insoluble Insoluble Insoluble Metagendous Polymerization : Will not occur.	Titanium dioxide	10 mg/m3	• •	Total dust.	ACGIH
Form : Solid Evaporation rate : Not applic. Appearance : powder, granular Specific Gravity : Not determ Color : BLUE Bulk density : Not determ Odor : Very faint Vapor pressure : Not applic. Melting point/range : Not determined Vapor density : Not applic. Boiling Point: : Not applicable pH : Not applic. Water solubility : Insoluble Insoluble Insoluble Hazardous Polymerization : Will not occur.	Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
Appearance:powder, granularSpecific Gravity:Not determColor:BLUEBulk density:Not determOdor:Very faintVapor pressure:Not applicMelting point/range:Not determinedVapor density:Not applicBoiling Point::Not applicablepH:Not applicWater solubility:InsolubleStabilityHazardous Polymerization:Will not occur.		9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Color : BLUE Bulk density : Not determ Odor : Very faint Vapor pressure : Not applic. Melting point/range : Not determined Vapor density : Not applic. Boiling Point: : Not applicable pH : Not applic. Water solubility : Insoluble	Form	: Solid	l Evapo	ration rate :	Not applicable.
Odor : Very faint Vapor pressure : Not applic. Melting point/range : Not determined Vapor density : Not applic. Boiling Point: : Not applicable pH : Not applic. Water solubility : Insoluble Insoluble		: powe	der, granular Specif	ic Gravity :	Not determined
Melting point/range : Not determined Vapor density : Not applic. Boiling Point: : Not applicable pH : Not applic. Water solubility : Insoluble Insoluble Insoluble Stability Stability : Stable. Hazardous Polymerization : Will not occur.	Appearance	· DII	E Bulk d	lensity :	Not determined
Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					Not applicable
Water solubility : Insoluble Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.	Color Odor	: Very	v faint Vapor		NT / 1º 11
10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.	Color Ddor Melting point/range	: Very : Not o	faint Vapor determined Vapor		
Stability:Stable.Hazardous Polymerization:Will not occur.	Color Ddor Melting point/range Boiling Point:	: Very : Not of : Not a	r faintVapordeterminedVaporapplicablepH		Not applicable Not applicable
Hazardous Polymerization : Will not occur.	Color Ddor Melting point/range Boiling Point:	: Very : Not of : Not a	r faintVapordeterminedVaporapplicablepH		
	Color Ddor Melting point/range Boiling Point:	: Very : Not o : Not a : Insol	r faint Vapor determined Vapor applicable pH luble	density :	
	Color Odor Melting point/range Boiling Point: Water solubility	: Very : Not a : Not a : Insol	r faint Vapor determined Vapor applicable pH luble	density :	
Conditions to avoid : To avoid thermal decomposition, do not overheat. Keep away	Color Odor Melting point/range Boiling Point: Water solubility Stability	: Very : Not a : Not a : Insol 10. S : S	table.	density :	



MATERIAL SAFETY DATA SHEET

V618 MASTERLOCK BLUE NR

Version Number 1.0 Revision Date 06/11/2002		Page 4 of 6 Print Date 11/5/2011
		oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11.	TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	N		
Persistence and degradat	oility : Not readily	biodegradable.			
Environmental Toxicity	: Adverse eco	logical impact is not kno	own or expected under normal use		
Bioaccumulation Potenti	al : No data ava	ilable.			
Additional advice	: No data ava	ilable.			
	13. DISPOSAL	L CONSIDERATIONS	5		
Product	generator of classificatio	waste material has the	ed to disposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.		
Contaminated packaging	has the resp and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPO	ORT INFORMATION			
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)		ed for transportation.			



MATERIAL SAFETY DATA SHEET

V618 MASTERLOCK BLUE NR

ion Number 1.0 sion Date 06/11/2002		Page 5 Print Date 11/5/2
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Dise	closv	ıre List
CAS-No. 7440-50-8 75-01-4		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
~		
China IECS	:	Not determined.
China IECS Europe EINECS	:	Not determined.
Europe EINECS	:	Not determined.



MATERIAL SAFETY DATA SHEET

V618 MASTERLOCK BLUE NR

Version Number 1.0 Revision Date 06/11/2002 Page 6 of 6 Print Date 11/5/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.