

### MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

Version Number 1.0 Revision Date 06/10/2002 Page 1 of 7 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship, (314) 771-1800  |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | W2317LTGRN HARMSCO FILTER LT GREEN   |
| Product code                  | : | FO00007928   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components        | CAS-No.    | Weight % |
|-------------------|------------|----------|
| Quartz            | 14808-60-7 | 0.1 - 1  |
| Calcium oxide     | 1305-78-8  | 1 - 5    |
| Titanium dioxide  | 13463-67-7 | 1 - 5    |
| Calcium carbonate | 1317-65-3  | 10 - 30  |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b> | : Inhalation, Skin contact, Ingestion  |  |
|----------------------------|--|--|
| Acute exposure             |  |  |
| Inhalation                 | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |  |
| Ingestion                  | : May be harmful if swallowed.   |  |
| Eyes                       | : May cause eye/skin irritation.   |  |
| Skin                       | : Experience shows no unusual dermatitis hazard from routine handling.           |  |
| Chronic exposure           | : Refer to Section 11 for Toxicological Information.                             |  |



MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

Version Number 1.0 Revision Date 06/10/2002 Page 2 of 7 Print Date 11/4/2011

| Aggravated by Exposure:  |             |  |
|--|-------------|--|
|  |             | 4. FIRST AID MEASURES  |
| Inhalation   | :           | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist, or in all cases of<br>doubt, seek medical advice.  |
| Ingestion  | :           | Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.   |
| Eyes   | :           | Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | :           | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.  |
|  |             | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | :           | No data available.   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature | :<br>:<br>: | No data available.<br>Not applicable.  |
| Suitable extinguishing media<br>Special Fire Fighting<br>Procedures                            | :           | Carbon dioxide blanket, dry powder, foam, Water spray.<br>Fullface self-contained breathing apparatus (SCBA) used in positive<br>pressure mode should be worn to prevent inhalation of airborne<br>contaminants.                 |
| Unusual Fire/Explosion<br>Hazards  | :           | May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.  |
|  | 6. A        | CCIDENTAL RELEASE MEASURES   |
| Personal precautions   | :           | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | :           | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | :           | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
|  |             | 7. HANDLING AND STORAGE  |



## MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

| Version Number 1.0<br>Revision Date 06/10/2002 |      | Page 3 of 7<br>Print Date 11/4/2011  |
|--|------|--|
| Handling                                       | :    | Heat only in areas with appropriate exhaust ventilation. Processing<br>fume condensates may contain combustible or toxic residue.<br>Periodically clean hoods, ducts, and other surfaces to minimize<br>accumulation of these materials. |
| Storage :                                      |      | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Store in a cool dry place.   |
| 8. EXP   | OSUF | RE CONTROLS / PERSONAL PROTECTION  |
| Respiratory protection                         | :    | Under normal handling conditions a respirator is not required.   |
| Eye/Face Protection                            | :    | Safety glasses with side-shields.  |
| Hand protection                                | :    | Protective gloves.   |
| Skin and body protection                       | :    | Long sleeved clothing.   |
| Additional Protective<br>Measures              | :    | Safety shoes.  |
| General Hygiene<br>Considerations              | :    | Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands before breaks and at the end of workday.  |
| Engineering measures                           | :    | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.   |

## Exposure limit(s)

| Components        | Value                                | Exposure time         | Exposure type    | List:   |
|-------------------|--------------------------------------|-----------------------|------------------|---------|
| Calcium carbonate | onate 10 mg/m3 Time Weighted Average |                       | Total dust.      | ACGIH   |
|                   |                                      | (TWA):                |                  |         |
| Calcium carbonate | 5 mg/m3                              | PEL:                  | Respirable dust. | OSHA Z1 |
|                   | 15 mg/m3                             | PEL:                  | Total dust.      | OSHA Z1 |
| Calcium oxide     | 2 mg/m3                              | Time Weighted Average | Dust.            | ACGIH   |
|                   |                                      | (TWA):                |                  |         |
| Calcium oxide     | 5 mg/m3                              | PEL:                  | Dust.            | OSHA Z1 |
| Quartz            | 0.05                                 | Time Weighted Average | Respirable dust. | ACGIH   |
|                   | mg/m3                                | (TWA):                |                  |         |
| Quartz            | 0.1 mg/m3                            | PEL:                  | Respirable dust. | OSHA    |
|                   | 0.3 mg/m3                            | PEL:                  | Total dust.      | OSHA    |
| Titanium dioxide  | 10 mg/m3                             | Time Weighted Average | Total dust.      | ACGIH   |
|                   | _                                    | (TWA):                |                  |         |
| Titanium dioxide  | 15 mg/m3                             | PEL:                  | Total dust.      | OSHA Z1 |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Liquid: Viscous, Liquid

Evaporation rate Specific Gravity Not establishedNot determined



### MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

| Version Numb  | er 1.0     |
|---------------|------------|
| Revision Date | 06/10/2002 |

Page 4 of 7 Print Date 11/4/2011

| Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility | <ul><li>: GREEN</li><li>: Very faint</li><li>: Not applicable</li><li>: Not applicable</li><li>: Immiscible</li></ul> | Bulk density<br>Vapor pressure<br>Vapor density<br>pH   | <ul><li>Not applicable.</li><li>Not determined</li><li>Not determined</li><li>Not applicable.</li></ul> |
|--|---|---|---|
|  | 10. STABILITY AN  | D REACTIVITY  |   |
| Stability  | : Stable.   |   |   |
| Hazardous Polymerization   | : Will not occur.   |   |   |
| Conditions to avoid  | : Keep away from or decomposition, do   | xidizing agents and open to not overheat.   | flame. To avoid thermal   |
| Incompatible Materials   | -   | strong acids and oxidizing olymers and acetal copoly  |   |
| Hazardous decomposition products   | (NOx), hydrogen c<br>smoke are all possi<br>degradation. As a   | CO2), carbon monoxide (C<br>hloride (HCl), other hazar<br>ible. Prolonged heating m<br>general rule of thumb, deg<br>77 °C (350 °F), after 10 m | rdous materials, and hay result in product  |

#### **11. TOXICOLOGICAL INFORMATION**

and within 5 minutes at 232 °C (450 °F).

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name     | Effect           | Target Organ                    |
|------------|-------------------|------------------|---------------------------------|
| 14808-60-7 | Quartz            | Systemic effects | Eyes, Respiratory system.       |
| 1305-78-8  | Calcium oxide     | Irritant         | Skin.                           |
|            |                   | Systemic effects | Eyes, Skin, Respiratory system. |
|            |                   | Corrosive        | Skin.                           |
| 13463-67-7 | Titanium dioxide  | Systemic effects | Respiratory system.             |
| 1317-65-3  | Calcium carbonate | Irritant         | Eyes, Skin.                     |
|            |                   | Systemic effects | Eyes, Skin, Respiratory system. |

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

| CAS-No.    | Chemical Name | OSHA | IARC | NTP |
|------------|---------------|------|------|-----|
| 14808-60-7 | Quartz        | no   | 1    | 1   |

IARC Carcinogen Classifications:



MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

Version Number 1.0 Revision Date 06/10/2002 Page 5 of 7 Print Date 11/4/2011

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

#### 12. ECOLOGICAL INFORMATION

| Persistence and degradability                                  | : Not readily biodegradable.   |
|--|--|
| Environmental Toxicity   | : Environmental toxicity has not been established for this mixture as a whole.   |
| <b>Bioaccumulation Potential</b>                               | : No data available.   |
| Additional advice  | : No data available.   |
|  | 13. DISPOSAL CONSIDERATIONS  |
| Product  | : Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging   | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                               |
|  | 14. TRANSPORT INFORMATION  |
| U.S. D.O.T. / CA T.D.G.<br>Classification (Non-bulk<br>ground) | : Not regulated for transportation.  |
| ICAO/IATA  | : Not regulated for transportation.  |
| IMO / IMDG   | : Not regulated for transportation.  |
|  | 15. REGULATORY INFORMATION   |
| US Regulations:  |  |
| OSHA Status  | : Classified as hazardous based on components.   |



## MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

| Version Number 1.0       |  |
|--------------------------|--|
| Revision Date 06/10/2002 |  |

Page 6 of 7 Print Date 11/4/2011

| TSCA Status   | : All components of this product are listed on the TSCA inventory or are exempt.                 |
|---|--|
| US. EPA CERCLA Hazard   | ous Substances (40 CFR 302)  |
| Not applicable  |  |
| California Propositi<br>65  | on : WARNING! This product contains a chemical known in the State of California to cause cancer. |
| Canadian Regulations:   |  |
| WHMIS Classificat   | ion : D2A  |
| WHMIS Ingredient Disclosure List                                      |  |
| CAS-No.<br>1305-78-8<br>14808-60-7<br>7631-86-9<br>57-11-4<br>75-01-4 |  |
| DSL   | : Listed.  |
| National Inventories:   |  |
| Australia AICS  | : Listed.  |
| China IECS  | : Not determined.  |
| Europe EINECS   | : Not determined.  |
| Japan ENCS  | Not determined.  |
| Korea KECI  | : Listed.  |
| Philippines PICCS   | : Listed.  |
| 16. OTHER INFORMATION   |  |
|   |  |
|   |  |
|   | 6/7  |



MATERIAL SAFETY DATA SHEET

# W2317LTGRN HARMSCO FILTER LT GREEN

Version Number 1.0 Revision Date 06/10/2002 Page 7 of 7 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.