

MATERIAL SAFETY DATA SHEET

# 1003P YELLOW PC

Version Number 1.0 Revision Date 12/31/2002 Page 1 of 6 Print Date 11/7/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	1003P YELLOW PC
Product code	:	FO00008109
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	1 - 5
phenylmethylester		

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

# 1003P YELLOW PC

sion Date 12/31/2002	Print Date 11/7/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits	
Upper explosion limit	: No data available.
Lower explosion limit	: No data available.
Autoignition temperature Suitable extinguishing media	<ul><li>Not applicable.</li><li>Carbon dioxide blanket, dry powder, foam, Water spray.</li></ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged



## MATERIAL SAFETY DATA SHEET

# 1003P YELLOW PC

sion Date 12/31/2002			Page 3 Print Date 11/7/2	
	heating may result in	product degradation.		
Storage		and tightly closed to avo Store in a cool dry place.		
8. EXI	POSURE CONTROLS / PE	RSONAL PROTECTIO	ON	
Respiratory protection	: Under normal handling conditions a respirator may not be requi		r may not be required.	
Eye/Face Protection	: Safety glasses with si	ide-shields.		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothin	g.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
<u>Exposure limit(s)</u>				
	. PHYSICAL AND CHEMI	CAL PROPERTIES		
	<ul> <li>PHYSICAL AND CHEMI</li> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> </ul>	CAL PROPERTIES Evaporation rate Specific Gravity	: Not established : Not determined	
9 Form Appearance Color	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> </ul>	Evaporation rate Specific Gravity Bulk density	<ul><li>Not determined</li><li>Not applicable.</li></ul>	
9 Form Appearance Color Odor	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure	<ul><li>Not determined</li><li>Not applicable.</li><li>Not determined</li></ul>	
9 Form Appearance Color Odor Melting point/range	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	<ul> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure	<ul><li>Not determined</li><li>Not applicable.</li><li>Not determined</li></ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Stability Hazardous Polymerization	<ul> <li>Liquid</li> <li>Liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not applicable.</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>	



#### MATERIAL SAFETY DATA SHEET

# 1003P YELLOW PC

# Version Number 1.0

Revision Date 12/31/2002

Page 4 of 6 Print Date 11/7/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available.
Additional advice	:	No data available.
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION



# MATERIAL SAFETY DATA SHEET

# 1003P YELLOW PC

on Number 1.0 ion Date 12/31/2002				Pa Print Date 1
U.S. DOT Classification	: Refer to	o specific regulation	ion.	
ICAO/IATA	: Refer to	o specific regulati	ion.	
IMO / IMDG	: Refer to	o specific regulation	ion.	
	15. REGU	LATORY INFO	ORMATION	
US Regulations:				
OSHA Status	: Classif	ied as hazardous l	based on components.	
TSCA Status	: All con Invento		product are listed on or	exempt from the T
US. EPA CERCLA Hazar	dous Substances (	40 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Produc
1,2-Benzenedicarb	85-68-7	2.6997	100 lbs	3,704 LB
oxylic acid, butyl phenylmethylester California Proposit 65	tion : This pr	oduct does not co	ntain a substance listed	d by California Pre
phenylmethylester California Proposit	tion : This pr	oduct does not co	ntain a substance liste	d by California Pro
phenylmethylester California Proposit 65	-	oduct does not co	ntain a substance liste	d by California Pro
phenylmethylester California Proposit 65 Canadian Regulations:	tion : D2B	oduct does not co	ontain a substance liste	d by California Pro
phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica	tion : D2B	oduct does not co	ontain a substance lister	d by California Pro
phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient CAS-No.	tion : D2B Disclosure List		product are on the Car	
california Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient CAS-No. 85-68-7	tion : D2B Disclosure List	mponents of this	product are on the Car	
phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient <u>CAS-No.</u> 85-68-7 DSL	tion : D2B Disclosure List	mponents of this	product are on the Car	
phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient <u>CAS-No.</u> 85-68-7 DSL National Inventories:	tion : D2B Disclosure List	mponents of this	product are on the Car	



#### MATERIAL SAFETY DATA SHEET

# 1003P YELLOW PC

Version Number 1.0 Revision Date 12/31/2002 Page 6 of 6 Print Date 11/7/2011

Japan ENCS	:	Not determined.
------------	---	-----------------

Korea KECI : Listed.

Philippines PICCS : Not determined.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.