

MATERIAL SAFETY DATA SHEET

00000064887

Version Number 1.0 Revision Date 07/14/2004

Page 1 of 5 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	00000064887
Product code	:	FO00008231
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET 000000064887

overheating or combustion. When symptoms persist or in al doubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. Seek medi attention if necessary. Eyes : Rinse immediately with plenty of water for at least 15 minut irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. Flash point : No data available Flammable Limits : No data available Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) oxides of nii (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropricor container for dis			
overheating or combustion. When symptoms persist or in al doubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. Seek medi attention if necessary. Eyes : Rinse immediately with plenty of water for at least 15 minut irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. Standard : No data available Flash point : No data available Flammable Limits : No data available Upper explosion limit : No data available Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible Environmental precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material			
Eyes attention if necessary. Eyes : Rinse immediately with plenty of water for at least 15 minut irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. Flash point : No data available Flammable Limits Upper explosion limit Upper explosion limit : No data available Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foannone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOX), other hazardous materials, and smoke are all possibl 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropric container for disposal. Refer to Section 13 of this MSDS fo disposal methods. <	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation permedical attention. 5. FIRE-FIGHTING MEASURES Flash point : No data available Flammable Limits Upper explosion limit Upper explosion limit : No data available Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nir (NOX), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropric container for disposal. Refer to Section 13 of this MSDS fo disposal methods. 7. HANDLING AND STORAGE : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation.	ical		
medical attention. 5. FIRE-FIGHTING MEASURES Flash point : No data available Flammable Limits Upper explosion limit : No data available Sower explosion limit : No data available Autoignition temperature : No data available Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in approprior container for disposal. Refer to Section 13 of this MSDS for disposal methods. 7. HANDLING AND STORAGE Handling Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation.	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.		
Flash point : No data available Flammable Limits Upper explosion limit : No data available Autoignition temperature : No data available Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOX), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture abs	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
Flammable Limits Upper explosion limit : No data available sower explosion limit : No data available Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropricontainer for disposal. Refer to Section 13 of this MSDS for disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture abs			
Flammable Limits Upper explosion limit : No data available sower explosion limit : No data available Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropricontainer for disposal. Refer to Section 13 of this MSDS for disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture abs			
sower explosion limit : No data available Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropricontainer for disposal. Refer to Section 13 of this MSDS for disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorber			
Special Fire Fighting Procedures : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion Hazards : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS fo disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorben	X		
Procedures pressure mode should be worn to prevent inhalation of airbo contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorbent			
Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nin (NOx), other hazardous materials, and smoke are all possible 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cour soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. T. HANDLING AND STORAGE : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorber	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants		
Personal precautions : Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water cou soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorber	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
impervious gloves, boots and coveralls. Environmental precautions : The product should not be allowed to enter drains, water coursoil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. The ANDLING AND STORAGE Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorber			
soil. Should not be released into the environment. Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, ac universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. 7. HANDLING AND STORAGE Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture absorber	18		
universal binder, sawdust). Package all material in appropri container for disposal. Refer to Section 13 of this MSDS for disposal methods. 7. HANDLING AND STORAGE Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture abs	rses or th		
Handling : Heat only in areas with appropriate exhaust ventilation. Pro heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture abs	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
heating may result in product degradation. Storage : Keep containers dry and tightly closed to avoid moisture abs			
	olonged		
	sorption		



MATERIAL SAFETY DATA SHEET 000000064887

Version Number 1.0 Revision Date 07/14/2004

Page 3 of 5 Print Date 11/15/2011

8. EXP	POSURE CONTROLS / PE	RSONAL PROTECTIO	N		
Respiratory protection	: Under normal handli	ng conditions a respirator	may not be required.		
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.	Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
These and the landstone has and as			l 4		
There are no known nazardou	us components above regulate	ory unesholds in this prod	iuci.		
0	. PHYSICAL AND CHEMI	ICAL DDODEDTIES			
	.THISICAL AND CHEMI	ICAL I KOI EKTIES			
Form	: liquid	Evaporation rate	: Not established		
Appearance	: liquid, Viscous liquid	Specific Gravity:	: Not determined		
	dispersion	- ·			
Color	: RED	Bulk density	: Not applicable		
Odor	: Very faint	Vapor pressure	: Not determined		
Melting point/range	: Not applicable	Vapour density	: Heavier than air.		
Boiling Point:	: Not applicable	pH	: Not determined		
Water solubility	: Immiscible				
	10. STABILITY AND	REACTIVITY			
Stability	: Stable.				
Stability Hazardous Polymerization	Stable.Will not occur.				
·	: Will not occur.	dizing agents and open fla ot overheat.	me. To avoid thermal		
Hazardous Polymerization Conditions to avoid	Will not occur.Keep away from oxid decomposition, do not				
Hazardous Polymerization	 Will not occur. Keep away from oxid decomposition, do not Incompatible with str Carbon dioxide (CO2) 	ot overheat.	gents.), oxides of nitrogen		



MATERIAL SAFETY DATA SHEET 000000064887

Version Number 1.0 Revision Date 07/14/2004 Page 4 of 5 Print Date 11/15/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.	
Bioaccumulation Potential	: No data available	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Refer to specific regulation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		



MATERIAL SAFETY DATA SHEET 000000064887

Version Number 1.0 Revision Date 07/14/2004			Print Date	Page 5 of 5 11/15/2011
California Proposition 65	:	This product does not contain a substance listed	d by California	a Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	ic (Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se I	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.