

STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 1 of 17 Print Date 06/16/2016

SAFETY DATA SHEET

STAN-TONE 90PC04 BLACK

Section 1. Identification

GHS product identifier : STAN-TONE 90PC04 BLACK

Chemical name: MixtureCAS number: MixtureOther means of identification: FO00008260Product type: liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

CARCINOGENICITY - Category 2

GHS label elements



STAN-TONE 90PC04 BLACK

Version Number 1.4 Page 2 of 17 Revision Date 06/15/2016 Print Date 06/16/2016

Hazard pictograms

Signal word : Warning

Hazard statements : Causes eye irritation.

Suspected of causing cancer.

Precautionary statements

General : Not applicable.

Prevention : Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective equipment as required. Wear eye or face protection. Wash hands

thoroughly after handling.

Response: IF exposed or concerned: Get medical attention. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical attention.

Storage : Store in a well-ventilated place.

Disposal : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements : None known. **Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:FO00008260

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---------------------------|----------|------------|
| Di(2-ethylhexyl)phthalate | 60 - 100 | 117-81-7 |
| | | |
| | | |
| Carbon black | 10 - 30 | 1333-86-4 |
| | | |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.



STAN-TONE 90PC04 BLACK

Version Number 1.4 Page 3 of 17 Revision Date 06/15/2016 Print Date 06/16/2016

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Ingestion: Wash out mouth with water. Remove dentures if any. Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: May be irritating to mouth, throat and stomach.



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 4 of 17 Print Date 06/16/2016

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

: None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 5 of 17 Print Date 06/16/2016

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, taken

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate

waste disposal container. Dispose of via a licensed waste disposal

contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8).

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard,



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 6 of 17 Print Date 06/16/2016

Advice on general occupational hygiene

container.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------|---|
| Di(2-ethylhexyl)phthalate | OSHA PEL 1989 (1989-03-01) |
| | PEL: Permissible Exposure Level 5 mg/m3 |
| | Short Term Exposure Limit value for a 15-minute reference |
| | period expressed in parts per million or in mg/m3. 10 mg/m3 |
| | OSHA PEL (1993-06-30) |
| | PEL: Permissible Exposure Level 5 mg/m3 |
| | NIOSH REL (1994-06-01) |
| | Time Weighted Average (TWA) 5 mg/m3 |
| | Short Term Exposure Limit value for a 15-minute reference |
| | period expressed in parts per million or in mg/m3. 10 mg/m3 |
| | ACGIH TLV (1999-03-01) |
| | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | Permissible Exposure Level 5 mg/m3 |
| | |



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 7 of 17 Print Date 06/16/2016

| Carbon black | OSHA PEL 1989 (1989-03-01) |
|--------------|---|
| | PEL: Permissible Exposure Level 3.5 mg/m3 |
| | OSHA PEL (1993-06-30) |
| | PEL: Permissible Exposure Level 3.5 mg/m3 |
| | NIOSH REL (1994-06-01) |
| | Time Weighted Average (TWA) 3.5 mg/m3 |
| | Time Weighted Average (TWA) |
| | ACGIH TLV (2010-12-06) |
| | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction |
| | |

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016

Page 8 of 17 Print Date 06/16/2016

cannot be accurately estimated.

Personal protective equipment for the body should be selected based **Body protection**

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures Other skin protection

> should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying

with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe working limits

of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state liquid [Paste.] Color **BLACK** Odor Not available. **Odor threshold** Not available. Not available. **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive Lower: Not available. (flammable) limits **Upper:** Not available.

Vapor pressure Not available. Vapor density Not available. **Relative density** Not available. **Solubility** Not available. Solubility in water Not available. Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **SADT** Not available.

Dvnamic: Not available. Viscosity Kinematic: Not available.



STAN-TONE 90PC04 BLACK

Version Number 1.4 Page 9 of 17 Revision Date 06/15/2016 Print Date 06/16/2016

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Keep away from strong acids.

Oxidizer.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

products

| Product/ingredient name | Result | Species | Dose | Exposure | |
|---------------------------|---------------------------|---------|--------------|----------|--|
| Di(2-ethylhexyl)phthalate | Di(2-ethylhexyl)phthalate | | | | |
| | LD50 Oral | Rat | 30,000 mg/kg | - | |
| | LD50 Dermal | Rabbit | 25,000 mg/kg | - | |
| Carbon black | | | | | |
| | LD50 Oral | Rat | 15,400 mg/kg | - | |

Conclusion/Summary : Mixture. Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---------------------------|-------------------------|---------|-------|----------|-------------|
| Di(2-ethylhexyl)phthalate | Eyes - Mild irritant | Rabbit | | 24 hrs | - |
| | Skin - Mild irritant | Rabbit | | 24 hrs | - |
| | Eyes - Mild irritant | Rabbit | | | - |

Conclusion/Summary

Skin : Mixture.Not fully tested.

Eyes : Mixture.Not fully tested.



STAN-TONE 90PC04 BLACK

Version Number 1.4 Page 10 of 17 Revision Date 06/15/2016 Print Date 06/16/2016

Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient | OSHA | IARC | NTP |
|---------------------------|------|------|--|
| name | | | |
| Di(2-ethylhexyl)phthalate | | 2B | Reasonably anticipated to be a human carcinogen. |
| Carbon black | | 2B | |

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available.

exposure

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

10/17



Page 11 of 17

STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Print Date 06/16/2016

May be irritating to mouth, throat and stomach. **Ingestion**

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

> irritation watering redness

Inhalation No specific data. No specific data. Skin contact No specific data. **Ingestion**

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available. **Potential delayed effects** Not available.

Long term exposure

Potential immediate effects Not available. **Potential delayed effects** Not available.

Potential chronic health effects

Conclusion/Summary Mixture. Not fully tested.

General No known significant effects or critical hazards.

Carcinogenicity Suspected of causing cancer. Risk of cancer depends on duration and

level of exposure.

No known significant effects or critical hazards. Mutagenicity **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 12 of 17 Print Date 06/16/2016

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---------------------------|-----------------------------------|------------------------|----------|
| Di(2-ethylhexyl)phthalate | | | |
| | Acute LC50 690 µg/l Fresh water | Fish - Fish | 96 h |
| | Acute LC50 32,900 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 139,500 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 42,100 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 6,180 µg/l Fresh water | Fish - Fish | 96 h |
| | Acute LC50 11,000 μg/l Fresh | Aquatic invertebrates. | 48 h |
| | water | Daphnia | |
| | Acute EC50 133 µg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Daphnia | |
| | Acute EC50 2 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Daphnia | |
| | Acute EC50 31,000,000 μg/l | Aquatic plants - Algae | 96 h |
| | Marine water | | |
| | Chronic NOEC 502 µg/l Fresh | Fish - Fish | 49 d |
| | water | | |
| | Chronic NOEC 502 µg/l Fresh | Fish - Fish | 90 d |
| | water | | |
| | Chronic NOEC 12 µg/l Fresh water | Fish - Fish | 28 d |
| | Chronic NOEC 12 µg/l Fresh water | Fish - Fish | 28 d |
| | Chronic NOEC 12 µg/l Fresh water | Fish - Fish | 28 d |
| | Chronic NOEC 77 µg/l Fresh water | Aquatic invertebrates. | 21 d |
| | | Daphnia | |
| | Chronic NOEC 0.64 mg/l Fresh | Aquatic invertebrates. | 21 d |
| | water | Daphnia | |
| | Chronic NOEC 0.64 mg/l Fresh | Aquatic invertebrates. | 21 d |
| | water | Daphnia | |
| | Chronic NOEC 109 µg/l Fresh | Aquatic invertebrates. | 21 d |
| | water | Crustaceans | |
| Carbon black | • | • | • |
| | Acute EC50 37.563 mg/l Fresh | Aquatic invertebrates. | 48 h |
| | water | Daphnia | |
| | Acute LC50 61.547 mg/l Fresh | Aquatic invertebrates. | 48 h |
| | water | Daphnia | |

Conclusion/Summary

Not available.

Persistence and degradability



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 13 of 17 Print Date 06/16/2016

Conclusion/Summary : Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|---------------------------|--------|----------|-----------|
| Di(2-ethylhexyl)phthalate | 7.6 | 1,380.00 | high |

Mobility in soil

Soil/water partition coefficient

(KOC)

Other adverse effects

Not available.

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

| Ingredient | CAS# | Status | Reference number |
|---------------------------|----------|--------|------------------|
| Di(2-ethylhexyl)phthalate | 117-81-7 | Listed | |

Section 14. Transport information

U.S. DOT Classification

Proper Shipping Name: Technical Name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.



STAN-TONE 90PC04 BLACK

Version Number 1.4 Page 14 of 17 Revision Date 06/15/2016 Print Date 06/16/2016

Hazard Class / Division 9

UN Number UN3082
Packing Group III
Label Required 9

| Hazardous Substance | RQ for |
|-----------------------------|-----------------|
| | Mixture/Product |
| bis(2-ethylhexyl) phthalate | |
| | |

ICAO/IATA Consult mode specific transport rules

IMO/IMDG (maritime) Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed

United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed

United States - TSCA 6 - Proposed risk management: Not listed

United States - TSCA 8(a) - Chemical risk rules: Not listed

United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed

United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Di(2-ethylhexyl)phthalate

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016

Page 15 of 17 Print Date 06/16/2016

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

Chemicals)

Listed

Not listed

Not listed

Not listed

DEA List II Chemicals (Essential Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

| Chemical Name | CAS-No. | RQ for component |
|---------------------------|----------|------------------|
| Di(2-ethylhexyl)phthalate | 117-81-7 | 100 lb(s) |
| | | 45.4 kg |
| | | - |

SARA 311/312

Classification Immediate (acute) health hazard

Delayed (chronic) health hazard

Composition/information on ingredients

| Name | % | Classification |
|---------------------------|----------|----------------|
| Di(2-ethylhexyl)phthalate | 60 - 100 | АН, СН |
| Carbon black | 10 - 30 | СН |

SARA 313

| | Product name | CAS number | % |
|---------------------------------|---------------------------|------------|----------|
| Form R - Reporting requirements | Di(2-ethylhexyl)phthalate | 117-81-7 | 60 - 100 |
| Supplier notification | Di(2-ethylhexyl)phthalate | 117-81-7 | 60 - 100 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 16 of 17 Print Date 06/16/2016

State regulations

Massachusetts : The following components are listed:

Di(2-ethylhexyl)phthalate

Carbon black

New York : The following components are listed:

Di(2-ethylhexyl)phthalate

New Jersey: The following components are listed:

Di(2-ethylhexyl)phthalate

Carbon black

Pennsylvania: The following components are listed:

Di(2-ethylhexyl)phthalate

Carbon black

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations

International lists : Australia inventory (AICS): All components are listed or exempted.

Taiwan inventory (CSNN): All components are listed or exempted. **Malaysia Inventory (EHS Register):** All components are listed or

exempted.

EINECS: All components are listed or exempted.

Japan inventory: All components are listed or exempted.

 $\label{lem:china inventory (IECSC):} All \ components \ are \ listed \ or \ exempted.$

Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components

are listed or exempted.

Philippines inventory (PICCS): All components are listed or

exempted.

Chemical Weapons Convention List Schedule I Chemicals

: Not listed

Chemical Weapons Convention
List Schedule II Chemicals

: Not listed

Chemical Weapons Convention

: Not listed

List Schedule III Chemicals



STAN-TONE 90PC04 BLACK

Version Number 1.4 Revision Date 06/15/2016 Page 17 of 17 Print Date 06/16/2016

Section 16. Other information

History

Date of printing: 06/16/2016Date of issue/Date of revision: 06/15/2016Date of previous issue: 06/14/2016

Version : 1.4

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.