

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-24859 ALUMINUM

Version Number 1.0 Revision Date 01/20/2003 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-24859 ALUMINUM
Product code	:	FO00008575
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-24859 ALUMINUM

Version Number 1.0 Revision Date 01/20/2003 Page 2 of 6 Print Date 11/7/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-24859 ALUMINUM

sion Date 01/20/2003			Print	Date 11/7/2
Storage		eep containers dry and tighted contamination. Store in	a cool dry place.	e absorption
8. H	XPOSURE	CONTROLS / PERSONA	AL PROTECTION	
Respiratory protection	: U	nder normal handling cond	litions a respirator may not b	be required.
Eye/Face Protection	: S	afety glasses with side-shie	elds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with g ash hands before breaks a	ood industrial hygiene and so nd at the end of workday.	afety practic
Engineering measures		eat only in areas with appropriate exhaust ventilati	opriate exhaust ventilation. on at machinery.	Provide
Exposure limit(s)				
-				
Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	5 mg/m3	Time Weighted Average (TWA):	e Welding fume. as Al	ACGIH
Aluminum	15 mg/m3	PEL:	Total dust. as Al	OSHA Z
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES	
Form	: Liqu	id Eva	aporation rate : Not	established
	1	id, Viscous liquid Spe	1	established determined
Form Appearance	: Liqu dispe	id, Viscous liquid Spe rsion	cific Gravity : Not	determined
Appearance Color	: Liqu dispe : NO I	id, Viscous liquid Spe rision PIGMENT Bul	ecific Gravity : Not lk density : Not	determined applicable.
Appearance Color Odor	: Liqu dispe : NO I : Very	id, Viscous liquid Spe orsion PIGMENT Bul faint Vaj	ccific Gravity : Not lk density : Not por pressure : Not	determined applicable. determined
Appearance Color Odor Melting point/range	: Liqu dispe : NO I : Very : Not a	id, Viscous liquid Spe orsion PIGMENT Bul faint Vaj	ccific Gravity : Not lk density : Not por pressure : Not por density : Hea	determined applicable. determined
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : NO I : Very : Not a : Not a	id, Viscous liquid Spe rrsion PIGMENT Bul faint Vaj upplicable Vaj	ccific Gravity : Not lk density : Not por pressure : Not por density : Hea	determined applicable. determined vier than air
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : NO I : Very : Not a : Not a	id, Viscous liquid Spe rrsion PIGMENT Bul faint Vaj upplicable Vaj upplicable pH	ecific Gravity : Not k density : Not por pressure : Not por density : Hea : Not	determined applicable. determined vier than air
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Liqu dispe : NO I : Very : Not a : Not a : Imm	id, Viscous liquid Spe ersion PIGMENT Bul faint Vaj upplicable Vaj upplicable pH iscible	ecific Gravity : Not k density : Not por pressure : Not por density : Hea : Not	determined applicable. determined vier than air
	: Liqu dispe : NO I : Very : Not a : Not a : Imm 10. S : S	id, Viscous liquid Spe rrsion PIGMENT Bul faint Vap applicable Vap applicable pH iscible TABILITY AND REAC	ecific Gravity : Not k density : Not por pressure : Not por density : Hea : Not	determined applicable. determined vier than air.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-24859 ALUMINUM

ision Date 01/20/2003			Page 4 Print Date 11/7/2
Conditions to avoid		way from oxidizing ager position, do not overheat	nts and open flame. To avoid thermal
Incompatible Materials	: Incomp	patible with strong acids	and oxidizing agents.
Hazardous decompositio products			monoxide (CO), oxides of nitrogen als, and smoke are all possible.
	11. TOXICO	OLOGICAL INFORM	ATION
health data for the indivi Toxicity Overview	dual components w	hich comprise the mixtur	
This product contains the		_	form have the following characteristic
CAS-No.	Chemical Nan		Target Organ
7429-90-5	Aluminum	Irritant Systemic effe	Skin, Respiratory system.ctsEyes, Skin, Respiratory system
		Systemic one	
Bioaccumulation Potenti Additional advice		a available.	
ridditional advice	: No data	a available.	
		a available. OSAL CONSIDERATI	ONS
Product	13. DISPO : Where generat classifi	OSAL CONSIDERATI possible, recycling is pre tor of waste material has cation, transportation an	ONS eferred to disposal or incineration. Th the responsibility for proper waste d disposal in accordance with cial and local regulations.
	13. DISPO : Where generat classifi applica :: Recycl has the and dis	OSAL CONSIDERATI possible, recycling is pre- tor of waste material has cation, transportation an- ible federal, state/province ing is preferred when pos- responsibility for proper	eferred to disposal or incineration. Th the responsibility for proper waste d disposal in accordance with
Product	13. DISPO: Where generat classifi applica: Recycle has the and dis and loc	OSAL CONSIDERATI possible, recycling is pre- tor of waste material has cation, transportation an ible federal, state/provinc ing is preferred when por responsibility for proper sposal in accordance with	eferred to disposal or incineration. Th the responsibility for proper waste d disposal in accordance with cial and local regulations. ssible. The generator of waste materia r waste classification, transportation n applicable federal, state/provincial
Product Contaminated packaging	13. DISPO : Where generat classifi applica :: Recycl: has the and dis and loc 14. TRAI	OSAL CONSIDERATI possible, recycling is pre- tor of waste material has cation, transportation an ible federal, state/provinc ing is preferred when por responsibility for proper sposal in accordance with cal regulations.	eferred to disposal or incineration. Th the responsibility for proper waste d disposal in accordance with cial and local regulations. ssible. The generator of waste materia r waste classification, transportation n applicable federal, state/provincial
Product	13. DISPO : Where generat classifi applica :: Recycl: has the and dis and loc 14. TRAI : Refer to	OSAL CONSIDERATI possible, recycling is pre- tor of waste material has cation, transportation an- ible federal, state/province ing is preferred when pos- responsibility for proper sposal in accordance with cal regulations.	eferred to disposal or incineration. Th the responsibility for proper waste d disposal in accordance with cial and local regulations. ssible. The generator of waste materia r waste classification, transportation n applicable federal, state/provincial



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-24859 ALUMINUM

01/L	0/2003				Pri	Page 5 nt Date <u>11/7/2</u>
IMO / IMDG		:	Refer to specific	regulation.		
		15	. REGULATOR	Y INFORMATIO	DN	
US Regulations:						
OSHA St	atus	:	Classified as haz	zardous based on c	omponents.	
TSCA St	atus	:	All components Inventory.	of this product are	listed on or exemp	t from the TSCA
US. EPA CERCI	LA Hazardous	s Subs	stances (40 CFR 3	302)		
Not	applicable					
California 65	a Proposition	:	This product doe	es not contain a sul	ostance listed by Ca	lifornia Prop 65
SARA Title III S			hemicals:	CAS-No	Weight %	
С	hemical Nam	e	hemicals: E OR DUST)	CAS-No. 7429-90-5	Weight % 28.00	
С	hemical Nam LUMINUM (e				
C A Canadian Regula	hemical Nam LUMINUM (ie (FUM				
C A Canadian Regula WHMIS	hemical Nam LUMINUM (tions:	ie (FUM	E OR DUST) D2B			
Canadian Regula WHMIS WHMIS I	hemical Nam LUMINUM (tions: Classification	ie (FUM	E OR DUST) D2B			
Canadian Regula WHMIS WHMIS I	hemical Nam LUMINUM (tions: Classification ingredient Dis CAS-No.	ie (FUM	E OR DUST) D2B re List All components	7429-90-5	28.00 e on the Canadian I	Domestic
Canadian Regula WHMIS WHMIS I WHMIS I	hemical Nam LUMINUM (tions: Classification ingredient Dis CAS-No. 429-90-5	ie (FUM n : sclosu	E OR DUST) D2B re List All components	7429-90-5	28.00 e on the Canadian I	Domestic
Canadian Regula WHMIS WHMIS I WHMIS I C 7 DSL	hemical Name LUMINUM (tions: Classification ingredient Dis CAS-No. 429-90-5	ie (FUM n : sclosu	E OR DUST) D2B re List All components	7429-90-5	28.00 e on the Canadian I	Domestic
Canadian Regula WHMIS WHMIS I WHMIS I DSL National Invento	hemical Name LUMINUM (tions: Classification Ingredient Dis CAS-No. 429-90-5 ries: AICS	ie (FUM sclosu	E OR DUST) D2B re List All components Substances List	7429-90-5	28.00 e on the Canadian I	Domestic
Canadian Regula WHMIS WHMIS I WHMIS I OSL National Invento Australia	hemical Name LUMINUM (tions: Classification Ingredient Dis CAS-No. 429-90-5 ries: AICS CS	ie (FUM sclosu :	E OR DUST) D2B re List All components Substances List Listed.	7429-90-5 of this product ar (DSL) or are exen	28.00 e on the Canadian I	Domestic



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-24859 ALUMINUM

Version Number 1.0 Revision Date 01/20/2003 Page 6 of 6 Print Date 11/7/2011

Korea KECI

: Not determined.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.