

MATERIAL SAFETY DATA SHEET

PPC407 YELLOW PC

Version Number 1.0 Revision Date 12/31/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship, (314) 771-1800 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	: : : :	PPC407 YELLOW PC FO00008624 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	1 - 5
phenylmethylester		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

PPC407 YELLOW PC

ision Date 12/31/2002	Print Date 11/7/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	CACCIDENTAL DELEACE MEASUDES
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged



MATERIAL SAFETY DATA SHEET

PPC407 YELLOW PC

			Page 3 Print Date 11/7/2	
	heating may result in J	product degradation.		
Storage		nd tightly closed to avoid m tore in a cool dry place.	oisture absorption	
8. EXF	POSURE CONTROLS / PER	SONAL PROTECTION		
Respiratory protection	: Under normal handlin	g conditions a respirator ma	ay not be required.	
Eye/Face Protection	: Safety glasses with sid	le-shields.		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations		with good industrial hygien eaks and at the end of work		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Exposure limit(s)				
	. PHYSICAL AND CHEMIC	CAL PROPERTIES		
	 PHYSICAL AND CHEMIC Liquid Liquid, Viscous liquid dispersion 	CAL PROPERTIES Evaporation rate Specific Gravity	Not established Not determined	
9. Form	: Liquid : Liquid, Viscous liquid	Evaporation rate		
9. Form Appearance Color Odor	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint 	Evaporation rate Specific Gravity Bulk density Vapor pressure	 Not determined Not applicable. Not determined 	
9 Form Appearance Color Odor Melting point/range	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint Not applicable 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	 Not determined Not applicable. Not determined Heavier than air. 	
9. Form Appearance Color Odor	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint 	Evaporation rate Specific Gravity Bulk density Vapor pressure	 Not determined Not applicable. Not determined 	
9 Form Appearance Color Odor Melting point/range Boiling Point:	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not determined Not applicable. Not determined Heavier than air. 	
9 Form Appearance Color Odor Melting point/range Boiling Point:	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not determined Not applicable. Not determined Heavier than air. 	
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND R	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not determined Not applicable. Not determined Heavier than air. 	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND F Stable. Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	 Not determined Not applicable. Not determined Heavier than air. Not determined 	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Liquid Liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND F Stable. Will not occur. Keep away from oxidid decomposition, do not 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	 Not determined Not applicable. Not determined Heavier than air. Not determined 	



MATERIAL SAFETY DATA SHEET

PPC407 YELLOW PC

Version Number 1.0 Revision Date 12/31/2002

Page 4 of 6 Print Date 11/7/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available.
Additional advice	:	No data available.
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

PPC407 YELLOW PC

on Number 1.0 ion Date 12/31/2002				Pa Print Date 1
J.S. DOT Classification	: Refer to	specific regulati	ion.	
CAO/IATA	: Refer to	specific regulati	ion.	
MO / IMDG	: Refer to	specific regulati	ion.	
	15. REGU	LATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classifie	ed as hazardous l	based on components.	
TSCA Status		ponents of this p	product are listed on or	exempt from the T
US. EPA CERCLA Hazard	lous Substances (4	0 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Produc
100 111	85-68-7	2.6997	100 lbs	3,704 LB
1,2-Benzenedicarb oxylic acid, butyl phenylmethylester California Proposit 65			ntain a substance listed	d by California Pro
oxylic acid, butyl phenylmethylester California Proposit			ntain a substance liste	d by California Pro
oxylic acid, butyl phenylmethylester California Proposit 65	ion : This pro		ntain a substance liste	d by California Pro
oxylic acid, butyl phenylmethylester California Proposit 65 Canadian Regulations:	ion : This pro		ntain a substance liste	d by California Pro
oxylic acid, butyl phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica	ion : This pro		ntain a substance liste	d by California Pro
oxylic acid, butyl phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient CAS-No.	ion : This pro	oduct does not co	product are on the Car	
oxylic acid, butyl phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient <u>CAS-No.</u> 85-68-7	ion : This pro	oduct does not co	product are on the Car	
oxylic acid, butyl phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient <u>CAS-No.</u> 85-68-7 DSL	ion : This pro	oduct does not co	product are on the Car	
oxylic acid, butyl phenylmethylester California Proposit 65 Canadian Regulations: WHMIS Classifica WHMIS Ingredient <u>CAS-No.</u> 85-68-7 DSL National Inventories:	ion : This pro	oduct does not co	product are on the Car	



MATERIAL SAFETY DATA SHEET

PPC407 YELLOW PC

Version Number 1.0 Revision Date 12/31/2002 Page 6 of 6 Print Date 11/7/2011

Japan ENCS	:	Not determined.

Korea KECI : Listed.

Philippines PICCS : Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.