

#### MATERIAL SAFETY DATA SHEET

# **PPC668 BLUE PC**

Version Number 1.0 Revision Date 04/29/2003 Page 1 of 6 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PPC668 BLUE PC
Product code	:	FO00008632
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Diatomaceous earth	61790-53-2	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

sion Date 04/29/2003	Page Print Date 11/11/		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.		
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: No data available.		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.		



## MATERIAL SAFETY DATA SHEET

Eye/Face Protection       ::       Safety glasses with side-shields.         Hand protection       ::       Protective gloves.         Skin and body protection       ::       Long sleeved clothing.         Additional Protective       ::       Safety shoes.         Measures       :       Handle in accordance with good industrial hygiene and safety.         Considerations       :       Handle in accordance with good industrial hygiene and safety.         Considerations       :       Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       Furne.       A         Components       Value       Exposure time       Exposure type         Diatomaceous earth       Note:       Furne.       A         10 mg/m3       Time Weighted Average       Inhalable dust.       A         (TWA):       :       Total dust.       Imate: Not estable appearance         Diatomaceous earth       20 mppcf       PEL:       Total dust.       Stot deter         Goor       :       Liquid, Viscous liquid       Specific Gravity       :       Not deter         Olor       :       BLUE       Bulk density       :       Not deter         dispersion       :	Page 11/11			
Respiratory protection       : Under normal handling conditions a respirator may not be rec         Eye/Face Protection       : Safety glasses with side-shields.         Hand protection       : Iong sleeved clothing.         Additional Protective       : Safety shoes.         General Hygiene       : Handle in accordance with good industrial hygiene and safety         Considerations       : Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Components       Value       Exposure time       Exposure type         Diatomaceous earth       Note:       Fume.       A         10 mg/m3       Time Weighted Average       Respirable dust.       A         (TWA):       : Total dust.       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         (TWA):       : Total dust.       A       (TWA):       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         (CWA):       : Total dust.       A       (TWA):       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         (CWA): <td>sorption</td>	sorption			
Eye/Face Protection       ::       Safety glasses with side-shields.         Hand protection       ::       Protective gloves.         Skin and body protection       ::       Long sleeved clothing.         Additional Protective       ::       Safety shoes.         Measures       :       General Hygiene       ::         General Hygiene       ::       Handle in accordance with good industrial hygiene and safety.         Considerations       :       Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       Exposure time       Exposure type         Diatomaceous earth       Value       Exposure time       Exposure type         10 mg/m3       Time Weighted Average       Inhalable dust.       A         (TWA):       :       Total dust.       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         .       :       :       :       Not eeric Gravity       :       Not eeric Gravity       :       Not deter dispersion         Color       :       :       :       :       Not applicable       Vapor pressure       :       Not deter dispersion         Color       :       :       :<				
Hand protection       : Protective gloves.         Skin and body protection       : Long sleeved clothing.         Additional Protective       : Safety shoes.         Measures       : Safety shoes.         General Hygiene       : Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Measures         Components       Value       Exposure time         Diatomaceous earth       Note:       - A         10 mg/m3       Time Weighted Average       Inhalable dust.         A       (TWA):       - A         Diatomaceous earth       20 mpper       PEL:       Total dust.         Diatomaceous earth       20 mpper       PEL:       Total dust.         Diatomaceous earth       20 mpper       PEL:       Total dust.         Diatomaceous earth       20 mpper       PEL:       Total dust.       A         Order       : Liquid       Evaporation rate       : Not estab         Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not applicable         Odor       : BLUE       Bulk density	equired.			
Skin and body protection       : Long sleeved clothing.         Additional Protective       : Safety shoes.         Measures       :         General Hygiene       : Handle in accordance with good industrial hygiene and safety         Considerations       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Mote:       : Fume.         Maintaineeous earth       : Note:       : A (TWA):         iatomaceous earth       : 20 mppcf       : PLI:         Very:       : Cong in the Weighted Average       Respirable dust.       : A (TWA):         Diatomaceous earth       : 20 mppcf       : PLI:       : Total dust.         Otor       : Liquid, Viscous liquid       Specific Gravity       : Not deter dispersion         Color       : BLUE				
Additional Protective Measures       : Safety shoes.         General Hygiene Considerations       : Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Intervention in the exhaust ventilation at machinery.         Diatomaceous earth       : Value       Exposure time         . 10 mg/m3       Time Weighted Average       Inhalable dust.       A (TWA):         Diatomaceous earth       : 20 mpper       PEL:       Total dust.       A (TWA):         Color       : Liquid, Viscous liquid       Specific Gravity       : Not estab Appearance				
Measures       .         General Hygiene Considerations       : Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s) <u>Components</u> <u>Diatomaceous earth</u> <u>Note:</u> <u>10 mg/m3</u> Time Weighted Average (TWA):       Inhalable dust. <u>Diatomaceous earth</u> 20 mppcf       PEL:       Total dust. <u>Diatomaceous earth</u> <u>20 mppcf</u> PL:       Total dust. <u>A</u> (TWA): <u>Diatomaceous earth</u> <u>20 mppcf</u> PL:       Total dust. <u>A</u> (TWA): <u>Diatomaceous earth</u> <u>20 mppcf</u> PL:       Not applicable <u>A</u> (TWA): <u>Not applicable</u> (Diatomaceous earth)				
Considerations       Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.         Exposure limit(s)         Exposure limit(s)         Components       Value         Exposure time       Exposure type         Diatomaceous earth       Note:         10 mg/m3       Time Weighted Average         Interventional       (TWA):         Diatomaceous earth       20 mppcf         PEL:       Total dust.         A       (TWA):         Diatomaceous earth       20 mppcf         PEL:       Total dust.         A       (TWA):         Diatomaceous earth       20 mppcf         PHYSICAL AND CHEMICAL PROPERTIES         Form       :         Color       :         BLUE       Bulk density       :         Not applicable       Vapor pressure       :         Very faint       Vapor density       :         Melting point/range       :       Not applicable         Boiling Point:       :       Not applicable         Water solubility       :       Immiscible         ID       :				
appropriate exhaust ventilation at machinery.         Exposure limit(s)         Components       Value       Exposure time       Exposure type         Diatomaceous earth       Note:       A         10 mg/m3       Time Weighted Average       Inhalable dust.       A         (TWA):       (TWA):       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.         Diatomaceous earth       20 mppcf       PEL:       Total dust.         PHYSICAL AND CHEMICAL PROPERTIES         Form       :       Liquid       Evaporation rate       :       Not estab         Appearance       :       Liquid, Viscous liquid       Specific Gravity       :       Not applicable         Odor       :       BLUE       Bulk density       :       Not applicable         Very faint       Vapor pressure       :       Not deter         Melting point/range       :       Not applicable       PH       :       Not deter         Boiling Point:       :       Not applicable       pH       :       Not deter         Mettring point/range       :       Not applicable       pH       :       Not deter         Water solubility       :       Immisc	$\partial$			
Components       Value       Exposure time       Exposure type         Diatomaceous earth       Note:       Fume.       A         Note:       Fume.       A         10 mg/m3       Time Weighted Average       Inhalable dust.       A         10 mg/m3       Time Weighted Average       Inhalable dust.       A         10 mg/m3       Time Weighted Average       Respirable dust.       A         10 intomaceous earth       20 mppcf       PEL:       Total dust.       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         9. PHYSICAL AND CHEMICAL PROPERTIES         Form       :       Liquid       Evaporation rate       :       Not estab         Appearance       :       Liquid, Viscous liquid       Specific Gravity       :       Not deter         Color       :       BLUE       Bulk density       :       Not appli         Odor       :       Very faint       Vapor pressure       :       Not deter         Melting point/range       :       Not applicable       pH       :       Not deter         Water solubility       :       Immiscible       Immiscible       Immiscible         IO. STABILITY AN	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Diatomaceous earth       Note:       Fume.       A         Note:       Note:       A         10 mg/m3       Time Weighted Average       Inhalable dust.       A         (TWA):       (TWA):       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         Outomaceous earth       20 mppcf       PEL:       Total dust.       A         9. PHYSICAL AND CHEMICAL PROPERTIES       Form       :       Liquid       Evaporation rate       :       Not estab         Appearance       :       Liquid, Viscous liquid       Specific Gravity       :       Not deter         dispersion       :       Bulk density       :       Not deter         Odor       :       BLUE       Bulk density       :       Not appli         Odor       :       Very faint       Vapor pressure       :       Not deter         Melting point/range       :       Not applicable       pH       :       Not deter         Water solubility       :       Immiscible       .       .       .       .          :       Stable.				
Note:       A         10 mg/m3       Time Weighted Average (TWA):       Inhalable dust.       A         3 mg/m3       Time Weighted Average (TWA):       Respirable dust.       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         9. PHYSICAL AND CHEMICAL PROPERTIES         Form       : Liquid       Evaporation rate       : Not estab         Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not deter         dispersion       :       Uagor pressure       : Not applicable         Odor       : Very faint       Vapor pressure       : Not deter         Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deter         Mater solubility       : Immiscible       Immiscible       Immiscible         Builty       : Stable.       Immiscible       Immiscible	List:			
I0 mg/m3       Time Weighted Average (TWA):       Inhalable dust.       A         3 mg/m3       Time Weighted Average (TWA):       Respirable dust.       A         Diatomaceous earth       20 mppcf       PEL:       Total dust.       A         9. PHYSICAL AND CHEMICAL PROPERTIES         Form       : Liquid       Evaporation rate       : Not estab         Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not appli         Odor       : BLUE       Bulk density       : Not appli         Odor       : Very faint       Vapor pressure       : Not deter         Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deter         Water solubility       : Immiscible       Inmiscible       Stability       : Stable.	ACGIH			
Image:	ACGIH			
Image: constraint of the constraint	ACGIH			
9. PHYSICAL AND CHEMICAL PROPERTIES         Form       : Liquid       Evaporation rate       : Not estable         Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not deterned         Color       : BLUE       Bulk density       : Not appli         Odor       : Very faint       Vapor pressure       : Not deterned         Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deterned         Water solubility       : Immiscible       Immiscible       Immiscible         Stability       : Stable.	ACGIH			
Form       : Liquid       Evaporation rate       : Not estable         Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not deterned         Color       : BLUE       Bulk density       : Not appli         Odor       : Very faint       Vapor pressure       : Not deterned         Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deterned         Water solubility       : Immiscible       : Not deterned       : Not deterned         Stability       : Stable.       : Stable.       : Stable.	Z3			
Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not deterned ispersion         Color       : BLUE       Bulk density       : Not appli         Odor       : Very faint       Vapor pressure       : Not deterned ispersion         Melting point/range       : Not applicable       Vapor density       : Heavier the solubility         Boiling Point:       : Not applicable       pH       : Not deterned ispersion         Water solubility       : Immiscible       : Immiscible       : Not deterned ispersion         Stability       : Stable.       : Stable.       : Stable.				
Appearance       : Liquid, Viscous liquid       Specific Gravity       : Not deterned ispersion         Color       : BLUE       Bulk density       : Not appli         Odor       : Very faint       Vapor pressure       : Not deterned ispersion         Melting point/range       : Not applicable       Vapor density       : Heavier the solubility         Boiling Point:       : Not applicable       pH       : Not deterned ispersion         Water solubility       : Immiscible       : Immiscible       : Not deterned ispersion         Stability       : Stable.       : Stable.       : Stable.	ablished			
Color       : BLUE       Bulk density       : Not appli         Odor       : Very faint       Vapor pressure       : Not deter         Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deter         Water solubility       : Immiscible       Immiscible       : Not deter         Stability       : Stable.       : Stable.       : Stable.				
Odor       : Very faint       Vapor pressure       : Not deter         Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deter         Water solubility       : Immiscible       .       .         IO. STABILITY AND REACTIVITY         Stability       : Stable.				
Melting point/range       : Not applicable       Vapor density       : Heavier t         Boiling Point:       : Not applicable       pH       : Not deter         Water solubility       : Immiscible       Immiscible       Immiscible         Stability       : Stable.				
Boiling Point:       : Not applicable       pH       : Not deter         Water solubility       : Immiscible       10. STABILITY AND REACTIVITY         Stability       : Stable.				
Water solubility       : Immiscible         10. STABILITY AND REACTIVITY         Stability       : Stable.				
IO. STABILITY AND REACTIVITY         Stability       : Stable.	ermined			
Stability : Stable.				
Hazardous Polymerization : Will not occur.				



# MATERIAL SAFETY DATA SHEET

ion Number 1.0 sion Date 04/29/2003			Page Print Date 11/11		
Conditions to avoid :		away from oxidizing ag position, do not overhe	gents and open flame. To avoid therma		
Incompatible Materials	: Incom	patible with strong acid	ds and oxidizing agents.		
Hazardous decomposition products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	11. TOXIC	OLOGICAL INFOR	MATION		
health data for the individu <u>Toxicity Overview</u>	al components w	which comprise the mix	Exposure effects listed are based on exture. re form have the following characterist		
CAS-No.	Chemical Na				
	iatomaceous eart		t Target Organ Eyes, Respiratory system.		
Bioaccumulation Potential Additional advice		ta available. ta available.			
	13. DISP	OSAL CONSIDERA	TIONS		
Product	genera classif applic	tor of waste material h ication, transportation able federal, state/prov	preferred to disposal or incineration. T as the responsibility for proper waste and disposal in accordance with incial and local regulations.		
Contaminated packaging	has the and di	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRA	NSPORT INFORMA	TION		
U.S. DOT Classification	: Refer	to specific regulation.			
ICAO/IATA	: Refer	to specific regulation.			



# MATERIAL SAFETY DATA SHEET

sion Number 1.0 vision Date 04/29/2003		Page 5 ( Print Date 11/11/2)
IMO / IMDG	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 To:	kic (	Chemicals:
Not applicable		
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Japan ENCS Korea KECI	:	Not determined. Listed.



MATERIAL SAFETY DATA SHEET

# **PPC668 BLUE PC**

Version Number 1.0 Revision Date 04/29/2003 Page 6 of 6 Print Date 11/11/2011

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.